

CORRECTION

Correction: Accuracy of a screening tool for medication adherence: A systematic review and meta-analysis of the Morisky Medication Adherence Scale-8


Sun Jae Moon, Weon-Young Lee, Jin Seub Hwang, Yeon Pyo Hong, Donald E. Morisky

The authors provide the following update to the Competing Interests statement:

DEM holds a copyright for Morisky Medication Adherence Scale-8 (MMAS-8), is one of its authors, and collects fees in exchange for licenses to use this scale in research. This does not alter the authors' commitment to objectivity in research and our adherence to PLOS ONE policies on sharing data and materials.

Reference

1. Moon SJ, Lee W-Y, Hwang JS, Hong YP, Morisky DE (2017) Accuracy of a screening tool for medication adherence: A systematic review and meta-analysis of the Morisky Medication Adherence Scale-8. PLoS ONE 12(11): e0187139. <https://doi.org/10.1371/journal.pone.0187139> PMID: 29095870



OPEN ACCESS

Citation: Moon SJ, Lee W-Y, Hwang JS, Hong YP, Morisky DE (2018) Correction: Accuracy of a screening tool for medication adherence: A systematic review and meta-analysis of the Morisky Medication Adherence Scale-8. PLoS ONE 13(4): e0196138. <https://doi.org/10.1371/journal.pone.0196138>

Published: April 17, 2018

Copyright: © 2018 Moon et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.