

Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active. Contents lists available at ScienceDirect

Medical Hypotheses

journal homepage: www.elsevier.com/locate/mehy



In December 2019 a novel coronavirus outbreak started in Wuhan, China. The new illness has spread quickly around the world, causing thousand of deaths. Several drugs such as chloroquine or remdesivir are currently undergoing clinical studies to test their efficacy in the treatment of the disease.

Lithium has been reported as a potential antiviral drug for certain viruses, and several of them are members of coronavide family. Hong-Jie reported that lithium inhibited in vitro the entry and replication of the porcine epidemic diarrhea (PEDV) coronavirus in Vero cells [1]. The expression of viral RNA and protein of PEDV in Vero cells was suppressed in a dose-dependent manner by lithium. Moreover lithium inhibited early and late apoptosis induced by PEDV. Sally M Harrison reported the effectiveness of lithium inhibiting in two model of cell types, the coronavirus bronchitis virus [2], and these findings were referenced by Jing Li et al. [3].

Lithium has been used for decades in the treatment of several mental illness, and today is a cheap, safe, well known, and widely spread drug. I suggest that epidemiological studies should be developed to figure out the incidence of COVID-19 in people treated with this drug, and in the case of favorable results, considerer lithium as a possible treatment for new outbreak.

Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Appendix A. Supplementary data

Supplementary data to this article can be found online at https://doi.org/10.1016/j.mehy.2020.109822.

References

- Hong-Jie, et al. Antiviral effect of lithium chloride on porcine epidemic diarrhoea virus in vitro. Res Vet Sci 2018.
- [2] Harrison Sally M, et al. Lithium chloride inhibits the coronavirus infectious bronchitis virus. Avian Pathol 2007.
- [3] Li Jing, et al. Comparative analysis of the effect of glycyrrhizin diammonium and lithium chloride on infectious bronchitis virus infection. Avian Pathol 2009.

Germán Gómez-Bernal* CRP San Jaun de Dios, Servicio Aragonés de Salud, Spain E-mail address: gjgomez@salud.aragon.es.

https://doi.org/10.1016/j.mehy.2020.109822







^{*} Address: 10, Zaragoza street, Teruel 44001, Spain.

Received 7 April 2020; Received in revised form 21 April 2020; Accepted 5 May 2020 0306-9877/ © 2020 Elsevier Ltd. All rights reserved.