

RESEARCH ARTICLE

Open Access

# Laparoscopic appendectomy in the elderly: our experience

Alessia G Ferrarese\*, Valter Martino<sup>†</sup>, Stefano Enrico<sup>†</sup>, Alessandro Falcone<sup>†</sup>, Silvia Catalano<sup>†</sup>, Giada Pozzi<sup>†</sup>, Silvia Marola<sup>†</sup>, Mario Solej<sup>†</sup>

From 26th National Congress of the Italian Society of Geriatric Surgery  
Naples, Italy. 19-22 June 2013

## Abstract

**Background:** Laparoscopic appendectomy for acute appendicitis is one of the most common surgical procedures performed in the world. We aimed to compare laparoscopic and open appendectomy in the elderly in our experience.

**Methods:** We performed a retrospective review of elderly patients who underwent appendectomy for acute appendicitis from 1st of January 2006 to the 31st of July 2012. We analyzed 39 appendectomies in elderly patients: 20 procedures were performed using open technique (Group O) and 19 using laparoscopic technique (Group L).

**Results:** In the analysis of intraoperative variables there was no statistically significant difference. In this study there was no statistically significant difference also in peri-operative variables.

**Conclusion:** Laparoscopic appendectomy is a safe and feasible technique in acute appendicitis also in the elderly.

## Background

Laparoscopic appendectomy for acute appendicitis is one of the most common surgical procedures performed in the world [1-3]. The first surgeon performing a laparoscopic appendectomy was Semm in UK in 1983 [4]. Acute appendicitis in the elderly is a surgical disease that could create important diagnosis problems [5-9] as far as concerns the atypical presentation [3,10-18].

We aimed to present our experience about a series of laparoscopic appendectomies in elderly patients and analyze the feasibility of laparoscopic technique in comparison with open technique.

## Methods

From the 1st of January 2006 to the 31st of July 2012 we performed 208 appendectomies in our division of General Surgery: 39 of these were performed in elderly patients (age > 65 yrs, 30 M 9 F). In the elderly group, 20 procedures

were performed using open technique (Group O) and 19 using laparoscopic technique (Group L).

The analyzed variables were: sex, symptoms, CT or US evaluation, total hospital stay, hospital stay after and before the procedure, kind and duration of procedure, conversion to open procedure, drain and final pathological results.

Statistical proportions related to the dichotomic variables (gender distribution in the different patient groups, number of post-operative complications, conversion rate, number of drains, presence of fever, wall thickening, amount of effusion, presence of appendix perforation) were compared using Chi-square test and Fisher's exact test.

Continuous variables like age distribution, post-operative hospital stay time, surgery duration and several haematochemical characteristics (WBC, CRP) were expressed as average (range) and analyzed using the Mann-Witney U test. Patients distribution according to different surgical teams was confirmed. All statistical analyses were performed using R software (*version 2.6.2*), and a *p* value of less than 0.05 was considered statistically significant.

## Results

Table 1 shows demographic data of both groups.

\* Correspondence: alessia.ferrarese@gmail.com

<sup>†</sup> Contributed equally

University of Turin, Department of Oncology, School of Medicine, Teaching Hospital "San Luigi Gonzaga", Section of General Surgery, Orbassano, Turin, Italy

**Table 1 Demographic data**

	Group O	Group L
Mean age (yrs)	76	74
Sex M%	16	14
F%	4	5

In the O group we performed a McBurney incision in 18 patients and a pararectal incision in 12 cases; all appendectomies were performed by loops. In laparoscopic appendectomy group in 11 cases we used the mechanical stapler (Table 2).

In intraoperative variables analysis there was no statistically significant difference (Table 3). In this study there was no statistically significant difference also in peri-operative variables (Table 4).

Residents performed 3 surgical procedures (8,57%), and in 17 cases the resident was in equipoise as second operator, with a total resident's presence in the Surgical Team of 51,28% of cases.

The follow-up was 19 months; the only post-operative complication was a wound infection in an open appendectomy, resolved with antibiotic therapy. There was no mortality.

## Conclusions

In our experience we assist to an inversion of surgical approach in acute appendicitis, with a gradual increase of laparoscopic procedures. In spite of slightly longer time of procedure, there was no significant difference in number of post-operative complications, number of drains, duration of surgical procedure and total hospital stay in laparoscopic appendectomy and open procedure [19-21]. Laparoscopic appendectomy is to be considered an advanced surgical procedure: anatomical variability and unpredictable difficulties make the procedure not standardizable.

We consider surgery approach more difficult in the elderly in some cases [22] but we also considered laparoscopic approach is, in general, a safe and feasible technique in acute pathology [23] and a safe approach also in the elderly [24,25]. Laparoscopic appendectomy for acute appendicitis is a gold standard technique also in the elderly.

**Table 2 Surgical data (ns: not significative)**

	Group O	Group L
Mc Burney	18	
Pararectal incision	12	
Loops	20	8
Stapler		11

**Table 3 Intraoperative data**

	Group O	Group L	p-value
Mean operative time (min)	57	63	ns
Presence of perforated appendix	2	3	ns
Abdominal effusion	7	9	ns

**Table 4 Peri-operative data**

	Group O	Group L	p-value
Pre-operative stay (days)	3,2	3	ns
Post-operative stay (days)	6,2	5	ns
Wound sepsis	0	0	ns
Total hospital stay (days)	10	8,4	ns
Drain apposition	14	11	ns
Post-operative complication	1	0	ns

## Competing interests

The authors declare that they have no competing interests.

## Authors' contributions

AGF: conception and design, interpretation of data, given final approval of the version to be published.

VM: critical revision, interpretation of data, given final approval of the version to be published.

MS: acquisition of data, drafting the manuscript, given final approval of the version to be published.

AF: acquisition of data, drafting the manuscript, given final approval of the version to be published.

SC: acquisition of data, drafting the manuscript, given the final approval of the version to be published.

GP: acquisition of data, drafting the manuscript, given the final approval of the version to be published.

SM: critical revision, interpretation of data, given final approval of the version to be published

SE: conception and design, interpretation of data, given final approval of the version to be published

## Declarations

Funding for this article came from personal funds.

This article has been published as part of *BMC Surgery* Volume 13

Supplement 2, 2013: Proceedings from the 26th National Congress of the Italian Society of Geriatric Surgery. The full contents of the supplement are available online at <http://www.biomedcentral.com/bmc surg/supplements/13/S2>

Published: 8 October 2013

## References

1. Addiss DG, Shaffer N, Fowler BS, Tauxe RV: The epidemiology of appendicitis and appendectomy in the United States. *Am J Epidemiol* 1990, 132:910-25.
2. Temple CL, Huchcroft SA, Temple WJ: The natural history of appendicitis in adults: a prospective study. *Ann Surg* 1995, 221:278-81.
3. Gurleyik G, Gurleyik E: Age-related clinical features in older patients with acute appendicitis. *Eur J Emerg Med* 2003, 10:200-3.
4. Semm K: Endoscopic appendectomy. *Endoscopy* 1983, 15:59-64.
5. Lim CY, Ree JK, Jeong YC, Chae KM: A comparative study of the appendicitis in different age groups. *J Korean Surg Soc* 1988, 35:207-14.
6. Hong SK, Kim HS: Clinical review of the acute appendicitis in patients over the age of 60. *J Korean Surg Soc* 1993, 44:449-55.
7. Sim HS, Lee YK, Hwang JY: Acute appendicitis in the aged. *J Korean Surg Soc* 1998, 54:695-700.

8. An SS, Soh YS, Cho IH, Back HM, Lee SY: **Clinical analysis of acute appendicitis in the elderly.** *J Korean Soc Coloproctol* 2002, 18:274-80.
9. Scher KS, Coil JA: **The continuing challenge of perforating appendicitis.** *Surg Gynecol Obstet* 1980, 150:535-8.
10. Owens BJ, Hamit HF: **Appendicitis in the elderly.** *Ann Surg* 1978, 187:392-6.
11. Lau WY, Fan ST, Yiu TF, Chu KW, Lee JM: **Acute appendicitis in the elderly.** *Surg Gynecol Obstet* 1985, 161:157-60.
12. Carty TG Sr, Collins D, Losasso B, Lynch F, Brown C: **Laparoscopic appendectomy for simple and perforated appendicitis in children: the procedure of choice?** *J Pediatr Surg* 2000, 35:1582-5.
13. Esposito C, Borzi P, Valla JS, Mekki M, Nouri A, Becmeur F, et al: **Laparoscopic versus open appendectomy in children: a retrospective comparative study of 2,332 cases.** *World J Surg* 2007, 31:750-5.
14. Esposito C, Ascione G, Garipoli V, De Bernardo G, Esposito G: **Complications of pediatric laparoscopic surgery.** *Surg Endosc* 1997, 11:655-7.
15. Juricic M, Bossavy JP, Izard P, Cuq P, Vaysse P, Juskiewski S: **Laparoscopic appendectomy: case reports of vascular injury in 2 children.** *Eur J Pediatr Surg* 1994, 4:327-8.
16. Golub R, Siddiqui F, Pohl D: **Laparoscopic versus open appendectomy: a metaanalysis.** *J Am Coll Surg* 1998, 186:545-53.
17. el Ghoneimi A, Valla JS, Limonne B, Valla V, Montupet P, Chavrier Y, et al: **Laparoscopic appendectomy in children: report of 1,379 cases.** *J Pediatr Surg* 1994, 29:786-9.
18. Park JB, Sul JY: **Laparoscopic appendectomy: a safe primary procedure for complicated appendicitis.** *J Korean Surg Soc* 2007, 72:51-6.
19. Rispoli C, Rocco N, Iannone L, Amato B: **Developing guidelines in geriatric surgery: role of the grade system.** *BMC Geriatrics* 2009, 9(SUPPL.1):A99.
20. Carty TG Sr, Collins D, Losasso B, Lynch F, Brown C: **Laparoscopic appendectomy for simple and perforated appendicitis in children: the procedure of choice?** *J Pediatr Surg* 2000, 35:1582-5.
21. Markides G, Subar D, Riyad K: **Laparoscopic versus open appendectomy in adults with complicated appendicitis: systematic review and meta-analysis.** *World J Surg* 2010, 34:2026-40.
22. Ferrarese A, Martino V, Falcone A, Solej M, Destefano I: **Perforated duodenal diverticulum: case report and short review of the literature.**, su Chirurgia.
23. Solej M, Martino V, Mao P, Enrico S, Rosa R, Fornari M, Destefano I, Ferrarese AG, Gibin E, Bindu F, Falcone A, Ala U, Nano M: **Early versus delayed laparoscopic cholecystectomy for acute cholecystitis.** *Minerva Chirurgica* 2012, 67(5):381-387.
24. Ferrarese A, Martino V, Nano M: **Elective and emergency laparoscopic cholecystectomy in the elderly: early or delayed approach.** *BMC Geriatrics* 2011, 11(Suppl 1):A14.
25. Ferrarese A, Martino V, Nano M: **Wound defects in the elderly: our experience.** *BMC Geriatrics* 2011, 11(Suppl 1):A15.

doi:10.1186/1471-2482-13-S2-S22

**Cite this article as:** Ferrarese et al.: Laparoscopic appendectomy in the elderly: our experience. *BMC Surgery* 2013 13(Suppl 2):S22.

**Submit your next manuscript to BioMed Central and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at  
[www.biomedcentral.com/submit](http://www.biomedcentral.com/submit)

