



MEETING ABSTRACT

Open Access

# High level of inter-species transmission of simian foamy virus from non-human primates to humans in Gabon, central Africa

Augustin Mouinga-Ondémé<sup>1</sup>, Mélanie Caron<sup>1</sup>, Antoine Gessain<sup>2</sup>, Mirdad Kazanji<sup>3\*</sup>

From 15th International Conference on Human Retroviruses: HTLV and Related Viruses  
Leuven and Gembloux, Belgium. 5-8 June 2011

## Background

Each of the pathogenic human retroviruses (HIV-1/2 and HTLV-1) has a non-human primate (NHP) counterpart, and the presence of these retroviruses in humans results from interspecies transmission. The passage of another simian retrovirus, simian foamy virus (SFV), from NHPs to humans has been reported. Here, we evaluated the natural history of SFV in a free-ranging colony of mandrills (CIRMF primate center) and in mandrills living in natura in Gabon (central Africa). We also determined the SFV prevalence in a series of 497 NHP living in different parts of Gabon. Lastly, we investigated the possible transmission of SFVs to humans.

## Results

Seropositivity for SFV was Western blot positive in 83% (70/ 84) of captive and 60% (9/15) of wild-caught mandrills. Integrase gene analysis demonstrated the existence of two different, geographically restricted, MndFV strains. Among the NHP, 10.5% (31/286) of the plasma/sera were SFV seropositive. Integrase gene was characterized in 38 samples with novel SFVs in several species of *Cercopithecus*. Among the 78 persons, mostly hunters bitten by NHP, 19 were SFV seropositive with 15 being PCR confirmed. Mandrills and gorilla SFV were found in the infected humans. Furthermore, SFV was detected in two personnel of the primate center.

## Conclusion

We demonstrate the presence of 2 different geographically restricted strains of mandrill FV. We show the

existence of several new FV strains, species-related, in different *Cercopithecus*. Lastly, our results indicate a high interspecies transmission of SFVs to hunters through mainly gorilla bites, leading to a chronic infection in humans.

## Author details

<sup>1</sup>Unité de Rétrovirologie, CIRMF, Franceville, Gabon. <sup>2</sup>EPVO unit Institut Pasteur, Paris, France. <sup>3</sup>Unité de Rétrovirologie, CIRMF, Franceville, Gabon and Institut Pasteur de Bangui, Central African Republic.

Published: 6 June 2011

doi:10.1186/1742-4690-8-S1-A229

**Cite this article as:** Mouinga-Ondémé *et al.*: High level of inter-species transmission of simian foamy virus from non-human primates to humans in Gabon, central Africa. *Retrovirology* 2011 **8**(Suppl 1):A229.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at  
[www.biomedcentral.com/submit](http://www.biomedcentral.com/submit)



\* Correspondence: [mirdad.kazanji@pasteur.fr](mailto:mirdad.kazanji@pasteur.fr)

<sup>3</sup>Unité de Rétrovirologie, CIRMF, Franceville, Gabon and Institut Pasteur de Bangui, Central African Republic

Full list of author information is available at the end of the article