



Erratum: Identification and characterization of nuclear and nucleolar localization signals in 58-kDa microspherule protein (MSP58)

Chuan-Pin Yang¹, Chi-Wu Chiang^{3,4}, Chang-Han Chen^{10,9}, Yi-Chao Lee^{7,8}, Mei-Hsiang Wu¹, Yi-Huan Tsou², Yu-San Yang³, Wen-Chang Chang^{2,4,6,7} and Ding-Yen Lin^{1,2,4,5*}

Erratum

Due to a publisher error in the original version of this article [1], '8A' was superimposed on the 10A – EGFP image in Fig. 2C. This error has now been corrected in the original.

Author details

¹Institute of Bioinformatics and Biosignal Transduction, College of Bioscience and Biotechnology, National Cheng Kung University, Tainan 70101, Taiwan, ROC. ²Department of Pharmacology, College of Medicine, National Cheng Kung University, Tainan 70101, Taiwan, ROC. ³Institute of Molecular Medicine, College of Medicine, National Cheng Kung University, Tainan 70101, Taiwan, ROC. ⁴Infectious Diseases and Signaling Research Center, National Cheng Kung University, Tainan 70101, Taiwan, ROC. ⁵Institute for Cancer Biology and Drug Discovery, College of Medical Science and Technology, Taipei Medical University, Taipei 11031, Taiwan, ROC. ⁶Graduate Institute of Medical Sciences, College of Medicine, Taipei Medical University, Taipei 11031, Taiwan, ROC. ⁷Center for Neurotrauma and Neuroregeneration, Taipei Medical University, Taipei 11031, Taiwan, ROC. ⁸Program for Neural Regenerative Medicine, College of Medical Science and Technology, Taipei Medical University, Taipei 11031, Taiwan, ROC. ⁹Center for Translational Research in Biomedical Sciences, Kaohsiung Chang Gung Memorial Hospital, Kaohsiung 83301, Taiwan, ROC. ¹⁰Department of Applied Chemistry, National Chi Nan University, Puli, Nantou 54561, Taiwan, ROC.

Received: 11 June 2015 Accepted: 11 June 2015

Published online: 24 July 2015

Reference

1. Yang CP, Chiang CW, Chen CH, Lee YC, Wu MH, Tsou YH, et al. Identification and characterization of nuclear and nucleolar localization signals in 58-kDa microspherule protein (MSP58). *J Biomed Sci.* 2015;22:33.

* Correspondence: lindy@mail.ncku.edu.tw

¹Institute of Bioinformatics and Biosignal Transduction, College of Bioscience and Biotechnology, National Cheng Kung University, Tainan 70101, Taiwan, ROC

²Department of Pharmacology, College of Medicine, National Cheng Kung University, Tainan 70101, Taiwan, ROC

Full list of author information is available at the end of the article




Fig. 2 C. COS-1 cells were transfected with EGFP and EGFP-MSP58 mutant constructs as indicated in the figure and fixed 24 hours after transfection. The green color showed the fluorescence of the EGFP-fusion protein. Corresponding DAPI images are also shown. Total cell lysates from COS-1 transfected cells with the indicated constructs were analyzed by Western blotting using an anti-GFP antibody