

POSTER PRESENTATION

Open Access

Arl13b interferes with α -tubulin acetylation

P Pintado^{1*}, C Seixas², D C Barral², S S Lopes¹

From Cilia 2014 - Second International Conference
Paris, France. 18-21 November 2014

Background

The loss of Arl13b has been associated with cilia defects since 2007 [1]. Arl13b is a small G protein that localizes along the ciliary membrane but there is still no current knowledge about Arl13b ciliary role or effectors. Nevertheless, many studies aiming to understand cilia signaling pathways make use of mild Arl13b overexpression fused with GFP as a ciliary marker.

Objective

Study the impact of overexpressing Arl13b-GFP in ciliary formation and structure.

Methods

We used the zebrafish Kupffer's vesicle as a dynamic ciliary growth system and performed a seven hour time-course experiment comparing the length of cilia measured by Arl13b-GFP or by acetylated α -tubulin. In order to evaluate the specificity of the alterations in α -tubulin acetylation pattern, we overexpressed different ciliary proteins that were also reported to increase cilia length.

Results

Arl13b-GFP injection increases cilia length and causes a specific decrease in the α -tubulin acetylation of both motile and primary cilia. We noted that this reduction is more accentuated right before the maximum ciliary length is achieved. Moreover, by blocking deacetylation with tubacin we were able to rescue acetylation levels but cilia length is maintained.

Conclusions

We concluded that Arl13b overexpression causes a specific and significant reduction in α -tubulin acetylation. We are currently investigating if there is any synergy

between the loss of Mec17, the acetylase, and the overexpression of Arl13b. We hypothesize that Arl13b actively blocks α -tubulin acetylation to render the cilium more dynamic and allow it to grow more in the same time window.

Authors' details

¹Cilia Regulation and Disease Lab, CEDOC Chronic Diseases Research Center, NOVA Medical School / Faculdade de Ciências Médicas, Universidade Nova de Lisboa, Campo Dos Mártires Da Pátria, 130, 1169-056 Lisboa, Portugal.

²Membrane Traffic in Infection & Disease, CEDOC Chronic Diseases Research Center, NOVA Medical School / Faculdade de Ciências Médicas, Universidade Nova de Lisboa, Campo Dos Mártires Da Pátria, 130, 1169-056 Lisboa, Portugal.

Published: 13 July 2015

Reference

1. Caspary T, Larkins CE, Anderson KV: The graded response to Sonic Hedgehog depends on cilia architecture. *Dev Cell* 2007, 12(5):767-778.

doi:10.1186/2046-2530-4-S1-P73

Cite this article as: Pintado et al: Arl13b interferes with α -tubulin acetylation. *Cilia* 2015 4(Suppl 1):P73.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



¹Cilia Regulation and Disease Lab, CEDOC Chronic Diseases Research Center, NOVA Medical School / Faculdade de Ciências Médicas, Universidade Nova de Lisboa, Campo Dos Mártires Da Pátria, 130, 1169-056 Lisboa, Portugal
Full list of author information is available at the end of the article