



Access this article online

Quick Response Code:



Website:

www.turkjemergmed.org

DOI:

10.4103/2452-2473.285017

Trends in medical students' career choice of emergency medicine: A 14-year study

Fikret Bildik, Mehmet Ali Aslaner*, İsa Kılıçaslan, Ayfer Keleş, Şakir Hakan Aksu, Merve Yazla, Mehmet Akif Karamercan, Ahmet Demircan

Department of Emergency Medicine, Gazi University School of Medicine, Ankara, Turkey

* Corresponding Author

Submitted: 07-12-2019

Revised: 01-01-2020

Accepted: 21-02-2020

Published: 27-05-2020

ORCID:

FB: 0000-0003-2464-0232

MAA: 0000-0002-7851-7881

IK: 0000-0002-0330-2595

AK: 0000-0003-4429-3100

SHA: 0000-0003-2120-7863

MY: 0000-0002-4092-4633

MAK: 0000-0002-3895-7989

AD: 0000-0002-6466-8945

Address for
correspondence:

Dr. Mehmet Ali Aslaner,
Department of Emergency
Medicine, Gazi University
School of Medicine,
Ankara, Turkey.
E-mail: maliaslaner@
hotmail.com

Abstract:

INTRODUCTION: The long-term trends of medical students' choice for emergency medicine (EM) in Turkey are unclear. With this background, we aimed to determine the change in the rate of EM preferences of students over the years.

METHODS: This was a cross-sectional study originated from 6th-year medical students' feedback forms, to examine trends of EM carrier preferences between 2005 and 2018 in a tertiary care academic emergency department. There are two main questions containing "would you choose EM as a specialty?" and "why?" as open-ended questions in the form. The answers to the open-ended question were classified as six main factors, which were perception of work, lifestyle, nature of work, personal job preference, mentorship/department experiences, and income.

RESULTS: During the study, 2957 forms (80.6% of 3668) were completed by 6th-year medical students. Of the students, 26.5% ($n = 784$) responded "yes" to the question, which was "would you choose EM as a specialty?," 6.1% ($n = 181$) responded "do not know," and 67.4% ($n = 1992$) responded "no." In 2005, 15% of students stated that they would choose EM, while this rate increased to 29% in 2018 ($\chi^2: 9.67$; P trend = 0.003). Perception of work was the most common reason for "yes" (46.3%), "no" (46%), and "do not know" answers.

CONCLUSION: The rate of EM choice of medical students doubled during the study, and approximately one in three students stated that they could choose EM as their future career in the past year. Perception of work was the main factor for choosing or rejecting to EM.

Keywords:

Career choice, emergency medicine, medical student

Introduction

Medical students' career choices are very important for the development of a specialty, the continuation of the workflow and even the survival of that specialty. Several factors have been identified in the studies conducted in different countries on the selection of specialties and emergency medicine (EM) in the literature.^[1-5] From

the point of view of EM, controllable lifestyle (CL) that allows the physicians to control the number of working hours,^[1] mentors and role models, residency length, and salary expectations^[2] are among these factors in the United States (US) settings. Medical lifestyle, hospital orientation, and varied scope of practice in Canada,^[3] experience of jobs and self-appraisal of own skills in the United Kingdom (UK),^[4] and bioscientific orientation as non-CL group (contrary to US) in Japan^[5] are factors

This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

How to cite this article: Bildik F, Aslaner MA, Kılıçaslan I, Keleş A, Aksu SH, Yazla M, *et al.* Trends in medical students' career choice of emergency medicine: A 14-year study. Turk J Emerg Med 2020;20:75-80.

For reprints contact: reprints@medknow.com

Box-ED**What is already known on the study topic?**

The popularity of EM among medical students has been increasing over the years.

Nevertheless, the data of long-term trends regarding career choice for EM are insufficient both in the literature and in Turkey.

What does this study tell us?

The proportion of EM choice of 6th-year medical students doubled during the study period.

In the last year, one in three medical students stated that they could choose EM as a specialty career.

Perception of work was also the main factor for choosing or rejecting to EM.

for choosing EM among medical students or junior doctors.

Although EM is a relatively new discipline, which was established in 1993 in Turkey, it has since evolved at an increasing rate.^[6] The number of EM training programs rose from 23 in 2006 to 95 in 2017 in Turkey. While there were 300 EM residents and 250 attendings in 2006, there were 953 residents, 1445 attendings, and 250 academic staffs in 2017.^[7,8] The popularity of EM among medical students has been increasing over the years;^[9] however, the data of long-term trends regarding career choice for EM are insufficient both in the literature and in Turkey.

In this study, we aimed to determine the long-term trends of medical students' career choice for EM as a specialty during 14 years. Second, it was aimed to investigate the factors for choosing or rejecting EM with open-ended questions over the years.

Methods

Study design

This study was planned as a cross-sectional study originated from 6th (final)-year medical students' feedback forms to examine trends of these medical students' EM carrier preferences between 2005 and 2018 in a tertiary care academic emergency department (ED) in Ankara in Turkey. The study was approved by the Institutional Ethics Review Board with number 26.07.2019/08.

Study setting and population

This academic ED where the study was conducted, was established in 2001, and there is a mandatory EM internship that lasts for 6 weeks (8 weeks before 2011) for 6th-year medical students in this department. In this period, there are 2 h of theoretical lessons per week for these students. At other times, according to 12-h shift

times, they follow-up patients and make basic procedures in the clinic every other day (totally about 40 h/week).

In 2005, a paper-based feedback form consisting of four sections was designed to learn 6th-year medical students' viewpoints on the EM internship process, theoretical and practical education, and EM specialty as a career choice [Appendix 1]. These forms are voluntarily filled by these students at the end of each EM internship since 2005. The forms are evaluated by the internship training coordinator, and necessary arrangements are made regarding positive or negative feedback. These arrangements, if deemed appropriate by the academic committee, include the changes in the number and content of theoretical and practical trainings, correction of the problems in the functioning of ED, and even redefining the intern duties and responsibilities. In the first three sections of the feedback form, there are 47 questions on the basis 5-point Likert scale (strongly disagree to strongly agree). In the last fourth section, there are two questions containing "Would you choose EM as a specialty,?" in which one indicates "yes," "no" or "do not know," and "Why?" as open-ended questions.

In terms of data set in the last section, EM career preferences were classified into three groups, as mentioned above. On the other hand, the factors affecting the career choices of medical students are not standardized, and almost every study conducted in different countries has identified different influencers in the literature. Moreover, even the term "lifestyle" can be used in different definitions in studies.^[10] After evaluating approximately 300 questionnaire data and reviewing the literature,^[2-5,11,12] we classified the answers to the open-ended question as six main factors, which were perception of work, lifestyle, nature of work, personal job preference, mentorship/department experiences, and income. Each main factor includes both positive and negative opinions. For example, a positive perception of work included high job satisfaction such as interesting and exciting statements, and negative perception of work included challenging work environments such as intense, exhausting, and stressful statements. All main factors are detailed in Table 1. Further, students could specify more than one reason for open-ended questions; all answers were entered into the data set in this field.

The characteristic analysis was not evaluated in this study because personal information was not requested in the forms such as gender and age. As this study was originated from feedback forms, consent form could not be taken from the students. In addition, they were not informed about any stage of the study.

Data analysis

Statistical analyses were performed using Epi Info™ Version 7.1.5 suite of software tools (Centers for Disease

Control, US). Categorical variables were summarized as frequencies and percentages. Odds ratios (ORs) were presented with 95% confidence intervals. A critical α value of 0.05 was accepted as statistically significant.

Results

During the study, 2957 forms (80.6% of 3668) were completed by 6th-year medical students. Of the students, 26.5% ($n = 784$) responded "yes" to the question, which was "would you choose EM as a specialty?," 6.1% ($n = 181$) responded "do not know," and 67.4% ($n = 1992$) responded "no." In 2005, 15% of students stated that they would choose EM, while this rate increased to 29% in 2018 ($\chi^2: 9.67; P \text{ trend} = 0.003$) [Figure 1].

Among the students who answered "yes," the most common positive reasons were perception of work as 46.3%, following by nature of work (21.7%) and mentorship/department experiences (8.9%). For the students who answered "no," the most common negative reasons were perception of work (46%), after that nature of work (17.6%), and lifestyle (16.2%). Perception of

work was the most common reason both in negative and positive opinions, among the students who answered "do not know" (21% and 17.1%, respectively) [Table 2].

For negative opinions, the trends of perception of work, personal job preference, and income decreased, while the




Figure 1: Medical Students' thoughts on the choice of emergency medicine as a specialty between 2005 and 2018

Table 1: Factors affecting 6th-year medical students' choice of emergency medicine

Main factors	Negative opinion	Positive opinion
Perception of work	Challenging work environment; intense, exhausting, stressful	High level of job satisfaction; interesting, exciting, wide ranging
Lifestyle (working hours)	Long working times, night shifts, and incompatible with biorhythm	Suitable working hours
Nature of work (job content/type of patients)	Agitated and aggressive patients and their relatives Not a specific specialty, treatments are symptomatic	No patient follow-up Life-saving treatments
Personal job preferences	Other specialty preference	Easy to apply to the EM training program for specialty High academic career chances
Mentorship/department experiences	Local; ED staff or environment-related problems	Local; impressive academic staff, residents, and team
Income	Inadequate financial income	Adequate financial income

ED=Emergency department

Table 2: Answers (opinions) for the open-ended "why" question

	The choice of EM		
	Yes (%)	Don't know (%)	No (%)
Positive opinion			
Perception of work	363 (46.3)	31 (17.1)	5 (0.3)
Nature of work	170 (21.7)	7 (3.9)	2 (0.1)
Mentorship/department experiences	70 (8.9)	7 (3.9)	34 (1.7)
Lifestyle	57 (7.3)	4 (2.2)	0 (0)
Personal job preferences	40 (5.1)	5 (2.8)	0 (0)
Income	12 (1.5)	1 (0.6)	0 (0)
Negative opinion			
Perception of work	12 (1.5)	38 (21)	916 (46)
Nature of work	7 (0.9)	8 (4.4)	350 (17.6)
Lifestyle	3 (0.4)	16 (8.8)	323 (16.2)
Personal job preferences	2 (0.3)	1 (0.6)	268 (13.5)
Mentorship/department experiences	13 (1.7)	12 (6.6)	110 (5.5)
Income	0 (0)	0 (0)	8 (0.4)
Total*	749 (100)	130 (100)	2016 (100)

*Answers (opinions) to the open-ended question were filled as single, multiple answers, or left empty by the students. EM=Emergency medicine




Figure 2: The trends of factors related to negative opinions

trends of nature of work and mentorship/experiences increased over the years (P trend < 0.05) [Figure 2]. For positive opinions, only the trends of nature of work and mentorship/experiences increased over the years (P trend < 0.05) [Figure 3].

Discussion

After the recognition of EM as a specialty in Turkey in 1993, EM training programs have begun to increase rapidly.^[13] In the tertiary care hospital where the study was carried out, the EM training program was established in 2001, and after 1 year, two attendings and four residents began to work as EM professionals. Since 2005, EM internship feedback forms have been collected regularly in this department. The development of the EM training program is one of the priorities of this department in terms of medical students who will be doctors of future.

In a study conducted in the US reported that EM has been attracting a growing portion of medical students from 3.1% for women and 4.3% for men in 1990 to 6.4% for women and 8.3% for men in 2003.^[14] In another study in the US, 15% of 4th-year medical students declared EM as one of their top three specialty choices after EM clerkship between 2008 and 2011.^[15] The proportion of UK-trained medical graduates (1 year after graduation) who wanted to choose EM for a long-term career increased from 4.8% between 2005 and 2008 to 5.6% in 2015; however, this increase was not statistically significant.^[16] A total of 6.1% of medical students cited EM as their first career choice at medical school entry in Canada between 2001 and 2004. In the same study, 52.8% of students stated that they would consider a career in EM, even though not as their top career choice.^[3] In Saudi Arabia, 7% of undergraduate and postgraduate medical students indicated EM as their first choice specialty in the 2016/2017 academic year.^[17] A study conducted in Turkey in the 2012/2013 academic year reported that the most satisfied internship was EM for 5th- and 6th-year medical students; however, EM did not




Figure 3: The trends of factors related to positive opinions

take place in the list of top ten of first choice specialties.^[9] In the current study, 26.5% of the 6th-year students indicated that they could choose EM as a specialty between 2005 and 2018. This rate was 15% in 2005 and rose to 29% in 2018. This increase was statistically significant. The rate of EM preference was higher in this study compared to other studies. The reason for this may be only asking questions about EM and not including other specialties. Another reason may be that the question does not specify any order of specialty preference. Nevertheless, these results indicated that the rate of selectivity of EM has increased significantly in this study.

Medical students choosing or rejecting a career in EM have various profiles of expectations, priorities, and influences. Therefore, different factors affecting the choice or rejection of specialization were identified in the literature. In terms of positive influence for EM, lifestyle and residency length are the push factors for the medical students in the US.^[2] The most influential factors for EM choice of long-term career were enthusiasm/commitment, experience of jobs so far, and self-appraisal of own skills among junior UK graduates.^[4] Medical students were more influenced by medical lifestyle, hospital orientation, and varied scope of practice in Canada.^[3] As a non-CL, bioscientific orientation influenced medical students and junior doctors in Japan.^[5] In the current study, the most common influencer was the perception of work that was stated as nearly half of the positive reasons. However, while its rate increased until 2013–2014 years, the rate began to decrease after these years. The nature of work and mentorship/department experiences accounted for one-third of positive reasons. The trends of these two factors showed similar fractures in the same years, but their increase rates were significant contrary to that of perception of work. One of the most important determinants of this study was the collection of data from the feedback forms which were filled after an internship program. Therefore, any change in the functioning of the

department may affect the results. In 2015, a busy 5th-year medical students program also started for EM, and the majority of the department's work was allocated to this field. In addition to the functioning of the department, other reasons such as the changes in health policies may also have caused this situation. In the same years, the number of students starting EM internship doubled.

In terms of rejecting EM for specialty, doctors were most likely to specify reasons relating to work-life balance in the UK.^[12] In another study conducted in the UK reported that work-life balance was stated by 70.5% of the doctors who rejected EM, and this rate was 38.6% for other rejected specialties. Job content was the second common reason for rejecting EM in the same study.^[4] Perception of work was the most common negative reason for nearly half of the responses such as positive responses in the current study. It was seen that the rate of the negative perception of work for EM decreased over the years. The nature of work and lifestyle accounted for one-third of the negative reasons, and the rate of negative nature of work increased during this period.

Strengths and limitations

The main strengths of the study are that it is a long-term study almost since the establishment of the EM training program in the hospital, and it has a high response rate for this type of study. There is no study related to long-term trends and results of EM choice as a specialty in Turkey.

Its main weakness is that the entire contents of the form could not be used for the study, because the intern feedback forms, which are the source of the study and were mainly created for the development of EM internship and training program. Another limitation was that the characteristics of the participants were not requested when creating the forms, and therefore, could not be presented in the study. Finally, as the study was performed in a single center, it may not be appropriate to generalize the results. For example, if another university has a different internship program, these rates may vary widely.

Conclusion

During the study, the proportion of EM choice of 6th-year medical students doubled. In the last year, one in three medical students stated that they could choose EM as a specialty career. Perception of work was also the main factor for choosing or rejecting to EM. It was suggested that national multicenter studies with comprehensive methodological design including demographics and departmental characteristics should be planned to confirm this trend and predict the changing factors to choose EM as a career specialty over the years.

Funding

None declared.

Author contribution statement

F.B. and M.A.A. designed, performed analysis and wrote the manuscript. Ş.H.A. and M.Y. contributed towards study design, and data collection. A.K., İ.K., M.A.K., and A.D. provided critical feedback and reviewed the entire article.

Conflicts of interest

None declared.

Ethical Approval

The study was approved by the Gazi University Institutional Ethics Review Board with number 26.07.2019/08.

References

- Schwartz RW, Haley JV, Williams C, Jarecky RK, Strodel WE, Young B, et al. The controllable lifestyle factor and students' attitudes about specialty selection. *Acad Med* 1990;65:207-10.
- Boyd JS, Clyne B, Reinert SE, Zink BJ. Emergency medicine career choice: A profile of factors and influences from the Association of American Medical Colleges (AAMC) graduation questionnaires. *Acad Emerg Med* 2009;16:544-9.
- Scott IM, Abu-Laban RB, Gowans MC, Wright BJ, Brenneis FR. Emergency medicine as a career choice: A descriptive study of Canadian medical students. *CJEM* 2009;11:196-206.
- Svirko E, Lambert T, Brand L, Goldacre MJ. Career choices for emergency medicine: National surveys of graduates of 1993-2009 from all UK medical schools. *Emerg Med J* 2014;31:556-61.
- Takeda Y, Morio K, Snell L, Otaki J, Takahashi M, Kai I. Characteristic profiles among students and junior doctors with specific career preferences. *BMC Med Educ* 2013;13:125.
- Aslaner MA. A reality in emergency medicine: Subspecialization. *J Acad Emerg Med* 2017;16:144.
- Aksay E, Sahin H, Kiyas S, Ersel M. Current status of emergency residency training programs in Turkey: After 14 years of experience. *Eur J Emerg Med* 2009;16:4-10.
- Yanturali S. Today's academic emergency medicine in turkey with numbers. *Turkiye Klinikleri J Emerg Med-Spec Top* 2016;2:65-8.
- Kara İH, Çelik S, Keyif MF, Demir A, Baltacı D, Mayda AS. Analysis of opinions regarding medical specialty selection examination and career choices of 5th and 6th grade medical students from Düzce University, Turkey. *Konuralp Tip Dergisi* 2014;6:11-8.
- Newton DA, Grayson MS, Thompson LF. The variable influence of lifestyle and income on medical students' career specialty choices: Data from two U.S. medical schools, 1998-2004. *Acad Med* 2005;80:809-14.
- Pianosi K, Stewart SA, Hurley K. Medical Students' Perceptions of Emergency Medicine Careers. *Cureus* 2017;9:e1608.
- Goldacre MJ, Goldacre R, Lambert TW. Doctors who considered but did not pursue specific clinical specialties as careers: Questionnaire surveys. *J R Soc Med* 2012;105:166-76.
- Aslaner MA, Eroğlu SE, Batur A, Arslan V. Emergency medicine physicians' perspectives on subspecialty training: A national survey. *Turk J Emerg Med* 2018;18:119-22.
- Lambert EM, Holmboe ES. The relationship between specialty choice and gender of U.S. medical students, 1990-2003. *Acad Med* 2005;80:797-802.
- Lamba S, Nagurka R, Holland B, Scott S. Impact of an emergency medicine clerkship on students' perceptions of emergency medicine. *Adv Med Educ Pract* 2015;6:105-12.
- Lambert TW, Smith F, Goldacre MJ. Career specialty choices of UK medical graduates of 2015 compared with earlier cohorts: Questionnaire surveys. *Postgrad Med J* 2018;94:191-7.
- Alkhaneeen H, Alhusain F, Alshahri K, Al Jerian N. Factors influencing medical students' choice of emergency medicine as a career specialty-a descriptive study of Saudi medical students. *Int J Emerg Med* 2018;11:14.

Appendix 1: Supplementary material**Questionnaire survey on EM internship and the training process**

	Strongly disagree	Disagree	Neutral	Agree	Strongly agree
EM internship					
Q1. The number of shifts is high					
Q2. The working hours are long					
Q3. The physical conditions in the ED are sufficient for patient care					
Q4. The physical conditions in the ED are sufficient for interns					
Q5. It is wrong for patients to wait in the ED for a long time					
Q6. The ED workload is too heavy					
Q7. An ED is the showcase of the hospital it is in					
Q8. I believe that the theoretical knowledge and practical applications I learned in the ED will contribute to my professional training					
Q9. An EM internship should be optional for interns					
Q10. The EM internship met my expectations					
Q11. I was able to communicate comfortably with patients					
Q12. I was able to communicate comfortably with patients' relatives					
Q13. I was able to communicate comfortably with residents					
Q14. Residents made sufficient contributions to the training					
Q15. I was able to communicate comfortably with academic staff					
Q16. Academic staff made sufficient contributions to the training					
Q17. I was able to communicate comfortably with consultants					
Q18. I was able to communicate comfortably with nurses					
Q19. I was able to communicate comfortably with paramedics					
Q20. I was able to communicate comfortably with secretaries					
Q21. I was able to communicate comfortably with laboratory staff					
Q22. I was able to communicate comfortably with technicians					
Q23. I was able to communicate comfortably with security staff					
Q24. I was able to communicate comfortably with canteen staff					
Q25. I was able to communicate comfortably with cleaning staff					
Theoretical lessons					
Q26. The content and what would be taught were stated before the lessons					
Q27. The number of lessons was sufficient					
Q28. I think the lessons were useful					
Q29. The supplementary materials improved the efficiency of the lessons					
Q30. Important information was emphasized in the lessons					
Q31. I understood the subject matter from the lessons					
Q32. The lessons were sufficiently connected to one another					
Q33. The presentation techniques increased my interest in the classes					
Q34. The lecture notes were helpful in my learning					
Q35. I was able to communicate easily with the academic staff in the classes					
Q36. The physical conditions in the classroom-aided learning					
Q37. I liked the lessons					
Q38. None of the theoretical lessons were required					
Practical applications					
Q39. The practical applications were relevant to the content of the theoretical lessons					
Q40. The practical applications met my expectations from the EM internship					
Q41. I was able to communicate easily with the academic staff in the practical applications classes					
Q42. The number of patients was sufficient to learn practical applications					
Q43. The variety of patients was sufficient to learn practical applications					
Q44. The materials were sufficient to learn practical applications					
Q45. The practical applications reinforced my theoretical knowledge					
Q46. The practical applications were enough					
Q47. I liked the practical applications					
Would you choose EM as a specialty?					
Yes					
No					
Do not know					

EM=Emergency medicine, ED=Emergency department