### PREVENTION



# **Challenges of agriculture-related eye injuries in Nigeria**



Fatima Kyari Ophthalmologist/Sen

Ophthalmologist/Senior Lecturer: College of Health Sciences, University of Abuja, Nigeria.

Agriculture, which includes crop farming, livestock rearing and fishing, provides work for up to 70% of the labour force in Nigeria.<sup>1</sup> The agricultural sector contributes up to 20% of the gross domestic product (GDP) of Nigeria, with an average real growth rate of 3.5% from 2014 to 2015.<sup>2</sup>

atima Kyar People involved in agriculture and farm-related activities are at greater risk of eye injuries. Unpublished data from the Nigeria National Blindness and Visual Impairment Survey showed that, of the participants who had a history of eye injury, over half (53%) were farmers. Of those without a history of eye injury, only 39% were farmers. A 5-year hospital review of people with eye injuries showed that more than two-thirds of all eye injuries were sustained on a farm. Although non-penetrating eye injuries were more common, 15% of people were already blind in the injured eye at presentation.<sup>3</sup> In a multi-centre retrospective review of ocular trauma among older people, eye injury most commonly occurred on the farm (37.2%).4

Some of the **main causes** of agriculture-related eye injuries include:

- 1 Accidental direct trauma with farm implements (e.g. cutlass, hoe, fishing hook, etc.)
- 2 Vegetable/plant/organic material hitting the eye, or spillage into the eye (cocoa pod, cornstalks, sticks/twigs, palm tree stalks, thorn, leaf, kernel, etc.)
- 3 Sand spillage into eye
- 4 Other foreign body (FB) in the eye
- 5 Animal attack injury (e.g. cow horn injury, spitting cobra, insect sting)
- 6 Assault injuries during communal conflicts involving crop farmers and cattle herdsmen.

A hospital series reported vegetative/plant material as a cause of 42% of eye injuries.<sup>5</sup> Cow horn injury is an important cause of monocular blindness as it often results in severe open globe injuries with corneo-scleral lacerations.<sup>6,7</sup> Life-threatening poisonous arrow injuries to the eye sustained during communal conflicts between farmers have also been reported.<sup>8</sup>

The effects of injury to the eye include:

- **1** Embedded foreign body in the eye
- 2 Corneal abrasion



- 3 Traumatic cataract
- 4 Penetrating laceration resulting in lens injury, vitreous haemorrhage, or retinal tear/detachment
- 5 Microbial keratitis fungal or bacterial
- 6 Panophthalmitis/endophthalmitis, or sympathetic ophthalmitis – often requiring enucleation/evisceration

Four decades ago, a hospital case series in Nigeria reported that 15 out of 21 patients with mycotic keratitis (71%) had a history of eye injury, 10 (66.7%) of which involved vegetative matter.<sup>9</sup> One recent retrospective review of corneal ulcers/suppurative keratitis showed that the most common predisposing factor was trauma (seen in 51.3%); of these, 36/117 (30.8%) were from plant/vegetable matter.<sup>10</sup>

## Poor **prognostic factors** for agriculture-related eye injuries are:

- Nature of injury: worse prognosis if due to vegetative material and exacerbated by inappropriate use of traditional eye medication or steroid eye drops.
- 2 Severity of injury: worse if it is a penetrating injury or an injury to multiple ocular structures
- 3 Late presentation at a health care facility
- 4 Evidence of infection at the time of presentation
- 5 Difficulty in management and inadequate treatment options for eye injuries in health care facilities, e.g. lack of required products such as bandage contact lens, visco-elastic and fine nylon sutures; and the lack of support services for therapeutic keratoplasty, corneal repair within 24 hours and vitreo-retinal surgical facilities.

### **Prevention and management**

A large sector of the population is at risk of monocular blindness from agriculturerelated eye injuries, so there is a need for prevention. However, there is very little evidence (from research in this area) to guide and develop appropriate messages or policy. Some possible measures include:

- 1 Raising public awareness and health education through television or radio programmes on eye safety or by giving health education talks in hospital/clinic waiting rooms.
- 2 Encouraging the use of protective eyewear by those at risk and making such eyewear available and affordable.
- 3 Establishing a national or state-based ocular injuries register to record incidence by type, cause and pattern of injury. This could be used to inform appropriate public policy and legislation on eye safety.
- 4 Working with hospitals to develop policies that will allow management of eye injuries on an emergency basis. Departments can collaborate and work out a payment schedule so that treatment/surgery can be initiated without having to wait for payment of fees by patients.
- 5 Lobbying government, or insurance companies directly, for health insurance to cover the treatment of eye injuries.
- 6 Demarcating dedicated ranches or areas of free-grazing for livestock/ cattle-rearing which are separate from areas of crop farming. This will help to prevent communal clashes between farmers. This is being implemented in some communities at present.

#### References

- CIA. Central Intelligence Agency (US). https://www.cia. gov/library/publications/the-world-factbook/geos/ ni.html. Accessed 21 September 2015, 2014.
- NBS. National Bureau of Statistics of the Federal Republic of Nigeria. http://www.nigerianstat.gov.ng/ sectorstat/sectors/Agriculture. Accessed 14 September 2015. 2015.
- 3 Ojabo CO, Adeniyi OS, Ogli SA. Farm-related ocular trauma in Makurdi, Nigeria. Niger J Med. 2011:20(1);114-9.
- 4 Onakpoya OH, Adeoye A, Adeoti CO, Ajite K. Epidemiology of ocular trauma among the elderly in a developing country. Ophthalmic Epidemiol. 2010:17(5);315-20.
- 5 Omolase CO, Omolade EO, Ogunleye OT, Omolase BO, Ihemedu CO, Adeosun OA. Pattern of ocular injuries in owo, Nigeria. J Ophthalmic Vis Res. 2011:6(2);114-8.
- 6 Ibrahim O, Olusanya B. Occupational cow hom eye injuries in ibadan, Nigeria. Ann Med Health Sci Res. 2014:4(6);959-61.
- 7 Onyekwe LO, Ohaegbulam SC. Penetrating orbitocranial and ocular cow-horn injuries. Nig J Clin Pract. 2007;10(2);177-9.
- 8 Lawan A, Danjuma SA. Arrow injuries to the eye. Ann Afr Med. 2012:11(2);116-8.
- 9 Gugnani HC, Talwar RS, Njoku-Obi AN, Kodilinye HC. Mycotic keratitis in Nigeria. A study of 21 cases. Br J Ophthalmol. 1976:60(9);607-13.
- 10 Oladigbolu K, Rafindadi A, Abah E, Samaila E. Corneal ulcers in a tertiary hospital in Northern Nigeria. Ann Afr Med. 2013:12(3);165-70.

© The author/s and Community Eye Health Journal 2015. This is an Open Access article distributed under the Creative Commons Attribution Non-Commercial License.