



Corrigendum to “Component Asymmetry in Bilateral Cementless Total Hip Arthroplasty”

Seung Hun Woo, MD, Won Chul Shin, MD, Jung Bum Han, MD, Sang Min Lee, MD, Nam Hoon Moon, MD*,
Kuen Tak Suh, MD

*Department of Orthopaedic Surgery, Research Institute for Convergence of Biomedical Science and Technology,
Pusan National University Yangsan Hospital, Pusan National University School of Medicine, Yangsan,
Department of Orthopaedic Surgery, Pusan National University Hospital, Busan, Korea

Clinics in Orthopedic Surgery 2023;15:27-36
<https://doi.org/10.4055/cios22028>

In the article entitled “Component asymmetry in bilateral cementless total hip arthroplasty”, there was an error in the affiliation of some of the authors (Seung Hun Woo, Won Chul Shin, Jung Bum Han, Sang Min Lee, and Kuen Tak Suh). The correct affiliation for the authors should be:

Department of Orthopaedic Surgery, Research Institute for Convergence of Biomedical Science and Technology, Pusan National University Yangsan Hospital, Pusan National University School of Medicine

Received January 18, 2022; Revised March 3, 2022;
Accepted March 3, 2022

Correspondence to: Won Chul Shin, MD
Department of Orthopaedic Surgery, Research Institute for Convergence
of Biomedical Science and Technology, Pusan National University Yangsan
Hospital, Pusan National University School of Medicine, 20 Geumo-ro,
Mulgeum-eup, Yangsan 50612, Korea
Tel: +82-55-360-2125, Fax: +82-55-360-2155
E-mail: dreami3e5t@pusan.ac.kr

Copyright © 2023 by The Korean Orthopaedic Association

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/4.0>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

Clinics in Orthopedic Surgery • pISSN 2005-291X eISSN 2005-4408