



Chinese Pharmaceutical Association
Institute of Materia Medica, Chinese Academy of Medical Sciences

Acta Pharmaceutica Sinica B

www.elsevier.com/locate/apsb
www.sciencedirect.com



CORRECTION

Author correction to ‘Real-time SERS monitoring anticancer drug release along with SERS/MR imaging for pH-sensitive chemo-phototherapy’ [Acta Pharm Sin B 13 (2023) 1303–1317]



Xueqin Huang^{a,†}, Bingbing Sheng^{a,†}, Hemi Tian^a, Qiuxia Chen^a, Yingqi Yang^a, Brian Bui^c, Jiang Pi^b, Huaihong Cai^b, Shanze Chen^a, Jianglin Zhang^a, Wei Chen^c, Haibo Zhou^{a,*}, Pinghua Sun^{a,*}

^aThe Second Clinical Medical College (Shenzhen People's Hospital), College of Pharmacy, Jinan University, Guangzhou 510632, China

^bDepartment of Chemistry, Jinan University, Guangzhou 510632, China

^cDepartment of Physics, the University of Texas at Arlington, Arlington, TX 76019, USA

DOI of original article: <https://doi.org/10.1016/j.apsb.2022.08.024>.

*Corresponding authors.

E-mail addresses: haibo.zhou@jnu.edu.cn (Haibo Zhou), pinghuasunny@163.com (Pinghua Sun).

[†]These authors made equal contributions to this work.

Peer review under the responsibility of Chinese Pharmaceutical Association and Institute of Materia Medica, Chinese Academy of Medical Sciences.

<https://doi.org/10.1016/j.apsb.2023.08.018>

2211-3835 © 2023 Chinese Pharmaceutical Association and Institute of Materia Medica, Chinese Academy of Medical Sciences. Production and hosting by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

The authors regret that there is an error in the article Fig. 4G due to the mistake of copying and pasting in the process of assembling figures and negligence in the proofreading. Although it does not

affect the conclusion, it is an obvious error. The authors have now modified as below. The authors apologize for any inconvenience caused to the journal and readers.

The original Fig. 4G was:




Fig. 4G is revised as:

