

POSTER PRESENTATION

Open Access

Importance of urgent surgical treatment in a patient having massive pericardial effusion with end-stage renal disease

K Ergunes*, H Iner, E Celik, U Yetkin, A Gurbuz

From 23rd World Congress of the World Society of Cardio-Thoracic Surgeons
Split, Croatia. 12-15 September 2013

Background

Massive pericardial effusion in patients with end-stage renal disease is potentially life-threatening condition.

Method

A 79-year male with end-stage renal disease who was maintenance dialysis was admitted to our hospital. He had chest pain, dyspnea, and weakness. The diagnosis of pericardial effusion was confirmed by echocardiogram.

Results

Subxiphoid pericardial drainage was performed under local anesthesia. Pericardial fluid of 1000 ml was drained. A pericardial drainage tube was inserted at surgery and removed after 5 days. A 2 x 3 cm² biopsy specimen was taken under direct vision from the lower aspect of anterior pericardium. Sample of the drained fluid was collected for microbiological culture and cytological analysis. Microorganism cultured no from pericardial fluid. The pericardial biopsy specimen was negative for malignancy. He has uremic pericardial effusion. There was no complication and surgery-related death. After hospital discharge, patient was followed with physical examinations and echocardiogram.

Conclusions

We advise a subxiphoid pericardial window with pericardial drainage under local anesthesia for end-stage renal disease patients on dialysis having a symptomatic and massive pericardial effusion.

Published: 11 September 2013

doi:10.1186/1749-8090-8-S1-P60

Cite this article as: Ergunes et al.: Importance of urgent surgical treatment in a patient having massive pericardial effusion with end-stage renal disease. *Journal of Cardiothoracic Surgery* 2013 **8**(Suppl 1):P60.

Submit your next manuscript to BioMed Central
and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



* Correspondence: kazimergunes@yahoo.com
Izmir Katip Celebi University Atatürk Training and Research Hospital,
Department of Cardiovascular Surgery, Izmir, Turkey