



Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

- 12 The Global Fund to Fight AIDS, Tuberculosis and Malaria. Results report 2021. https://www.theglobalfund.org/media/11304/corporate_2021resultsreport_report_en.pdf (accessed Aug 4, 2022).
- 13 Gavi, the Vaccine Alliance. Annual progress report 2020. 2021. <https://www.gavi.org/sites/default/files/programmes-impact/our-impact/apr/Gavi-Progress-Report-2020.pdf> (accessed Aug 4, 2022).
- 14 United Nations Economic Commission for Africa. Economic report on Africa 2021. 2022. <https://www.uneca.org/era2021> (accessed Aug 4, 2022).
- 15 WHO Regional Office for Africa, Regional Committee for Africa. Report on the performance of health systems in the WHO African Region. 2020. <https://apps.who.int/iris/handle/10665/333713> (accessed Aug 4, 2022).
- 16 Agyepong IA, Sewankambo N, Binagwaho A, et al. The path to longer and healthier lives for all Africans by 2030: the *Lancet* Commission on the future of health in sub-Saharan Africa. *Lancet* 2017; **390**: 2803–59.
- 17 New Business Ethiopia. Panel in Dakar discusses on future of health in Africa. New Business Ethiopia. March 24, 2022. <https://newbusinessethiopia.com/health/panel-in-dakar-discusses-on-future-of-health-in-africa/> (accessed Aug 4, 2022).

COVID-19 boosters and building trust among UK minority ethnic communities



Ethnic disparities in COVID-19 persist, with increased rates of infection, severe disease, and death among people from minority ethnic groups.^{1–5} COVID-19 vaccination rates also remain lowest in these communities compared with white people in the UK. Among people older than 18 years, the proportion who have had three COVID-19 vaccinations in England in March, 2022, was lowest among Black Caribbean (38%), Black African (45%), and Pakistani (45%) ethnic groups.¹ These disparities are likely to be attributed to the intersection of key social determinants, including socioeconomic factors such as deprivation, overcrowding, and working patterns and conditions, alongside discrimination and structural violence in the health-care system and society. Applying an intersectional lens brings into focus the multiple power structures that are deepening protracted inequities, and acknowledges the heterogeneity across minority ethnic communities and the multiple interconnected factors that underpin exclusion.⁶

In the context of the UK Government shift towards living with COVID-19,⁷ and the delivery of third and fourth COVID-19 booster vaccinations, it is crucial to recognise that COVID-19 vaccine delivery and uptake are far from fixed or equal. Better understanding is needed about how to support minority ethnic groups and how best the government, health-care providers, and public health teams can work alongside community leaders. This will be vital for promoting public health messaging, openly discussing perceived risks by these groups, and improving health access where there is already deep mistrust, anger, loss, and fear due to structural racism and the inequities these communities have

experienced in health care and society.⁸ However, such understanding will continue to be inhibited by simplistic and homogenising conceptualisations of ethnicity, with a need to recognise the multiple factors that drive both the health and structural inequities in these communities.

An intersectional approach⁹ to research, public health measures, and policy must be integrated to address the compounding of key factors associated with disparities in COVID-19 vaccine delivery and uptake. These factors include ethnicity, socioeconomic status, migration background and legal status, gender identity, disability, and existing health needs, alongside the multiple levels at which disadvantage can be experienced. Such an approach must address structural and systemic inequities, and understand the drivers of concerns about vaccines without further marginalising or stigmatising minoritised communities. Crucially, this approach must be prioritised

Published Online
May 25, 2022
[https://doi.org/10.1016/S0140-6736\(22\)00945-X](https://doi.org/10.1016/S0140-6736(22)00945-X)



Christopher Furlong/Staff/Getty Images

over politicisation of the vaccine, rhetoric denouncing anti-vax or conspiracy beliefs, and stigmatising assumptions around limited education, scientific knowledge, or engagement with the right information sources. Instead, key decision makers in health care, research, and policy must seek to understand diverse health, knowledge, and values systems, and recognise the positive health agency and pro-health and risk-averse concerns that underlie decisions around vaccinations.⁵ This approach will be vital for addressing loss of trust, driven by long-standing marginalisation of minority ethnic communities and coercion and violence in our health systems.¹⁰

COVID-19 health messaging and mitigation measures have struggled to meaningfully engage or include minority ethnic groups in the UK, with little evidence of power-sharing or co-production. This can be seen, for example, in the onus placed on ethnic minorities to become less hesitant, better informed, easier to reach, or more trusting, rather than on engagement with these communities, and failures to acknowledge institutional racism and concerns raised by communities in government reports, even where community engagement has been undertaken.¹¹ Furthermore, minority ethnic populations experiencing intersecting areas of marginalisation continue to face compounded inequities. There is a need to produce and evaluate health education messages that are culturally appropriate and acknowledge diversity and inequities within minority ethnic communities. Rather than increasing mechanisms for coercion and control to address disparities experienced by these communities—eg, through compulsory vaccination—next steps should instead centre around long-term co-produced solutions to address structural and systemic inequities by building trust and prioritising meaningful inclusion. These solutions can be facilitated by use of primary care networks to implement culturally relevant interventions—eg, virtual platforms that are sustainable and adjustable to the changing needs of communities—and to build trust. Minority ethnic groups and other communities that have been historically disadvantaged in public health should be engaged as early as possible in the inception and development of plans for research, policy, and practice,¹² with an emphasis on involving networks of trusted representatives identified by these communities, utilising evidence-based participatory approaches, and acknowledging and acting upon their contributions to ensure under-represented and silenced

voices are included.^{13,14} The integrated and coordinated role of health-care providers, policy makers, researchers, and community representatives will be important in collaboratively identifying effective strategies to address concerns that acknowledge intersectionality and prioritise building trust around COVID-19 vaccination, health services, and public health systems.¹⁵

MP declares grants to his university from Gilead, Sanofi, and Qiagen, and a consultancy with Qiagen, a molecular diagnostics company, to advise on a presentation about occupational health screening for latent tuberculosis. The other authors declare no competing interests.

**Laura B Nellums, Asam Latif, Kennedy Nkhoma, Stephen Timmons, Manish Pareek, Salma Almidani, Basharat Hussain*
laura.nellums@nottingham.ac.uk

Lifespan and Population Health, School of Medicine (LBN), School of Health Sciences (AL), and Nottingham University Business School (ST), University of Nottingham, Nottingham NG5 1PB, UK; Cicely Saunders Institute, King's College London, London, UK (KN); Department of Infection and HIV Medicine, University Hospitals of Leicester NHS Trust, Leicester, UK (MP); Department of Respiratory Sciences, University of Leicester, Leicester, UK (MP); Yale School of Public Health, Yale University, New Haven, CT, USA (SA); Peninsula Medical School, University of Plymouth, Plymouth, UK (BH)

- Office for National Statistics. Coronavirus (COVID-19) latest insights. May 13, 2022. <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/conditionsanddiseases/articles/coronaviruscovid19/latestinsights#ethnicity> (accessed May 18, 2022).
- Public Health England Teams. Disparities in the risk and outcomes of COVID-19. June 2, 2020. <https://www.gov.uk/government/publications/covid-19-review-of-disparities-in-risks-and-outcomes> (accessed May 18, 2022).
- Sze S, Pan D, Nevill CR, et al. Ethnicity and clinical outcomes in COVID-19: a systematic review and meta-analysis. *EClinicalMedicine* 2020; **29**: 100630.
- Gaughan CH, Razieh C, Khunti K, et al. COVID-19 vaccination uptake amongst ethnic minority communities in England: a linked study exploring the drivers of differential vaccination rates. *J Public Health (Oxf)* 2022; published online Jan 6. <https://doi.org/10.1093/pubmed/fdac021>.
- Woolf K, McManus IC, Martin CA, et al. Ethnic differences in SARS-CoV-2 vaccine hesitancy in United Kingdom healthcare workers: results from the UK-REACH prospective nationwide cohort study. *Lancet Reg Health Eur* 2021; **9**: 100180.
- Kapilashrami A, Hankivsky O. Intersectionality and why it matters to global health. *Lancet* 2018; **391**: 2589–91.
- UK Government. COVID-19 response: living with COVID-19. February, 2022. <https://www.gov.uk/government/publications/covid-19-response-living-with-covid-19> (accessed May 18, 2022).
- Hussain B, Latif A, Timmons S, Nkhoma K, Nellums LB. Overcoming COVID-19 vaccine hesitancy among ethnic minorities: a systematic review of UK studies. *Vaccine* 2022; published online April 28. <https://doi.org/10.1016/j.vaccine.2022.04.030>.
- Samra R, Hankivsky O. Adopting an intersectionality framework to address power and equity in medicine. *Lancet* 2021; **397**: 857–59.
- Jaiswal J, Halkitis PN. Towards a more inclusive and dynamic understanding of medical mistrust informed by science. *Behav Med* 2019; **45**: 79–85.
- Khan MS, Ali SAM, Adelaine A, Karan A. Rethinking vaccine hesitancy among minority groups. *Lancet* 2021; **397**: 1863–65.
- Gogoi M, Armitage R, Brown G, et al. Putting the voices and insights of migrants and diverse ethnic groups at the centre of our response to COVID-19. *Public Health* 2021; **197**: e1–3.
- Rustage K, Crawshaw A, Majeed-Hajaj S, et al. Participatory approaches in the development of health interventions for migrants: a systematic review. *BMJ Open* 2021; **11**: e053678.
- Razai MS, Kankam HKN, Majeed A, Esmail A, Williams DR. Mitigating ethnic disparities in COVID-19 and beyond. *BMJ* 2021; **372**: m4921.
- Qureshi I, Gogoi M, Al-Oraibi A, et al. Intersectionality and developing evidence-based policy. *Lancet* 2022; **399**: 355–56.