

- 11 Kang SK, Kaplan S. Working toward gender diversity and inclusion in medicine: myths and solutions. *Lancet* 2019; **393**: 579–86.
- 12 Jaggi R, Fuentes-Afflick E, Higginbotham E. Promoting equity for women in medicine. *N Engl J Med* 2021; **384**: 2265–67.
- 13 Crenshaw K. Demarginalizing the intersection of race and sex: a Black feminist critique of antidiscrimination doctrine, feminist theory and antiracist politics. *Univ Chic Leg Forum* 1989; **1**: 139–67.
- 14 Mousa M, Boyle J, Skouteris H, et al. Advancing women in healthcare leadership: a systematic review and meta-synthesis of multi-sector evidence on organizational interventions. *EClinicalMedicine* 2021; **39**: 101084.
- 15 University of Michigan Advance Program. What can we do? Top 10 best practices. STRIDE faculty recruitment workshop. 2019. <https://advance.umich.edu/wp-content/uploads/2019/09/STRIDE-Ten-Best-Practices072119.pdf> (accessed Aug 14, 2021).
- 16 National Academies of Sciences, Engineering, and Medicine. Promising practices for addressing the underrepresentation of women in science, engineering, and medicine: opening doors. Washington, DC: The National Academies Press, 2020.
- 17 Andersen JP, Neilsen MW, Simone NL, Lewiss RE, Jaggi R. COVID-19 medical papers have fewer women first authors than expected. *eLife* 2020; **9**: e58807.
- 18 Myers KR, Tham WY, Yin Y, et al. Unequal effects of the COVID-19 pandemic on scientists. *Nat Hum Behav* 2020; **4**: 880–83.
- 19 Doris Duke Charitable Foundation. COVID-19 fund to retain clinical scientists request for applications. 2021. <https://www.ddcf.org/siteassets/funding-areas/medical-research/documents/covid-19-frcs-rfa.pdf> (accessed Aug 2, 2021).
- 20 Fessler L. Workplace harassment in the age of remote work. *The New York Times*, June 8, 2021.
- 21 Project Include. Remote work since Covid-19 is exacerbating harm. 2021. https://projectinclude.org/assets/pdf/Project_Include_Harassment_Report_0321_R8.pdf (accessed Aug 20, 2021).
- 22 Greenwood BN, Carnahan S, Huang L. Patient-physician gender concordance and increased mortality among female heart attack patients. *Proc Natl Acad Sci USA* 2018; **115**: 8569–74.
- 23 Nielsen MW, Alegria S, Börjeson L, et al. Opinion: gender diversity leads to better science. *Proc Natl Acad Sci USA* 2017; **114**: 1740–42.

Call for emergency action to limit global temperature increases, restore biodiversity, and protect health



The UN General Assembly in September, 2021, will bring countries together at a critical time for marshalling collective action to tackle the global environmental crisis. They will meet again at the biodiversity summit in Kunming, China, and the UN Climate Change Conference of the Parties (COP26) in Glasgow, UK. Ahead of these pivotal meetings, we—the editors of health journals worldwide—call for urgent action to keep average global temperature increases below 1.5°C, halt the destruction of nature, and protect health.

Health is already being harmed by global temperature increases and the destruction of the natural world, a state of affairs health professionals have been bringing attention to for decades.¹ The science is unequivocal; a global increase of 1.5°C above the pre-industrial average and the continued loss of biodiversity risk catastrophic harm to health that will be impossible to reverse.^{2,3} Despite the world's necessary preoccupation with COVID-19, we cannot wait for the pandemic to pass to rapidly reduce emissions.

Reflecting the severity of the moment, this Comment appears in health journals across the world. We are united in recognising that only fundamental and equitable changes to societies will reverse our current trajectory.

The risks to health of increases above 1.5°C are now well established.² Indeed, no temperature rise is “safe”. In the past 20 years, heat-related mortality among people older than 65 years has increased by more than 50%.⁴ Higher temperatures have brought increased dehydration and

renal function loss, dermatological malignancies, tropical infections, adverse mental health outcomes, pregnancy complications, allergies, and cardiovascular and pulmonary morbidity and mortality.^{5,6} Harms disproportionately affect the most vulnerable, including children, older populations, ethnic minorities, poorer communities, and those with underlying health problems.^{2,4}

Global heating is also contributing to the decline in global yield potential for major crops, falling by 1.8–5.6% since 1981; this, together with the effects of extreme weather and soil depletion, is hampering efforts to reduce undernutrition.⁴ Thriving ecosystems are essential to human health, and the widespread destruction of nature, including habitats and species, is eroding water and food security and increasing the chance of pandemics.^{3,7,8}

The consequences of the environmental crisis fall disproportionately on those countries and communities that have contributed least to the problem and are least able to mitigate the harms. Yet no country, no matter how wealthy, can shield itself from these impacts. Allowing the consequences to fall disproportionately on the most vulnerable will breed more conflict, food insecurity, forced displacement, and zoonotic disease—with severe implications for all countries and communities. As with the COVID-19 pandemic, we are globally as strong as our weakest member.

Rises above 1.5°C increase the chance of reaching tipping points in natural systems that could lock the

Published Online
September 6, 2021
[https://doi.org/10.1016/S0140-6736\(21\)01915-2](https://doi.org/10.1016/S0140-6736(21)01915-2)

world into an acutely unstable state. This would critically impair our ability to mitigate harms and to prevent catastrophic, runaway environmental change.^{9,10}

Encouragingly, many governments, financial institutions, and businesses are setting targets to reach net-zero emissions, including targets for 2030. The cost of renewable energy is dropping rapidly. Many countries are aiming to protect at least 30% of the world's land and oceans by 2030.¹¹

These promises are not enough. Targets are easy to set and hard to achieve. They are yet to be matched with credible short-term and longer-term plans to accelerate cleaner technologies and transform societies. Emissions reduction plans do not adequately incorporate health considerations.¹² Concern is growing that temperature rises above 1.5°C are beginning to be seen as inevitable, or even acceptable, to powerful members of the global community.¹³ Relatedly, current strategies for reducing emissions to net zero by the middle of the 21st century implausibly assume that the world will acquire great capabilities to remove greenhouse gases from the atmosphere.^{14,15}

This insufficient action means that temperature increases are likely to be well in excess of 2°C,¹⁶ a catastrophic outcome for health and environmental stability. Crucially, the destruction of nature does not have parity of esteem with the climate element of the crisis, and every single global target to restore biodiversity loss by 2020 was missed.¹⁷ This is an overall environmental crisis.¹⁸

Health professionals are united with environmental scientists, businesses, and many others in rejecting that this outcome is inevitable. More can and must be done now—in Glasgow and Kunming—and in the immediate years that follow. We join health professionals worldwide who have already supported calls for rapid action.^{1,19}

Equity must be at the centre of the global response. Contributing a fair share to the global effort means that reduction commitments must account for the cumulative, historical contribution each country has made to emissions, as well as its current emissions and capacity to respond. Wealthier countries will have to cut emissions more quickly, making reductions by 2030 beyond those currently proposed^{20,21} and reaching net-zero emissions before 2050. Similar targets and emergency action are needed for biodiversity loss and the wider destruction of the natural world.

To achieve these targets, governments must make fundamental changes to how our societies and economies are organised and how we live. The current strategy of encouraging markets to swap dirty for cleaner technologies is not enough. Governments must intervene to support the redesign of transport systems, cities, production and distribution of food, markets for financial investments, health systems, and much more. Global coordination is needed to ensure that the rush for cleaner technologies does not come at the cost of more environmental destruction and human exploitation.

Many governments met the threat of the COVID-19 pandemic with unprecedented funding. The environmental crisis demands a similar emergency response. Huge investment will be needed, beyond what is being considered or delivered anywhere in the world. But such investments will produce huge positive health and economic outcomes. These include high quality jobs, reduced air pollution, increased physical activity, and improved housing and diet. Better air quality alone would realise health benefits that easily offset the global costs of emissions reductions.²²

These measures will also improve the social and economic determinants of health, the poor state of which may have made populations more vulnerable to the COVID-19 pandemic.²³ But the changes cannot be achieved through a return to damaging austerity policies or the continuation of the large inequalities of wealth and power within and between countries.

In particular, countries that have disproportionately created the environmental crisis must do more to support low-income and middle-income countries to build cleaner, healthier, and more resilient societies. High-income countries must meet and go beyond their outstanding commitment to provide US\$100 billion a year, making up for any shortfall in 2020 and increasing contributions to and beyond 2025. Funding must be equally split between mitigation and adaptation, including improving the resilience of health systems.

Financing should be through grants rather than loans, building local capabilities and truly empowering communities, and should come alongside forgiving large debts, which constrain the agency of so many low-income countries. Additional funding must be marshalled to compensate for inevitable loss and damage caused by the consequences of the environmental crisis.

As health professionals, we must do all we can to aid the transition to a sustainable, fairer, resilient, and healthier world. Alongside acting to reduce the harm from the environmental crisis, we should proactively contribute to global prevention of further damage and action on the root causes of the crisis. We must hold global leaders to account and continue to educate others about the health risks of the crisis. We must join in the work to achieve environmentally sustainable health systems before 2040, recognising that this will mean changing clinical practice. Health institutions have already divested more than \$42 billion of assets from fossil fuels; others should join them.⁴

The greatest threat to global public health is the continued failure of world leaders to keep the global temperature rise below 1.5°C and to restore nature. Urgent, society-wide changes must be made and will lead to a fairer and healthier world. We, as editors of health journals, call for governments and other leaders to act, marking 2021 as the year that the world finally changes course.

FG serves on the executive committee for the UK Health Alliance on Climate Change and is a Trustee of the Eden Project. RS is the Chair of Patients Know Best, has stock in UnitedHealth Group, has done consultancy work for Oxford Pharmagenesis, and is chair of the *Lancet* Commission of the Value of Death. The other authors declare no competing interests.

Copyright © 2021 The Author(s). Published by Elsevier Ltd. This is an Open Access article under the CC BY 4.0 license.

Lukoye Atwoli, Editor in Chief, East African Medical Journal; Abdullah H Baqui, Editor in Chief, Journal of Health, Population and Nutrition; Thomas Benfield, Editor in Chief, Danish Medical Journal; Raffaella Bosurgi, Editor in Chief, PLOS Medicine; Fiona Godlee, Editor in Chief, The BMJ; Stephen Hancocks, Editor in Chief, British Dental Journal; Richard Horton, Editor in Chief, The Lancet; *Laurie Laybourn-Langton, Senior Adviser, UK Health Alliance on Climate Change; Carlos Augusto Monteiro, Editor in Chief, Revista de Saúde Pública; Ian Norman, Editor in Chief, International Journal of Nursing Studies; Kirsten Patrick, Interim Editor in Chief, CMAJ; Nigel Praities, Executive Editor, Pharmaceutical Journal; Marcel G M Olde Rikkert, Editor in Chief, Dutch Journal of Medicine; Eric J Rubin, Editor in Chief, The New England Journal of Medicine; Peush Sahni, Editor in Chief, National Medical Journal of India; Richard Smith, Chair, UK Health Alliance on Climate Change; Nicholas J Talley, Editor in Chief, Medical Journal of Australia; Sue Turale, Editor in Chief, International Nursing Review; Damián Vázquez, Editor in Chief, Pan American Journal of Public Health
laurie.laybourn@ukhealthalliance.org

This Comment is being published simultaneously in the multiple journals (appendix). This full list of journals, as well as a further list of supporting journals, can also be found on the BMJ website.

- 1 World Medical Association, International Council of Nurses, ISDE International, et al. In support of a #HealthyRecovery. May 26, 2020. <https://healthyrecovery.net> (accessed Aug 17, 2021).
- 2 Intergovernmental Panel on Climate Change. Summary for policymakers. Global warming of 1.5°C. An IPCC special report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty. 2018. <https://www.ipcc.ch/sr15/> (accessed Aug 17, 2021).
- 3 Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. Summary for policymakers: the global assessment report on biodiversity and ecosystem services. 2019. https://ipbes.net/sites/default/files/2020-02/ipbes_global_assessment_report_summary_for_policymakers_en.pdf (accessed Aug 17, 2021).
- 4 Watts N, Amann M, Arnell N, et al. The 2020 report of the *Lancet* Countdown on health and climate change: responding to converging crises. *Lancet* 2021; **397**: 129–70.
- 5 Rocque RJ, Beaudoin C, Ndjaboue R, et al. Health effects of climate change: an overview of systematic reviews. *BMJ Open* 2021; **11**: e046333.
- 6 Haines A, Ebi K. The imperative for climate action to protect health. *N Engl J Med* 2019; **380**: 263–73.
- 7 UN Environment Programme, International Livestock Research Institute. Preventing the next pandemic: zoonotic diseases and how to break the chain of transmission. 2020. https://72d37324-5089-459c-8f70-271d19427cf2.filesusr.com/ugd/056cf4_b5b2fc067f094dd3b2250cda15c47acd.pdf (accessed Aug 17, 2021).
- 8 Intergovernmental Panel on Climate Change. Summary for policymakers. Climate change and land: an IPCC special report on climate change, desertification, land degradation, sustainable land management, food security, and greenhouse gas fluxes in terrestrial ecosystems. 2019. <https://www.ipcc.ch/srccl/chapter/summary-for-policymakers/> (accessed Aug 17, 2021).
- 9 Lenton TM, Rockström J, Gaffney O, et al. Climate tipping points—too risky to bet against. *Nature* 2019; **575**: 592–95.
- 10 Wunderling N, Donges JF, Kurths J, Winkelmann R. Interacting tipping elements increase risk of climate domino effects under global warming. *Earth Syst Dynam* 2021; **12**: 601–19.
- 11 High Ambition Coalition. 2021. <https://www.hacfornatureandpeople.org> (accessed Aug 17, 2021).
- 12 Global Climate and Health Alliance. Are national climate commitments enough to protect our health? <https://climateandhealthalliance.org/initiatives/healthy-ndcs/ndc-scorecards/> (accessed Aug 17, 2021).
- 13 Thunberg G, Neubauer L, Charlier A, et al. Climate strikers: open letter to EU leaders on why their new climate law is “surrender”. Carbon Brief, March 3, 2020. <https://www.carbonbrief.org/climate-strikers-open-letter-to-eu-leaders-on-why-their-new-climate-law-is-surrender> (accessed Aug 17, 2021).
- 14 Fajardy M, Köberle A, MacDowell N, Fantuzzi A. BECCS deployment: a reality check. Grantham Institute briefing paper 28. January, 2019. <https://www.imperial.ac.uk/media/imperial-college/grantham-institute/publications/briefing-papers/BECCS-deployment---a-reality-check.pdf> (accessed Aug 17, 2021).
- 15 Anderson K, Peters G. The trouble with negative emissions. *Science* 2016; **354**: 182–83.
- 16 Climate action tracker. 2021. <https://climateactiontracker.org> (accessed Aug 17, 2021).
- 17 Secretariat of the Convention on Biological Diversity. Global biodiversity outlook 5. 2020. <https://www.cbd.int/gbo5> (accessed Aug 17, 2021).
- 18 Steffen W, Richardson K, Rockström J, et al. Planetary boundaries: guiding human development on a changing planet. *Science* 2015; **347**: 1259855.
- 19 UK Health Alliance. Our calls for action. 2021. <http://www.ukhealthalliance.org/cop26/> (accessed Aug 17, 2021).
- 20 Climate Action Tracker. Warming projections global update: May 2021. https://climateactiontracker.org/documents/853/CAT_2021-05-04_Briefing_Global-Update_Climate-Summit-Momentum.pdf (accessed Aug 17, 2021).
- 21 UN Environment Programme. Emissions gap report 2020. Nairobi: United Nations Environment Programme, 2020.
- 22 Markandya A, Sampedro J, Smith SJ, et al. Health co-benefits from air pollution and mitigation costs of the Paris Agreement: a modelling study. *Lancet Planet Health* 2018; **2**: e126–33.
- 23 Paremoer L, Nandi S, Serag H, Baum F. Covid-19 pandemic and the social determinants of health. *BMJ* 2021; **372**: n129.

See Online for appendix
 For the full list of journals and supporting journals see <https://www.bmj.com/content/full-list-authors-and-signatories-climate-emergency-editorial-september-2021>