

PUBLISHER CORRECTION

Open Access



# Publisher Correction to: Changes in mental health during three waves of the COVID-19 pandemic: a repeated cross-sectional study among Polish university students

Aleksandra M. Rogowska<sup>1\*</sup>, Dominika Ochnik<sup>2</sup>, Cezary Kuśnierz<sup>3</sup>, Karolina Chilicka<sup>4</sup>, Monika Jakubiak<sup>5</sup>, Maria Paradowska<sup>6</sup>, Luiza Głazowska<sup>6</sup>, Dawid Bojarski<sup>6</sup>, Julia Fijolek<sup>7</sup>, Marcin Podolak<sup>8</sup>, Maciej Tomaszewicz<sup>9</sup>, Dominika Nowicka<sup>10</sup>, Marek Kawka<sup>11</sup>, Maksymilian Grabarczyk<sup>8</sup> and Zuzanna Babińska<sup>12</sup>

## Correction to: *BMC Psychiatry* 21, 627 2021

<https://doi.org/10.1186/s12888-021-03615-2>

Following the publication of the original article [1], the authors identified that the captions were incorrectly assigned to Figs. 3, 4, and 5. The figures with the correct captions are given below.

The publisher apologizes to the authors and readers for the inconvenience.

The original article [1] has been corrected.

Published online: 19 January 2022

## Reference

1. Rogowska AM, et al. Changes in mental health during three waves of the COVID-19 pandemic: a repeated cross-sectional study among Polish university students. *BMC Psychiatry*. 2021;21:627. <https://doi.org/10.1186/s12888-021-03615-2>.

## Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

## Author details

<sup>1</sup>Institute of Psychology, University of Opole, Opole, Poland. <sup>2</sup>Faculty of Medicine, University of Technology, Katowice, Poland. <sup>3</sup>Faculty of Physical Education and Physiotherapy, Opole University of Technology, Opole, Poland. <sup>4</sup>Institute of Health Sciences, University of Opole, Opole, Poland. <sup>5</sup>Faculty of Economics, Maria Curie-Skłodowska University in Lublin, Lublin, Poland. <sup>6</sup>Faculty of Psychology and Cognitive studies, Adam Mickiewicz University in Poznań, Poznań, Poland. <sup>7</sup>Institute of Psychology, University of Lodz, Łódź, Poland. <sup>8</sup>Faculty of Medicine, Poznan University of Medical Sciences, Poznań, Poland. <sup>9</sup>Faculty of Medicine, Wrocław Medical University, Wrocław, Poland. <sup>10</sup>Faculty of History, University of Warsaw, Warszawa, Poland. <sup>11</sup>Faculty of "Artes Liberales", University of Warsaw, Warszawa, Poland. <sup>12</sup>Institute of the Middle and Far East, Faculty of International and Political Studies, Jagiellonian University, Kraków, Poland.

The original article can be found online at <https://doi.org/10.1186/s12888-021-03615-2>.


\*Correspondence: [arogowska@uni.opole.pl](mailto:arogowska@uni.opole.pl)

<sup>1</sup> Institute of Psychology, University of Opole, Opole, Poland


Full list of author information is available at the end of the article




© The Author(s) 2021. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.



**Fig. 3** The third wave of the COVID-19 pandemic in Poland, between 10th April and 12 June 2021: New cases of Coronavirus ranged 192–24,892 daily ( $M = 5376.35, SD = 6179.14$ ); New deaths from Coronavirus ranged 7–804 daily ( $M = 263.78, SD = 233.22$ ); Stringency index ranged 53.7–75.93 ( $M = 65.09, SD = 7.41$ ); Number of surveys ranged 0–134 daily ( $M = 10.03, SD = 21.30$ ). Source of new cases, new deaths, and stringency index during the COVID-19 pandemic in Poland: Johns Hopkins University Center for Systems Science and Engineering (CSSE) COVID-19 Data [40]



**Fig. 4** Frequency of people with anxiety risk during three waves of the COVID-19 pandemic



**Fig. 5** Boxplots (on the left, for the total sample) and linear plots (on the right, for gender differences), presenting scores of university students in anxiety (GAD), perceived stress (PSS), physical health (GSRH 1 and GSRH 2), and life satisfaction (SWLS) during the three waves of the COVID-19 pandemic