



Correction

## Correction: Liu et al. Less Fluctuation in Hemodynamics of the Wide-Awake Local Anesthesia No Tourniquet Technique Than General Anesthesia in Distal Radius Plating Surgery: A Prospective Case-Control Study. J. Clin. Med. 2022, 11, 1123

Wen-Chih Liu <sup>1,2,3,4</sup>, I-Cheng Lu <sup>5,6</sup>, Chung-Chia Chang <sup>1</sup>, Chih-Ting Chen <sup>7</sup>, Chung-Hwan Chen <sup>1,3,4,6,8</sup>, Chia-Lung Shih <sup>9</sup>, Yin-Chih Fu <sup>1,3,4,6,8</sup>, and Jesse Bernard Jupiter <sup>10</sup>

- Department Orthopedic Surgery, Kaohsiung Medical University Hospital, Kaohsiung Medical University, Kaohsiung 80756, Taiwan; andysirliu@gmail.com (W.-C.L.); luckychungchia@gmail.com (C.-C.C.); hwan@kmu.edu.tw (C.-H.C.)
- Department of Orthopedic Surgery, Kaohsiung Municipal Siaogang Hospital, Kaohsiung Medical University, Kaohsiung 81267, Taiwan
- <sup>3</sup> Ph.D. Program in Biomedical Engineering, College of Medicine, Kaohsiung Medical University, Kaohsiung 80756, Taiwan
- <sup>4</sup> Regeneration Medicine and Cell Therapy Research Center, Kaohsiung Medical University, Kaohsiung 80756, Taiwan
- Department of Anesthesiology, Kaohsiung Municipal Siaogang Hospital, Kaohsiung Medical University, Kaohsiung 81267, Taiwan; u9251112@gmail.com
- <sup>6</sup> School of Medicine, College of Medicine, Kaohsiung Medical University, Kaohsiung 80756, Taiwan
- School of Post-Baccalaureate Medicine, College of Medicine, Kaohsiung Medical University, Kaohsiung 80756, Taiwan; u107000041@gap.kmu.edu.tw
- Department of Orthopedic Surgery, Kaohsiung Municipal Ta-Tung Hospital, Kaohsiung 80145, Taiwan
- Department of Medical Research, Ditmanson Medical Foundation Chiayi Christian Hospital, Chiayi 60002, Taiwan; stone770116@gmail.com
- Hand and Arm Center, Department of Orthopedic Surgery, Massachusetts General Hospital, Harvard Medical School, Boston, MA 02114, USA; jjupiter1@partners.org
- \* Correspondence: microfu@gmail.com; Tel.: +886-312-1101 (ext. 5751)

C.-C.; Chen, C.-T.; Chen, C.-H.; Shih, C.-L.; Fu, Y.-C.; Jupiter, J.B.
Correction: Liu et al. Less Fluctuation in Hemodynamics of the Wide-Awake Local Anesthesia No
Tourniquet Technique Than General Anesthesia in Distal Radius Plating
Surgery: A Prospective Case-Control
Study. J. Clin. Med. 2022, 11, 1123. J.
Clin. Med. 2022, 11, 3381. https://

Citation: Liu, W.-C.; Lu, I.-C.; Chang,

Received: 2 June 2022 Accepted: 2 June 2022 Published: 13 June 2022

doi.org/10.3390/jcm11123381

check for

updates

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://creativecommons.org/licenses/by/4.0/).

In the original publication [1], there was a mistake in Table 1. The subclassifications of the fracture classification were disordered, as follows:

**Table 1.** Demographic data.

	WALANT	GA	<i>p</i> -Value
Patient number	20	20	
Age (year)	$62.2 \pm 13.5$	$59.9 \pm 14.6$	0.718
	Sex		
Male	3	6	0.256
Female	17	14	0.256
	ASA		
2	12	13	
3	7	7	0.595
4	1	0	
	Comorbidity		
Diabetes Mellitus	6	5	0.723
Hypertension	5	8	0.311
Cerebral vascular accident	1	2	0.548
Chronic kidney disease	0	2	0.147
Chronic heart failure	1	0	0.311
Forearm and wrist vascular calcification	1	1	1.000

J. Clin. Med. **2022**, 11, 3381

Table 1. Cont.

	WALANT	GA	<i>p-</i> Value			
Fracture classification						
AO 2R3B	14	11				
AO 2R3C	3	5	0.606			
Blood loss (mL)	3	4				
Operation time (minute)	$57.8 \pm 16.4$	$63.8 \pm 20.6$	0.512			
Blood loss (mL)	$14.2\pm13.1$	$6.6 \pm 5.9$	0.008			
Complication						
Infection	0	0	-			
Neuropraxia	0	0	-			
Compartment syndrome	0	0	-			
Perioperative cardiovascular event	0	0	-			
Hand vascular compromise event	1	0	0.331			
Exchange to general anesthesia	0	-	-			

WALANT, wide-awake local anesthesia no tourniquet; GA, general anesthesia; ASA, American Society of Anesthesiologists' classification; mean  $\pm$  standard deviation. Bold means p-value < 0.05.

The following table has been modified:

**Table 1.** Demographic data.

	WALANT	GA	<i>p-</i> Value
Patient number	20	20	
Age (year)	$62.2 \pm 13.5$	$59.9 \pm 14.6$	0.718
Sex			
Male	3	6	
Female	17	14	0.256
ASA			
2	12	13	
3	7	7	0.595
4	1	0	
Comorbidity			
Diabetes Mellitus	6	5	0.723
Hypertension	5	8	0.311
Cerebral vascular accident	1	2	0.548
Chronic kidney disease	0	2	0.147
Chronic heart failure	1	0	0.311
Forearm and wrist vascular calcification	1	1	1.000
Fracture classification			
AO 2R3A	14	11	
AO 2R3B	3	5	0.606
AO 2R3C	3	4	
Operation time (minute)	$57.8 \pm 16.4$	$63.8 \pm 20.6$	0.512
Blood loss (mL)	$14.2\pm13.1$	$6.6 \pm 5.9$	0.008
Complication			
Infection	0	0	-
Neuropraxia	0	0	-
Compartment syndrome	0	0	-
Perioperative cardiovascular event	0	0	-
Hand vascular compromise event	1	0	0.331
Exchange to general anesthesia	0	-	-

WALANT, wide-awake local anesthesia no tourniquet; GA, general anesthesia; ASA, American Society of Anesthesiologists' classification; mean  $\pm$  standard deviation. Bold means p-value < 0.05.

J. Clin. Med. **2022**, 11, 3381

The authors apologize for any inconvenience caused and state that the scientific conclusions are unaffected. This correction was approved by the Academic Editor. The original publication has also been updated.

## Reference

1. Liu, W.-C.; Lu, I.-C.; Chang, C.-C.; Chen, C.-T.; Chen, C.-H.; Shih, C.-L.; Fu, Y.-C.; Jupiter, J.B. Less Fluctuation in Hemodynamics of the Wide-Awake Local Anesthesia No Tourniquet Technique Than General Anesthesia in Distal Radius Plating Surgery: A Prospective Case-Control Study. *J. Clin. Med.* 2022, 11, 1123. [CrossRef] [PubMed]