nature portfolio

| Corresponding author(s): | Chang C. Liu |
|----------------------------|--------------|
| Last updated by author(s): | Apr 9, 2025 |

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our <u>Editorial Policies</u> and the <u>Editorial Policy Checklist</u>.

| Statistics | | |
|--|--|--|
| For all statistical an | alyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section. | |
| n/a Confirmed | | |
| ☐ ☐ The exact | sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement | |
| A stateme | nt on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly | |
| | ical test(s) used AND whether they are one- or two-sided on tests should be described solely by name; describe more complex techniques in the Methods section. | |
| A description | ion of all covariates tested | |
| A description | on of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons | |
| | ription of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient cion (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals) | |
| | pothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted es as exact values whenever suitable. | |
| For Bayesi | an analysis, information on the choice of priors and Markov chain Monte Carlo settings | |
| For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes | | |
| Estimates of effect sizes (e.g. Cohen's d, Pearson's r), indicating how they were calculated | | |
| · | Our web collection on <u>statistics for biologists</u> contains articles on many of the points above. | |
| Software and | d code | |
| Policy information a | about <u>availability of computer code</u> | |
| Data collection | Commercial programs used to collect data in this study were as follows: Attune NxT software 3.2.1526.0 and SH800S software 2.1.6. | |
| Data analysis | We used a custom Maple script (ref. 47), FlowJo 10.10.0, Benchling , and Microsoft Excel 2502. | |
| | custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and neourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio guidelines for submitting code & software for further information. | |

Data

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our policy

All data generated in this study are provided in the Supplementary Data or Source Data.

Research involving human participants, their data, or biological material

Policy information about studies with human participants or human data. See also policy information about sex, gender (identity/presentation), and sexual orientation and race, ethnicity and racism.

Reporting on sex and gender

Use the terms sex (biological attribute) and gender (shaped by social and cultural circumstances) carefully in order to avoid confusing both terms. Indicate if findings apply to only one sex or gender; describe whether sex and gender were considered in study design; whether sex and/or gender was determined based on self-reporting or assigned and methods used. Provide in the source data disaggregated sex and gender data, where this information has been collected, and if consent has been obtained for sharing of individual-level data; provide overall numbers in this Reporting Summary. Please state if this information has not been collected.

Report sex- and gender-based analyses where performed, justify reasons for lack of sex- and gender-based analysis.

Reporting on race, ethnicity, or other socially relevant groupings

Please specify the socially constructed or socially relevant categorization variable(s) used in your manuscript and explain why they were used. Please note that such variables should not be used as proxies for other socially constructed/relevant variables (for example, race or ethnicity should not be used as a proxy for socioeconomic status).

Provide clear definitions of the relevant terms used, how they were provided (by the participants/respondents, the researchers, or third parties), and the method(s) used to classify people into the different categories (e.g. self-report, census or administrative data, social media data, etc.)

Please provide details about how you controlled for confounding variables in your analyses.

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above.'

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Ethics oversight

Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Field-specific reporting

| Please select the one below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection. | | | | |
|--|-------------------------------|---|--|--|
| 🔀 Life sciences | Behavioural & social sciences | Ecological, evolutionary & environmental sciences | | |
| For a reference copy of the document with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u> | | | | |
| | | | | |
| Life sciences study design | | | | |
| | | | | |

All studies must disclose on these points even when the disclosure is negative

| m staates mast at | and the second section when the disclosure is negative. | | |
|-------------------|--|--|--|
| Sample size | Sample sizes of 4 were used for most experiments to improve confidence in the findings. | | |
| Data exclusions | An outlier, defined as a value five median absolute deviations from the median of the residuals, was excluded from the data shown in Figures 5d and 5e. No data were excluded from the other data. | | |
| Replication | All attempts at replication of results were successful. | | |
| Randomization | N/A | | |
| Blinding | N/A | | |

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

| 2 | | |
|---|---|--|
| S | د | |
| | | |
| | J | |
| c | _ | |
| | | |
| | ٨ | |

| Materials & experime | | | |
|----------------------------------|---|--|--|
| n/a Involved in the study | | | |
| Antibodies | ChIP-seq | | |
| Eukaryotic cell line | | | |
| Palaeontology and | | | |
| Animals and other Clinical data | organisms | | |
| Clinical data Dual use research | of concorn | | |
| Plants | once in | | |
| Z L Tidites | | | |
| | | | |
| Plants | | | |
| Seed stocks | Report on the source of all seed stocks or other plant material used. If applicable, state the seed stock centre and catalogue number. If plant specimens were collected from the field, describe the collection location, date and sampling procedures. | | |
| Novel plant genotypes | Describe the methods by which all novel plant genotypes were produced. This includes those generated by transgenic approaches, | | |
| branc 8amar) bas | gene editing, chemical/radiation-based mutagenesis and hybridization. For transgenic lines, describe the transformation method, the | | |
| | number of independent lines analyzed and the generation upon which experiments were performed. For gene-edited lines, describe the editor used, the endogenous sequence targeted for editing, the targeting guide RNA sequence (if applicable) and how the editor | | |
| Authentication | was applied. Describe any authentication procedures for each seed stock used or novel genotype generated. Describe any experiments used to | | |
| Address | assess the effect of a mutation and, where applicable, how potential secondary effects (e.g. second site T-DNA insertions, mosiacism, | | |
| | off-target gene editing) were examined. | | |
| | | | |
| Flow Cytometry | | | |
| Plots | | | |
| Confirm that: | | | |
| | the marker and fluorochrome used (e.g. CD4-FITC). | | |
| | | | |
| | early visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers). | | |
| | plots with outliers or pseudocolor plots. | | |
| A numerical value fo | r number of cells or percentage (with statistics) is provided. | | |
| Methodology | | | |
| Sample preparation | Yeast cells harboring the genes encoding an aaRS, a tRNA, and an RXG reporter were induced using galactose and raffinose with no ncAA or appropriate ncAA. Yeasts were harvested, washed with HBSM buffer and resuspended in HBSM buffer for sortings. Yeasts were diluted in 0.9% NaCl for RRE measurements. | | |
| Instrument | Thermo Fisher Scientific Attune NxT for RRE measurements and SONY SH800S for sortings. | | |
| Software | Attune NxT software 3.2.1526.0 for RRE measurements, SONY SH800S software 2.1.6 for sortings, and FlowJo 10.10.0 for analysis. | | |
| Cell population abundar | 5,000 and 50,000 cells were collected for positive and negative sorts in most cases. | | |

☐ Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

appropriate ncAA.

Gating strategy

A singlet discrimination (FSC-A vs SSC-A > FSC-A vs FSC-H) was performed. RFP and GFP signals were then gated against each

other. Negative and positive signal boundaries were determined by comparing a plot with no ncAA and a plot with