

# Detecting Cheaters without Thinking: Testing the Automaticity of the Cheater Detection Module

Jens Van Lier<sup>1\*</sup>, Russell Revlin<sup>2</sup>, Wim De Neys<sup>3</sup>

**1** Research Foundation - Flanders (FWO), Department of Psychology, University of Leuven, Leuven, Belgium, **2** Department of Psychology, University of California Santa Barbara, Santa Barbara, California, United States of America, **3** Centre National de la Recherche Scientifique (CNRS), LaPsyDE (CNRS Unit 3521), Paris Descartes University, Paris, France

## Abstract

Evolutionary psychologists have suggested that our brain is composed of evolved mechanisms. One extensively studied mechanism is the cheater detection module. This module would make people very good at detecting cheaters in a social exchange. A vast amount of research has illustrated performance facilitation on social contract selection tasks. This facilitation is attributed to the alleged automatic and isolated operation of the module (i.e., independent of general cognitive capacity). This study, using the selection task, tested the critical automaticity assumption in three experiments. Experiments 1 and 2 established that performance on social contract versions did not depend on cognitive capacity or age. Experiment 3 showed that experimentally burdening cognitive resources with a secondary task had *no* impact on performance on the social contract version. However, in all experiments, performance on a non-social contract version did depend on available cognitive capacity. Overall, findings validate the automatic and effortless nature of social exchange reasoning.

**Citation:** Van Lier J, Revlin R, De Neys W (2013) Detecting Cheaters without Thinking: Testing the Automaticity of the Cheater Detection Module. PLoS ONE 8(1): e53827. doi:10.1371/journal.pone.0053827

**Editor:** Tiziana Zalla, Ecole Normale Supérieure, France

**Received:** September 9, 2012; **Accepted:** December 5, 2012; **Published:** January 16, 2013

**Copyright:** © 2013 Van Lier et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

**Funding:** Writing of this manuscript was partly supported by KU Leuven Center of Excellence on Generalization Research (GRIP\*TT; PF/10/005). No additional external funding received for this study. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

**Competing Interests:** The authors have declared that no competing interests exist.

\* E-mail: jens.vanlier@ppw.kuleuven.be

## Introduction

Half a century of reasoning and decision making research has shown that human thinking is often biased (e.g., [1]). In a wide range of tasks, most people fail to give the correct logical response. One of the most famous examples is the Wason selection task [2]. In the standard version of the task participants are presented with four cards. For example, in the standard problem, each card has a letter on one side and a number on the other side. Hence, two of the four cards show a letter and the other two show a number (e.g., A, T, 4, 7). Participants are asked to consider the following rule (of the “If P, then Q” type) introduced by the experimenter: “If there is an A on one side, then there is a 4 on the other side.” Participants are then asked whether this rule applies to the cards presented. Thus, participants have to indicate which cards necessarily need to be turned over to be sure the rule has been followed. The correct solution focuses on the logical falsification principle; consequently the logically correct answer is to choose the ‘A’ and ‘7’ cards (which corresponds to the P and not-Q cards). This means that people have to look for instances where the rule could be violated (i.e., values that might falsify the rule). In the example the only cards that might falsify the rule are the ‘A’ and ‘7’ card. However, few individuals (typically around 10%) select the correct cards in standard descriptive selection tasks [3–5]. Most individuals actually select the cards that match the lexical content of the rule (e.g., ‘A’ and ‘4’ cards, which corresponds to the P and Q card).

In sharp contrast, remarkable performance boosts are consistently observed in versions of the task where the conditional rule involves a social exchange (e.g., [3,6–8]). In these versions, the conditional rule fits the following template: “If you accept benefit B from me, then you must satisfy my requirement R”. For example: “If you drive my car, you have to fill up afterwards.” A person can thus be considered a cheater if that individual accepted the benefit but did not satisfy the requirement (e.g., someone who drove the car but did not fill up afterwards). Thus, searching for cheaters corresponds to choosing the logically correct cards of P and Not-Q in the selection task (e.g., you only need to check the persons who either drove the car or did not fill up the car afterwards). As a side-note, researchers have also used a switched social contract where the ‘benefit accepted’ and ‘requirement not satisfied’ cards correspond to the logical categories Q and Not-P. This is however not the logically correct response. Hence, what matters is of course detecting cheaters and not performance improvement on the Wason selection task per se. However, since we are using only standard social contracts we stick to the classic labels of performance improvement. In standard ‘social contract versions’ of the selection task 65–80% of individuals select the correct combination (P, not-Q).

To explain this facilitation, Cosmides and Tooby [7] propose the existence of a cheater detection module. This module is conceived as an adaptive algorithm in the brain that, once activated, causes individuals to automatically look for cheaters. The cheater detection module is thus a domain-specific reasoning mechanism that helps people to detect cheaters and, therefore,

should result in a clear performance boost for social contract versions of the selection task. The idea of this specific module, proposed by Cosmides and Tooby [7] in their Social Contract Theory (SCT), stands in shrill contrast with the classical view that states that all behavior is based on one general learning mechanism (i.e., general cognitive capacity, intelligence, rationality). Cosmides and Tooby [8] call this classical view the Standard Social Science Model (SSSM). Note that there are a number of accounts that argue against the SSSM view. However, in this paper we focus on the crucial assumption that differentiates the SCT and the SSSM, namely that the cheater detection module works independent of general cognitive resources (i.e. automaticity, see further).

For decades, many experiments have illustrated the performance improvement on the selection task when participants have to detect cheaters in a social contract (e.g., [3,6–8]). Moreover, a number of studies have presented initial evidence in support for a universal cheater detection module. For example, studies found performance boosts for social contract versions in very different cultures (e.g., Shiwiar of Ecuadorian Amazonia; [9]), and cheater detection in children as young as age four [10]. In addition, fMRI studies using the selection task showed distinct brain activity when reasoning about social exchange [11], and selective impairment of reasoning about social exchange was found in patients with bilateral damage to the limbic system [12]. Furthermore, studies also showed enhanced face recognition of cheaters [13,14]. However, in spite of this research, debates are still ongoing about the modular hypothesis for higher order brain functions such as reasoning [8,15,16].

The present article focuses on the key automaticity assumption of the postulated cheater detection module. In Cosmides and Tooby's view, modules are assumed to operate independently and are distinct from general cognitive resources [17]. As Cosmides and Tooby [18] have put it:

“When activated by content from the appropriate domain, these inference engines impose special and privileged representations during the process of situation interpretation, define specialized goals for reasoning tailored to their domain, and make available specialized inferential procedures that allow certain computations to proceed *automatically* or ‘intuitively’ and with enhanced efficiency over what a more general reasoning process could achieve given the same input.” ([18], p. 66)

In other words:

“They (*modules*) make certain kinds of inferences just as easy, effortless and ‘natural’ to humans as spinning a web is to a spider or building a dam is to a beaver.” ([17], p. 330)

Note that automaticity is a complex and multilayered concept that has come to have a very-wide use. We use the concept here as it is typically used in reasoning studies. That is, it refers to an independency from general cognitive capacity (e.g., [19–21]). Hence, the automaticity of the cheater detection module implies that the efficiency of cheater detection should be independent of general cognitive capacity. Put differently, reasoning in social exchange situations and looking for cheaters should not burden general cognitive resources. For clarity, note that not all modules need to operate automatically (e.g., [22]).

In this paper we examine the critical claim with respect to the role of general cognitive capacity in social exchange reasoning. In Experiment 1, we presented a large group of participants with descriptive and social contract versions of the selection task and afterwards asked them to complete the Cognitive Reflection Test (CRT; [23,24]) to assess their cognitive capacity. We expected that performance on the descriptive version would be associated with cognitive capacity as measured by the CRT. Indeed, Cosmides and Tooby do not claim that the module will be helpful for a descriptive version. Moreover, prior correlational and dual task studies already indicated that solving a descriptive version requires abundant cognitive resources (e.g., [4,20]). Hence, higher CRT scores can be expected to be associated with better performance on descriptive versions. However, the crucial prediction is that this correlation will not be observed for the social contract versions. Indeed, if the cheater detection module is automatic and does not depend on available cognitive resources, then even the cognitively least gifted individuals should manage to solve the social contract version correctly.

Experiment 2 looks at the impact of general cognitive capacity from a developmental perspective. It is known that general cognitive capacity increases throughout adolescence ([25]). Hence, performance on the resource demanding descriptive version can be expected to improve with age. However, if the cheater detection module operates automatically, performance on the social contract version can be expected to be relatively stable across age groups.

In the critical Experiment 3 we will validate the two initial correlational experiments with an experimental approach. We introduce a dual task load procedure to limit the available cognitive resources directly. Given that reasoning about a descriptive rule is expected to draw on cognitive resources, performance should decrease under a cognitive load since fewer resources will be available for the computation of the response. However, if the cheater detection module operates automatically, performance should not decrease under cognitive load when solving the social contract version.

## Ethics Statement

All experiments in this study were conducted in accordance with the Declaration of Helsinki and approved by the local ethics committee of the University of Leuven (Ethische Commissie Faculteit Psychologie en Pedagogische Wetenschappen). Written informed consent was obtained from all participants.

## Experiment 1

### Methods

#### Participants

The 117 participants were all first-year psychology students at the University of Leuven, Belgium, who received course credit for taking part in the study.

#### Materials

**Selection task.** Two versions of the selection task were used. Participants were presented with either the unfamiliar descriptive problem or the unfamiliar social contract problem adapted from Cosmides [3]. The problems were translated into Dutch. Each participant was presented with one problem. The unfamiliar versions were used to rule out scenario familiarity as a possible confound (see [3], for a discussion). Note that we stick to the original material used by Cosmides [3] to avoid interpretational

complications that might result from altered material. We do note that other versions of the scenarios have been used in previous studies that looked at the association between selection task performance and cognitive capacity (e.g., [26–29]). However, there is debate on which feature in the scenarios is crucial to activate the cheater detection module proposed by the social contract theory. Hence, potential negative findings pointing to the non-automaticity of cheater detection can always be explained away by arguing that the altered material did not efficiently activate the proposed module. By adopting the original versions introduced by Cosmides [3] herself we sidestep this issue in the present study.

Participants first read the following instructions: “Read the following problem carefully. Afterwards a number of “cards” will be shown to you. You will have to indicate which cards you have to turn over to check whether a certain rule has been followed or not. Mark the card(s) you think are necessary to turn over.” Then they read the scenario. The crucial difference between the two versions is that in the standard descriptive scenario version there is no social exchange involved. For the social contract version the same instructions were used. The scenario of the social contract version was of course different in the sense that it contained a social exchange (Figure 1):

**Cognitive Reflection Task (CRT).** The CRT is a short three-item cognitive capacity test that measures the ability or disposition to resist reporting the response that first comes to mind (see [23] for details). The CRT shows good correlations with standard cognitive capacity tests (e.g.,  $r = .43$ , with the Wonderlic Personnel Test, and  $r = .46$ , with the ACT; [23]). The following is an example of a CRT item:

“A bat and a ball cost \$1.10 in total. The bat costs \$1.00 more than the ball. How much does the ball cost? \_\_\_\_\_ cents.”

For all three items, reaching the correct solution requires the inhibition of impulsive erroneous answers. It is this suppression of the answer that easily comes to mind that heavily taxes the cognitive resources [23].

## Procedure

Participants were tested in groups of 20 to 30. Each participant had to solve one selection task problem. The selection tasks were printed on paper and were randomly distributed to the participants. Participants were requested to read the instructions carefully and to ask the experimenter when they did not understand the instructions. After completion of the selection task problem, the participants filled out the CRT.

## Results and Discussion

For the selection task, the Pollard falsification index (FI; [30]) was used as the dependent variable. The Pollard falsification index is calculated in the following way: a score of one is given for each card turned and a zero for each card not turned. The falsification index (FI) is  $FI = (P + \text{not-}Q) - (\text{not-}P + Q)$ . Hence, the FI ranges between  $-2$  and  $+2$ , with higher scores indicating better selection performance. As expected, the means of the FI of the descriptive task ( $M = 0.38$ ,  $SD = 1.15$ ) and social contract task ( $M = 1.17$ ,  $SD = 0.89$ ) differed significantly,  $t(117) = -4.150$ ,  $p < .001$ , *Cohen's*  $d = .77$ . Hence, we replicated the well-established performance boost for social contract versions.

However, the core question in this study was whether social exchange performance facilitation is independent of cognitive

capacity. To assess the association between cognitive capacity as measured by the CRT and selection task performance, a correlational analysis was conducted. The score on the CRT reflects the number of items that have been correctly answered (range between 0 and 3). As expected, for the descriptive version, scores on the CRT were positively associated with the falsification index,  $r = .38$ ,  $n = 55$ ,  $p < .01$ , whereas for the social contract version, the association between CRT scores and the falsification index did not reach significance,  $r = .16$ ,  $n = 54$ ,  $p = .25$ . Average CRT scores of participants in the social contract and descriptive group did not differ,  $t(107) = .09$ ,  $p = .93$ .

## Experiment 2

### Methods

#### Participants

Participants were recruited from a secondary school in Belgium on a voluntary basis. A total of 191 students participated in the study. We recruited participants from two age groups: middle (grade 9/10;  $n = 98$ ; mean age 14,8 years), and late adolescents (grade 11/12;  $n = 93$ ; mean age 16,8 years).

#### Materials

The same descriptive and social contract selection tasks as in the first experiment were used.

#### Procedure

Participants were tested in groups of 20–30 in their classrooms. Participants received instructions and one selection problem. The problems were randomly distributed to participants. Participants were requested to read the instructions carefully and to ask the experimenter when they did not understand the instructions.

## Results and Discussion

The falsification index was used as the dependent variable. To assess the effect of age group on selection task performance, the FIs were subjected to a 2 (Age Group, between subjects)  $\times$  2 (Version, between subjects) ANOVA. There was a significant main effect of Version,  $F(1,186) = 40.53$ ,  $p < .001$ ,  $\eta_p^2 = .18$ . As Figure 2 shows, consistent with previous observations, selection task performance was higher for the social contract version. There was no significant main effect for Age Group,  $F(1,186) = 3.00$ ,  $p = .09$ . Crucially though, the analysis yielded a significant interaction effect between Age Group and Version,  $F(1,186) = 4.66$ ,  $p < .05$ ,  $\eta_p^2 = .02$ . Planned contrasts indicated that for the descriptive version, performance was higher for late adolescents than middle adolescents,  $t(94) = -2.57$ ,  $p < .05$ , *Cohen's*  $d = .53$ , whereas middle and late adolescents' performance did not differ on the social contract version,  $t(93) = .33$ ,  $p = .75$ .

## Experiment 3

We note that the results of experiment 1 and 2 are only correlational. As we noted above, previous correlational studies (albeit with different material) have reported conflicting findings (e.g., [20,26,29]). To validate our initial findings, Experiment 3 presents a stronger experimental test. This critical experimental manipulation will provide us with one of the most thorough tests of the automaticity hypothesis to date.

**Descriptive version.** You are an anthropologist studying the Kaluame people, a Polynesian culture found only on Maku Island in the Pacific. Before leaving for Maku Island you read a report that says some Kaluame men have tattoos on their faces, and that they eat either cassava root or molo nuts, but not both. The author of the report, who did not speak the language, said the following relation seemed to hold:

*“If a man has a tattoo on his face, he eats cassava root.”*

You decide to investigate your colleague’s peculiar claim. When you arrive on Maku Island, you learn that cassava root is a starchy staple food found on the south end of the island. Molo nuts are very high in protein, and grow on molo trees, which are primarily found on the island’s north shore.

You also learn that bachelors live primarily on the north shore, but when men marry, they usually move to the south end of the island. When a Kaluame man marries, he gets a tattoo on his face; only married men have tattoos on their faces. A facial tattoo means that a man is married, an unmarked face means that a man is a bachelor. Perhaps men are simply eating foods which are most available to them.

The cards below have information about four Kaluame men sitting in a temporary camp at the center of the island. Each man is eating either cassava root or molo nuts, which he has brought with him from home. Each card represents one man. One side of a card tells which food a man is eating and the other side of the card tells whether or not the man has a tattoo on his face.

The rule laid out by your colleague may not be true; you want to see for yourself. Indicate only those card(s) (mark with an ‘X’ on the card(s)) you definitely need to turn over **to see if any of these Kaluame men are breaking the rule.**

<u>Man 1</u>	<u>Man 2</u>	<u>Man 3</u>	<u>Man 4</u>
Has tattoo	Does not eat cassava root	Does not have tattoo	Eats cassava root

**Social Contract version.** The Namka are a hunter-gatherer people who live in small bands in the deserts of southwest Africa. You are an anthropologist interested in whether members of different Namka bands can trust each other.

Bo is a crafty old Namka man in the band you are studying. He is always accidentally breaking his ostrich eggshell and would like to “stockpile” some –the Namka use ostrich eggshells as canteens because they are light and hold lots of water. He sees his opportunity when four men from a neighboring band stumble into camp one morning.

The four men have been on a long and unsuccessful hunting expedition. They are hungry, and they want to be able to bring meat back to their families. Bo approaches each man privately and offers him the following deal:

*“If you give me your ostrich eggshell, then I’ll give you duiker meat.”*

Bo explains that his wife is skinning the duikers today, and they won’t be ready until tomorrow. However, he will need the eggshell by this evening for his son, who is leaving tonight on a week long hunting expedition. Each man accepts Bo’s offer, and agrees to meet him alone in a secluded spot tomorrow to consummate the deal.

You find this deal interesting, because you happen to know that Bo, who is a rather unscrupulous character to begin with, has very little duiker meat and a large family to feed. It is perfectly possible that he will cheat some of these men. You decide to “spy” on Bo and see.

The cards below have information about the four deals Bo made with these four men. What happened in one deal had no effect on the outcome of any other deal. Each card represents one man. One side of a card tells whether or not the man gave his ostrich eggshell to Bo that evening, and the other side of the card tells whether or not Bo gave that man duiker meat the next day.

Did Bo get away with cheating any of these four men? Indicate only those card(s) (mark with an ‘X’ on the card(s)) you definitely need to turn over **to see if Bo has broken his word to any of these four men.**

<u>Man 1</u>	<u>Man 2</u>	<u>Man 3</u>	<u>Man 4</u>
Gave ostrich-eggshell to Bo	Bo gave him no duiker meat	Did not give Bo an ostrich-eggshell	Bo gave him duiker meat

**Figure 1. The scenario of the descriptive and social contract version.**  
doi:10.1371/journal.pone.0053827.g001


## Methods

### Participants

The participants were 281 first-year psychology students from the University of Leuven, Belgium, who participated in return for course credit.

### Materials

**Selection tasks.** Approximately half of the participants were presented the social contract version and the other half the descriptive version of the selection task that were used in Experiment 1 and 2 on a computer screen.



**Figure 2. Mean falsification indices for the descriptive and social contract version across age groups.** Error bars denote  $\pm 1$  standard error of the mean.

doi:10.1371/journal.pone.0053827.g002

**Dot memory task.** The dot memory task is a classic spatial storage task (e.g., [31,32]). Following the procedure of De Neys ([33], see also [34,35]), a  $3 \times 3$  matrix filled with four dots was briefly presented for 850 ms. Participants memorized the pattern and were asked to reproduce it afterwards. In the reproduction phase an empty matrix was presented on the screen, and participants used the mouse to indicate the location of the dots. A dot appeared when they clicked on the corresponding location. Clicking on the dot once more removed the dot. Participants pressed the space bar when they finished reproducing the pattern. Memorization of these dot patterns has been shown to efficiently tax cognitive resources (e.g., [32]).

### Procedure

Participants were tested in groups of 15 to 30 at the same time in a large computer room with an individual booth for every participant. Participants were randomly assigned to the no load (control) or load condition and to the social contract or descriptive version. After having read the general instructions that appeared on the screen participants pressed the space bar. Next, participants were familiarized with the card selection procedure. Participants used the mouse pad to indicate the cards that needed to be turned. A 'V' appeared under the card that had been selected. Clicking once again on the card resulted in deselecting the card. After the demonstration, the scenario of either the unfamiliar descriptive task or the unfamiliar social contract task was presented on the screen (see below for an example of the social contract version; Figure 3).

When finished reading, participants had to hit the enter key. Next, in the load group the dot pattern that participants needed to remember was presented for 850 ms. Subsequently, the highlighted rule and the cards were presented (Figure 3). Participants selected the cards as previously outlined and pressed the space bar when they finished the card selection. Finally, in the load group the empty matrix was presented and participants had to reproduce the dot pattern.

We like to stress explicitly that in the present design the load was introduced *after* participants had read the scenario. This is not a trivial issue. The mere reading and linguistic processing of the scenario will also draw on cognitive resources (e.g., [36]). Hence, ideally, the secondary task should burden resources when participants are reasoning about the card selection but it should leave the initial reading and comprehension processes unaffected. For example, note that McKinnon and Moscovitch [37] in a related study on deontic reasoning introduced a secondary task before participants had read the scenario. Therefore, the load may have affected the reading and comprehension process such that the participants were not able to represent the scenario information appropriately. To draw clear conclusions about the cognitive demands of social contract reasoning in a dual task study, it is critical that participants manage to represent the scenario properly (see [38], for a similar point). This potential confound was avoided in the present study by introducing the load after participants finished reading the scenario.

The Namka are a hunter-gatherer people who live in small bands in the deserts of southwest Africa. You are an anthropologist interested in whether members of different Namka bands can trust each other.

Bo is a crafty old Namka man in the band you are studying. He is always accidentally breaking his ostrich eggshell and would like to “stockpile” some –the Namka use ostrich eggshells as canteens because they are light and hold lots of water. He sees his opportunity when four men from a neighboring band stumble into camp one morning.

The four men have been on a long and unsuccessful hunting expedition. They are hungry, and they want to be able to bring meat back to their families. Bo approaches each man privately and offers him the following deal:

*“If you give me your ostrich eggshell, then I’ll give you duiker meat.”*

Bo explains that his wife is skinning the duikers today, and they won’t be ready until tomorrow. However, he will need the eggshell by this evening for his son, who is leaving tonight on a week long hunting expedition. Each man accepts Bo’s offer, and agrees to meet him alone in a secluded spot tomorrow to consummate the deal.

You find this deal interesting, because you happen to know that Bo, who is a rather unscrupulous character to begin with, has very little duiker meat and a large family to feed. It is perfectly possible that he will cheat some of these men. You decide to “spy” on Bo and see.

The cards that will be presented have information about the four deals Bo made with these four men. What happened in one deal had no effect on the outcome of any other deal. Each card represents one man. One side of a card tells whether or not the man gave his ostrich eggshell to Bo that evening, and the other side of the card tells whether or not Bo gave that man duiker meat the next day.

-PRESS ENTER WHEN FINISHED READING-

↓  
<Dot Pattern>  
↓

*“If you give me your ostrich eggshell, then I’ll give you duiker meat.”*

Did Bo get away with cheating any of these four men? Indicate only those card(s) you definitely need to turn over **to see if Bo has broken his word to any of these four men.**

Man 1	Man 2	Man 3	Man 4
Gave ostrich-eggshell to Bo	Bo gave him no duiker meat	Did not give Bo an ostrich-eggshell	Bo gave him duiker meat

-PRESS SPACE BAR WHEN FINISHED-

**Figure 3. Social contract version in Experiment 3 with the sequence of the screens as presented to the participants.**

doi:10.1371/journal.pone.0053827.g003

## Results and Discussion

### Dot Memory Task

Overall, the mean of correctly reproduced dots was 3.52 ( $SD = .84$ , range 1–4), which amounts to 88% of the dot pattern that was correctly localized. The number of dots that were correctly reproduced by participants that solved the descriptive version ( $M = 3.48$ ,  $SD = .90$ ) was as high as the correctly reproduced dots by participants that solved the social contract version ( $M = 3.56$ ,  $SD = .78$ ),  $t(133) = -.46$ ,  $p = .65$ . These results indicate that participants performed the load task properly.

### Selection Task Performance

The falsification index was used as the dependent variable. The FIs were subjected to a 2 (Version, between subjects)  $\times$  2 (Load, between subjects) ANOVA. As Figure 4 shows, there was a significant main effect of Version,  $F(1,277) = 35.76$ ,  $p < .001$ ,  $\eta_p^2 = .11$ , replicating again that performance on the social contract problem was better than performance on the descriptive version. There was no significant main effect of Load,  $F(1,277) = 3.18$ ,

$p = .08$ . Crucially though, the interaction between Version and Load was significant,  $F(1,277) = 4.13$ ,  $p < .05$ ,  $\eta_p^2 = .02$ . Consistent with previous findings, planned contrasts further established that for the descriptive version the FI decreased under load,  $t(141) = 2.58$ ,  $p < .05$ , *Cohen’s d* = .43. In contrast, the FI for the social contract version was not affected by load,  $t(136) = -.19$ ,  $p = .85$ .

### General Discussion

Cosmides and Tooby have proposed the existence of a cheater detection module to explain why we are so good at detecting cheaters. This module is an adaptive algorithm in the brain that once activated causes individuals to automatically look for cheaters in social exchange. According to Cosmides and Tooby’s view of the mind, modules operate without conscious effort and are distinct from general cognitive resources [17,18]. In the present study we tested this effortless, automatic nature of the cheater detection module.


The first experiment examined the correlation between a measure of general cognitive capacity and selection task performance. In the second experiment we looked at the cognitive capacity-performance relationship from a developmental angle, studying two groups of adolescents in a cross-sectional design. In the third experiment, available cognitive capacity was experimentally manipulated in a dual task paradigm. If the cheater detection module works automatically, we can expect that the performance facilitation on a social contract version does not depend on available cognitive capacity. By contrast, since a descriptive version should not trigger this module, we can expect an association with cognitive capacity for performance on a descriptive version. Consistent with the idea that correctly solving the descriptive version draws on cognitive capacity we observed indeed that performance decreased for people lower in cognitive capacity, for younger participants and when participants were under an experimental cognitive load. However, none of these effects were observed on the social contract version. Performance on social contract versions remained high irrespective of participants' cognitive capacity, age or their experimental cognitive load. Taken together these findings clearly imply that solving a social contract version is automatic and does not draw on general cognitive resources. This supports the postulated automaticity of the cheater detection module.

Our findings are thus consistent with the modular view of Cosmides and Tooby. However, it will be clear that the fact that a process is automatic does not necessarily imply that it is also modular, of course (e.g., [22,39]). Also, to the extent that other accounts make an automaticity assumption, our study does not

allow us to decide between these accounts. The point is that we showed that detecting cheaters operates automatic or independent of general cognitive resources. These results falsify the SSSM view that all reasoning is based on one general mechanism. Obviously, the present study does not allow us to (and was not designed to) differentiate further between the SCT and possible alternative accounts that also share the crucial automaticity assumption.

Another point in this study is that we used the original version of the selection task that was proposed by Cosmides [3]. There is extensive debate as to whether this version of the selection task is appropriate to test the existence of a cheater detection module (e.g., [27,28]). For example, there is evidence that individuals may solve descriptive versions, as well as deontic versions lacking the benefit-requirement structure of social contracts (e.g., [40–42]) and fail social contract versions [26,28,42]. Debate is ongoing about the original Cosmides [3] formulation of the selection task. However, it seemed necessary to test the crucial automaticity assumption of the cheater detection module with the original Cosmides [3] formulation because this presents the most basic test of their hypothesis. As we clarified, our experiments are neutral as to which specific feature of the selection task effectively activates the cheater detection module. Clearly, this also implies that the present study does not argue against the possibility that different scenarios are also facilitated while some social contract versions are not. Future research might look at this material generalization issue more closely.

We already noted that our study is related to McKinnon and Moscovitch's [37] study on deontic reasoning. In one condition they also presented a social contract task but found that selection



**Figure 4. Mean falsification indices for the descriptive and social contract version in the load and no load group.** Error bars denote  $\pm 1$  standard error of the mean.  
doi:10.1371/journal.pone.0053827.g004

task performance decreased when participants were under load. Hence, they did not find support for the automaticity of cheater detection. Note that the apparent discrepancy can be readily explained. As we stated, McKinnon and Moscovitch [37] presented the load before participants had read the scenario whereas we introduced the load after participants finished reading the scenario. This is a crucial difference. Reading and comprehension of the scenario may also demand cognitive resources [36]. Hence, when given a secondary task *while* reading, it is highly likely that insufficient resources will remain to properly read the scenario. Obviously, if participants cannot properly read the scenario, the module cannot be activated. Note that to sidestep similar reading or comprehension related complications in younger age groups, we also restricted our developmental experiment to adolescents. Put bluntly: introducing the load before participants read the social contract scenario or presenting these selection tasks to very young children might amount to presenting the rule and cards *without* the scenario. Clearly, when

the module is not activated, performance facilitation should not be expected (see also, [38]).

In sum, in the present paper, we have examined a crucial property of evolutionary theories of social exchange reasoning, namely the independence of a specialized cheater detection algorithm from general-purpose cognitive processes. In each of our experiments, we found that available cognitive resources were consistently related to performance on standard descriptive selection tasks, whereas cognitive resources were clearly *un*-related to performance on social contract selection tasks. Taken together, the findings lend credence to the evolutionary claim of an automatically operating cheater detection module.

## Author Contributions

Conceived and designed the experiments: JVL RR WDN. Performed the experiments: JVL. Analyzed the data: JVL WDN. Wrote the paper: JVL RR WDN.

## References

- Tversky A, Kahneman D (1974) Judgment under Uncertainty: Heuristics and Biases. *Science* 185: 1124–1131.
- Wason PC (1966) Reasoning. In: Foss BM, Editor. *New horizons in psychology*. I. Harmondsworth, UK: Penguin. 106–137.
- Cosmides L (1989) The logic of social exchange: Has natural selection shaped how humans reason? Studies with the Wason selection task. *Cognition* 31: 187–276.
- De Neys W (2006a) Automatic-heuristic and executive-analytic processing in reasoning: Chronometric and dual task considerations. *Quarterly Journal of Experimental Psychology* 59: 1070–1100.
- Evans JSBT, Newstead SE, Byrne RMJ (1993) *Human reasoning: The psychology of deduction*. Hove, UK: Lawrence Erlbaum Associates Ltd.
- Cosmides L, Barrett HC, Tooby J (2010) Adaptive specializations, social exchange, and the evolution of human intelligence. *Proceedings of the National Academy of Sciences* 107: 9007–9014.
- Cosmides L, Tooby J (1992) Cognitive adaptations for social exchange. In: Barkow JH, Cosmides L, Tooby J, Editors. *The adapted mind: Evolutionary psychology and the generation of culture*. Oxford: Oxford University Press. 163–228.
- Cosmides L, Tooby J (2005) Neurocognitive adaptations designed for social exchange. In Buss DM, Editor. *Evolutionary Psychology Handbook*. NY: Wiley.
- Sugiyama LS, Tooby J, Cosmides L (2002) Cross-cultural evidence of cognitive adaptations for social exchange among the Shiwiar of Ecuadorian Amazonia. *Proceedings of the National Academy of Sciences* 99: 11537–11542.
- Harris PL, Núñez M, Brett C (2001) Let's swap: Early understanding of social exchange by British and Nepali children. *Memory & Cognition* 29: 757–764.
- Ermer E, Guerin SA, Cosmides L, Tooby J, Miller MB (2006) Theory of mind broad and narrow: Reasoning about social exchange engages ToM areas, precautionary reasoning does not. *Social Neuroscience* 1: 196–219.
- Stone VE, Cosmides L, Tooby J, Kroll N, Knight RT (2002) Selective impairment of reasoning about social exchange in a patient with bilateral limbic system damage. *Proceedings of the National Academy of Science* 99: 11531–11536.
- Verplaetse J, Vanneste S, Braeckman J (2007) You can judge a book by its cover: the sequel. A kernel of truth in predictive cheating detection. *Evolution and Human Behavior* 28: 260–271.
- Yamagishi T, Tanida S, Mashima R, Shimoma E, Kanazawa S (2003) You can judge a book by its cover. Evidence that cheaters may look different from cooperators. *Evolution and Human Behavior* 24: 290–301.
- Over DE (2003) *Evolution and the Psychology of Thinking: The Debate*. Hove and New York: Psychology Press.
- Samuels R (1998) Evolutionary Psychology and the Massive Modularity Hypothesis. *British Journal of Philosophical Science* 49: 575–602.
- Cosmides L, Tooby J (1994) Better than Rational: Evolutionary Psychology and the Invisible Hand. *The American Economic Review* 84: 327–332.
- Cosmides L, Tooby J (2008) Can a general deontic logic capture the facts of human moral reasoning? How the mind interprets social exchange rules and detects cheaters. In: Sinnott-Armstrong W, Editor. *Moral psychology*. Cambridge, MA: MIT Press. 53–119.
- Evans JSBT (2003) In two minds: Dual process accounts of reasoning. *Trends in Cognitive Science* 7: 454–459.
- Stanovich KE, West RF (1998) Cognitive ability and variation in selection task performance. *Thinking and Reasoning* 4: 193–230.
- Stoman SA (1996) The empirical case for two systems of reasoning. *Psychological Bulletin* 119: 3–22.
- Barrett HC, Kurzban R (2006) Modularity in cognition: framing the debate. *Psychological Review* 113: 628–647.
- Frederick S (2005) Cognitive Reflection and decision making. *Journal of Economic Perspectives* 19: 25–42.
- Toplak ME, West RF, Stanovich KE (2011) The Cognitive Reflection Test as a predictor of performance on heuristics-and-biases tasks. *Memory & Cognition* 39: 1275–1289.
- Gathercole SE (1999) Cognitive approaches to the development of short-term memory. *Trends in Cognitive Sciences* 11: 410–419.
- Giroto V, Tentori K (2008) Is domain-general thinking a domain-specific adaptation? *Mind & Society* 7: 167–175.
- Sperber D, Giroto V (2002) Use or misuse of the selection task? Rejoinder to Fiddick, Cosmides, and Tooby. *Cognition* 85: 277–290.
- Sperber D, Giroto V (2003) Does the selection task detect cheater-detection. In: Fitness J, Sterelny K, Editors. *From mate to mentality. Evaluating evolutionary psychology*. New York: Psychology Press.
- Kaufman SB, DeYoung CG, Reis DL, Gray JR (2011) General intelligence predicts reasoning ability even for evolutionarily familiar content. *Intelligence* 39: 311–322.
- Pollard P, Evans JSBT (1987) Content and context effects in reasoning. *American Journal of Psychology* 100: 41–60.
- Bethell-Fox CE, Shepard RN (1988) Mental rotation: Effects of stimulus complexity and familiarity. *Journal of Experimental Psychology: Human Perception and Performance* 14: 12–23.
- Miyake A, Friedman NP, Rettinger DA, Shah P, Hegarty M (2001) How are visuospatial working memory, executive functioning, and spatial abilities related? A latent-variable analysis. *Journal of Experimental Psychology: General* 130: 621–640.
- De Neys W (2006b) Dual processing in reasoning: Two systems but one reasoner. *Psychological Science* 17: 428–433.
- De Neys W, Verschueren N (2006) Working memory capacity and a notorious brain teaser: The case of the Monty Hall Dilemma. *Experimental Psychology* 53: 123–131.
- De Neys W, Schaeken W (2007) When people are more logical under cognitive load: Dual task impact on scalar implicature. *Experimental Psychology* 54: 128–133.
- Just MA, Carpenter PA, Keller TA (1996) The capacity theory of comprehension: New frontiers of evidence and arguments. *Psychological Review* 103: 773–780.
- McKinnon MC, Moscovitch M (2007) Domain-general contributions to social reasoning: Theory of mind and deontic reasoning re-explored. *Cognition* 102: 179–218.
- Barrett HC, Frederick D, Haselton MG, Kurzban R (2006) Can manipulations of cognitive load be used to test evolutionary hypotheses? *Journal of Personality and Social Psychology* 91: 513–518.
- Kurzban R (2010) *Why everyone (else) is a hypocrite: Evolution and the modular mind*. Princeton, NJ: Princeton University Press.
- Sperber D, Cara F, Giroto V (1995) Relevance theory explains the selection task. *Cognition* 57: 31–95.
- Liberman N, Klar Y (1996) Hypothesis testing in Wason's selection task: social exchange, cheating or task understanding. *Cognition* 58: 127–156.
- Carlisle E, Shafir E (2005) Questioning the cheater-detection hypothesis?: New studies with the selection task. *Thinking & Reasoning* 11: 97–122.