



POSTER PRESENTATION

Open Access

Identification and characterization of new Sp1 sites located in the R region of the Human T-lymphotropic virus 1 (HTLV-1) long terminal repeat

Benoit Van Driessche^{1*†}, Gwenaëlle Robette^{1†}, Caroline Vanhulle¹, Arsène Burny¹, Olivier Rohr², Carine Van Lint¹

From 16th International Conference on Human Retroviruses: HTLV and Related Viruses
Montreal, Canada. 26-30 June 2013

HTLV-1 infection is characterized by viral latency in the large majority of infected cells and by the absence of viremia. These features are thought to be due to the transcriptional repression of viral expression *in vivo*. Specific protein 1 (Sp1) binds to more than 1000 different cellular promoters and regulates the expression of numerous genes involved in cell proliferation, apoptosis, and differentiation. *In silico* analysis of the nucleotide sequence of the HTLV-1 LTR revealed the presence of two new potential Sp1 binding sites within the R region. We demonstrated that the Sp1 and Sp3 transcription factors bound *in vitro* to these sites by EMSAs and supershift experiments. We also performed competition assays with a probe corresponding to a Sp1 binding site consensus in order to compare Sp1 binding affinity for the four previously reported and the two newly identified Sp1-binding sites located in the HTLV-1 promoter. Point mutations of the known and newly identified Sp1 sites were introduced in the HTLV-1 LTR cloned in either the sense or the anti-sense orientation in the context of an episomal reporter vector. We demonstrated that the Sp1 sites interfered with both the sense transcription from the 5'LTR and the anti-sense transcription from the 3'LTR (necessary for HBZ expression *in vivo*). ChIP experiments to evaluate *in vivo* Sp1 binding to the HTLV-1 LTR U3 region are currently under investigation. Our results demonstrate the presence of two new functional Sp1 binding sites located in the R region of the HTLV-1 LTR.

† Contributed equally

¹Laboratory of Molecular Virology, Institut de Biologie et de Médecine Moléculaires (IBMM), Université Libre de Bruxelles (ULB), Gosselies, Belgium
Full list of author information is available at the end of the article

Authors' details

¹Laboratory of Molecular Virology, Institut de Biologie et de Médecine Moléculaires (IBMM), Université Libre de Bruxelles (ULB), Gosselies, Belgium.
²Institut Universitaire de Technologie Louis Pasteur de Schiltigheim, University of Strasbourg, Schiltigheim, France.

Published: 7 January 2014

doi:10.1186/1742-4690-11-S1-P108

Cite this article as: Van Driessche *et al.*: Identification and characterization of new Sp1 sites located in the R region of the Human T-lymphotropic virus 1 (HTLV-1) long terminal repeat. *Retrovirology* 2014 **11**(Suppl 1):P108.

Submit your next manuscript to BioMed Central
and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

