Supplementary Online Content

Obisesan OH, Mirbolouk M, Osei AD, et al. Association between e-cigarette use and depression in the Behavioral Risk Factor Surveillance System, 2016-2017. *JAMA Netw Open.* 2019;2(12):e1916800. doi:10.1001/jamanetworkopen.2019.16800

eTable 1. Association Between e-Cigarette Use and Depression, Stratified by Sex

eTable 2. Association Between e-Cigarette Use and Depression, Stratified by Age

eTable 3. Association Between e-Cigarette Use and Depression, Stratified by Race/Ethnicity

eTable 4. Association Between e-Cigarette Use and Depression Among Students

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable 1. Association Between e-Cigarette Use and Depression, Stratified by Sex

E-cigarette use status	Women	Men	
	OR (95%CI)	OR (95%CI)	
	(N=502,448)	(N=389,659)	
Never users	Ref	Ref	
Former Users	1.71 (1.62, 1.80)	1.48 (1.39, 1.56)	
Current Users	2.17 (2.00,2.35)	2.05 (1.88, 2.24)	

^{*}Adjusted for age, sex, race, income, marital status, education, employment, cigarette smoking, heavy alcohol use.

eTable 2. Association Between e-Cigarette Use and Depression, Stratified by Age

E-	18-24	25-29	30-34	35-39	40-44	45-49	≥50years
cigarett	years	years	years	years	years	years	(N=580,575
e use status	(N=49,865) OR (95% CI)	(N=42,817) OR (95% CI)	(N=47,526) OR (95% CI)	(N=50,756) OR (95% CI)	(N=49,960) OR (95% CI)	(N=60,185) OR (95% CI)) OR (95% CI)
Never	Ref	Ref	Ref	Ref	Ref	Ref	Ref
users							
Former	1.64	1.70	1.63	1.57	1.54	1.47	1.65
users	(1.47,1.83)	(1.51,1.91)	(1.45,1.84)	(1.38,1.77)	(1.34,1.77)	(1.29,1.68)	(1.55,1.75)
Current	2.22	2.13	2.11	2.26	1.70	1.92	2.06
users	(1.92,2.57)	(1.80,2.52)	(1.77,2.52)	(1.87,2.73)	(1.37,	(1.54,2.41)	(1.88,2.26)
					2.11)		

^{*}Adjusted for age, sex, race, income, marital status, education, employment, cigarette smoking, heavy alcohol use.

eTable 3. Association Between e-Cigarette Use and Depression, Stratified by Race/Ethnicity

E-cigarette use	White	Black	Hispanic	Other
status	OR (95%CI)	OR (95%CI)	OR (95%CI)	OR (95%CI)
	(N=677,077)	(N=70,261)	(N=71,549)	(N=58,243)
Never users	Ref	Ref	Ref	Ref
Former Users	1.52 (1.46,1.59)	1.39 (1.22, 1.58)	1.91 (1.67, 2.17)	2.02 (1.72, 2.37)
Current Users	2.01 (1.88, 2.14)	1.96 (1.56, 2.48)	2.45 (1.99, 3.03)	2.38 (1.86, 3.04)

^{*}Adjusted for age, sex, race, income, marital status, education, employment, cigarette smoking, heavy alcohol use.

eTable 4. Association Between e-Cigarette Use and Depression Among Students

E-cigarette use status	Students
	OR (95%CI)
	(N=23,426)
Never users	Ref
Former Users	1.57 (1.33,1.86)
Current Users	2.01 (1.58,2.56)

^{*}Adjusted for age, sex, race, income, marital status, education, employment, cigarette smoking, heavy alcohol use.