PLOS ONE

CORRECTION

Correction: Zonisamide Enhances Neurite Elongation of Primary Motor Neurons and Facilitates Peripheral Nerve Regeneration *In Vitro* and in a Mouse Model

Hideki Yagi, Bisei Ohkawara, Hiroaki Nakashima, Kenyu Ito, Mikito Tsushima, Hisao Ishii, Kimitoshi Noto, Kyotaro Ohta, Akio Masuda, Shiro Imagama, Naoki Ishiguro, Kinji Ohno

Fig 4 is incorrect. The authors have provided a corrected version here.



Fig 4. Zonisamide rescues cell death due to oxidative stress. Primary motor neurons in DMEM/F12 with 0.5% FBS were treated with variable concentrations of zonisamide. After 1 h, cells were exposed to 100 μM hydrogen peroxide (H_2O_2) for 24 h. The number of viable cells was estimated by the MTS assay and was normalized to that without H_2O_2 (control). Mean and SE are indicated (n = 6). *p < 0.05 by one-way ANOVA followed by Tukey HSD.

doi:10.1371/journal.pone.0148470.g001

Reference

1. Yagi H, Ohkawara B, Nakashima H, Ito K, Tsushima M, Ishii H, et al. (2015) Zonisamide Enhances Neurite Elongation of Primary Motor Neurons and Facilitates Peripheral Nerve Regeneration *In Vitro* and in a Mouse Model. PLoS ONE 10(11): e0142786. doi: 10.1371/journal.pone.0142786 PMID: 26571146

Citation: Yagi H, Ohkawara B, Nakashima H, Ito K, Tsushima M, Ishii H, et al. (2016) Correction: Zonisamide Enhances Neurite Elongation of Primary Motor Neurons and Facilitates Peripheral Nerve Regeneration *In Vitro* and in a Mouse Model. PLoS ONE 11(1): e0148470. doi:10.1371/journal.pone.0148470

Published: January 29, 2016