

ERRATUM

Open Access



# Erratum to: Open-source, small-animal magnetic resonance-guided focused ultrasound system

Megan E. Poorman<sup>1\*</sup>, Vandiver L. Chaplin<sup>1,3</sup>, Ken Wilkens<sup>2</sup>, Mary D. Dockery<sup>1</sup>, Todd D. Giorgio<sup>1</sup>, William A. Grissom<sup>1,2</sup> and Charles F. Caskey<sup>2,4</sup>

## Erratum

In the publication of this article [1] it was brought to our attention that one of the funding sources was incorrectly presented as DoD W81XW-12-BCRP-IDEA. This number is actually the granting mechanism and not the specific grant number.

The correct grant number should read W81XWH-13-1-0230, which is under the DoD BCRP-IDEA umbrella and should be the one mentioned in the Declaration section of this article.

## Author details

<sup>1</sup>Department of Biomedical Engineering, Vanderbilt University, PMB 351631 2301 Vanderbilt Place, Nashville, TN 37235, USA. <sup>2</sup>Institute of Imaging Science, Vanderbilt University, 1161 21st Avenue South, Nashville, TN 37232, USA. <sup>3</sup>Chemical and Physical Biology Program, Vanderbilt University, 1161 21st Avenue South, Nashville, TN 37232, USA. <sup>4</sup>Department of Radiology, Vanderbilt University, 1161 21st Avenue South, Nashville, TN 37232, USA.

Published online: 19 October 2016

## Reference

1. Poorman ME, et al. Open-source, small-animal magnetic resonance-guided focused ultrasound system. *J Ther Ultrasound*. 2016;4:22. doi:10.1186/s40349-016-0066-7.

\* Correspondence: [megan.poorman@vanderbilt.edu](mailto:megan.poorman@vanderbilt.edu)

<sup>1</sup>Department of Biomedical Engineering, Vanderbilt University, PMB 351631 2301 Vanderbilt Place, Nashville, TN 37235, USA

Full list of author information is available at the end of the article

