Disaster Medicine and Public Health Preparedness

www.cambridge.org/dmp

Letter to the Editor

Cite this article: Zhou Y, Zhao M, Wang H, Wang Q, Zhang K. The Necessity of Wearing Facemasks Correctly Especially for Students During the Epidemic. *Disaster Med Public Health Prep.* doi: https://doi.org/10.1017/dmp.2021.345.

Keywords:

facemasks; COVID-19; advantage; disadvantage

Corresponding authors:

Qi Wang, Email: 1539221488@qq.com; Kai Zhang, Email: coolzhangkai@163.com.

The Necessity of Wearing Facemasks Correctly Especially for Students During the Epidemic

Yuan Zhou MD¹, Meidan Zhao MD², Huan Wang MD³, Qi Wang MD⁴ and Kai Zhang MD⁵

¹College of Continuing Education, Tianjin Conservatory of Music, Tianjin, China; ²School of Acupuncture & Moxibustion and Tuina, Tianjin University of Traditional Chinese Medicine, Tianjin, China; ³Outpatient Office, Tianjin Gong An Hospital, Tianjin, China; ⁴Department of Acupuncture and Moxibustion, First Teaching Hospital of Tianjin University of Traditional Chinese Medicine, Tianjin, China and ⁵Department of Acupuncture and Moxibustion, Tianjin Gong An Hospital, Tianjin, China

Ever since the outbreak of coronavirus disease 2019 (COVID-19), the public started to know more about the features of this disease. It spreads fast and has a strong infection rate. Meanwhile, it also results in massive death rates on a global scale. COVID-19 can have person-to-person transmission through sneezing or respiratory droplets caused by cough. Its major infection routes are mouth and nose. Asymptomatic people may play a crucial part in disease spread. To reduce the spread of COVID-19, wearing masks and keeping proper hand hygiene are of great importance. Figure 1 shows the situation of teachers and students wearing facemasks in class in a university in China.

Do Facemasks Cause Carbon Dioxide (CO₂) Accumulation?

Facemasks are a simple and powerful tool used to reduce the spread of COVID-19. One of the major concerns of the public is about the side effects. There are a variety of rumors about it, such as immune system weakness, hypercapnia, and hypoxia. People are concerned that inhaling high levels of carbon dioxide (CO₂) in excess of human tolerance is life-threatening because of the likelihood of CO2 accumulation from wearing masks. However, CO2 accumulation caused by wearing a mask does not have any scientific base. Many studies have already debunked that myth. An observational study of 20 healthy volunteers revealed mild increases in physiological responses (respiratory rate, heart rate, oxygen saturation, and so on) from wearing a surgical mask for 1 h at moderate operating frequency. However, this does not have clinical significance.⁴ Only minor effects were caused by wearing masks when people are doing aerobic exercise. Additionally, surgical masks only have a mild impact on end-tidal CO₂ and seem exclusively to be engaged in strenuous exercise. Therefore, it is safe for healthy individuals to wear a face mask.⁵ A study exploring new N95 masks designed for children indicated that the physiological parameters, including the end-tidal CO₂, fractional concentration of inspired CO₂, oxygen saturation, and pulse rate, all fell within an acceptable range when children wear a mask. Most children did not experience breathing difficulties. Therefore, masks with or without micro fans were comfortable and safe for children aged 7 to 14 y old when they imitated daily routine activities.⁶ A recent study focusing on the influence of masks over the gas exchange in chronic obstructive pulmonary disease (COPD) patients and healthy people found that COPD patients did not show significant physiological changes in gas exchange after a 6-min walk test with a surgical mask, especially in terms of the CO₂ retention. Altogether, it suggests from the current evidence that, although perceived force may be altered and breathing difficulties may increase during activity, there is only limited effect of wearing a mask on blood gas, respiration, and other physiological parameters. Such an effect is even undetectable during strenuous exercise. Moreover, most masks often do not fit the face perfectly, especially when speaking or exhaling. Compared with respiratory droplets, which carry the virus causing COVID-19, CO₂ molecules are so small that they can pass easily through cloth masks.⁸ Therefore, the Centers for Disease Control and Prevention (CDC) clearly states that wearing a facemask does not raise the level of CO_2 .

© The Author(s), 2021. Published by Cambridge University Press on behalf of Society for Disaster Medicine and Public Health, Inc.



Conclusions

More measures should be taken to prevent infection in the current outbreak. Wearing a face-mask is considered as the first step of preventing and controlling the spread of the virus and pandemic. Health professionals should educate the public that masks are important for keeping the pandemic controlled. Students, as they have classes and are in a crowd, should be particularly careful.



Figure 1 The situation of teacher and students wearing facemasks in class in a university in China.

Author Contributions. Y.Z, M.Z., and H.W. contributed equally to this work and are co-first authors. K.Z. and Q.W. contributed to the conception and design of the work. Y.Z., K.Z., and Q.W. drafted the manuscript. M.Z. and H.W. revised the manuscript. All authors gave final approval and agreed to be accountable for all aspects of work, ensuring integrity and accuracy.

Funding. The authors received no financial support for the research, authorship, and/or publication of this article.

Ethical Statement. In this study, we used a photograph and we have received authorization of agreement from people in the photograph. No ethical approval was required for this manuscript as this study did not involve human subjects or laboratory animals.

References

- Tang Q, Zhang K, Li Y. The important role of social media during the COVID-19 epidemic. Disaster Med Public Health Prep. 2020:15(4)e3-e3. doi:10.1017/dmp.2020.330
- Wang H, Sun K, Wang L, et al. The effective prevention program at 1 hospital in China during the COVID-19 epidemic. Disaster Med Public Health Prep. 2021:1–2. doi:10.1017/dmp.2021.36

- 3. Chan JF, Yuan S, Kok KH, *et al.* A familial cluster of pneumonia associated with the 2019 novel coronavirus indicating person-to-person transmission: a study of a family cluster. *Lancet.* 2020;395(10223):514–523. doi:10.1016/S0140-6736(20)30154-9
- Roberge RJ, Kim JH, Benson SM. Absence of consequential changes in physiological, thermal and subjective responses from wearing a surgical mask. Respir Physiol Neurobiol. 2012;181(1):29–35. doi:10.1016/j.resp. 2012.01.010
- Epstein D, Korytny A, Isenberg Y, et al. Return to training in the COVID-19 era: the physiological effects of face masks during exercise. Scand J Med Sci Sports. 2021;31(1):70–75. doi:10.1111/sms.13832
- Goh DYT, Mun MW, Lee WLJ, et al. A randomised clinical trial to evaluate the safety, fit, comfort of a novel N95 mask in children. Sci Rep. 2019;9(1): 18952. doi:10.1038/s41598-019-55451-w
- Samannan R, Holt G, Calderon-Candelario R, et al. Effect of face masks on gas exchange in healthy persons and patients with chronic obstructive pulmonary disease. Ann Am Thorac Soc. 2021;18(3):541–544. doi:10.1513/ AnnalsATS.202007-812RL
- CDC. Guidance for wearing masks. Updated April 19, 2021. Accessed August 20, 2021. https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/cloth-face-cover-guidance.html