

CONSORT 2010 checklist of information to include when reporting a randomised trial*

Section/Topic	Item No	Checklist item	Reported on page No
Title and abstract			
	1a	Identification as a randomised trial in the title	<u>i</u>
	1b	Structured summary of trial design, methods, results, and conclusions (for specific guidance see CONSORT for abstracts)	li
Introduction			
Background and	2a	Scientific background and explanation of rationale	1-3
objectives	2b	Specific objectives or hypotheses	3
Methods			
Trial design	3a	Description of trial design (such as parallel, factorial) including allocation ratio	3- 4
	3b	Important changes to methods after trial commencement (such as eligibility criteria), with reasons	3- 4
Participants	4a	Eligibility criteria for participants	3-4
	4b	Settings and locations where the data were collected	3-4
Interventions	5	The interventions for each group with sufficient details to allow replication, including how and when they were actually administered	3-4
Outcomes	6a	Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed	4- 10
	6b	Any changes to trial outcomes after the trial commenced, with reasons	_
Sample size	7a	How sample size was determined	5
	7b	When applicable, explanation of any interim analyses and stopping guidelines	
Randomisation:			
Sequence	8a	Method used to generate the random allocation sequence	
generation	8b	Type of randomisation; details of any restriction (such as blocking and block size)	
Allocation	9	Mechanism used to implement the random allocation sequence (such as sequentially numbered containers),	
concealment		describing any steps taken to conceal the sequence until interventions were assigned	
mechanism	40		
Implementation	10	Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions	3
Blinding	11a	If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how	
	11b	If relevant, description of the similarity of interventions	4
Statistical methods	12a	Statistical methods used to compare groups for primary and secondary outcomes	10

	12b	Methods for additional analyses, such as subgroup analyses and adjusted analyses	10
Results			
Participant flow (a	13a	For each group, the numbers of participants who were randomly assigned, received intended treatment, and	6
diagram is strongly		were analysed for the primary outcome	
recommended)	13b	For each group, losses and exclusions after randomisation, together with reasons	6
Recruitment	14a	Dates defining the periods of recruitment and follow-up	4-5
	14b	Why the trial ended or was stopped	_
Baseline data	15	A table showing baseline demographic and clinical characteristics for each group	13-14
Numbers analysed	16	For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups	13-17
Outcomes and estimation	17a	For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)	13-17
	17b	For binary outcomes, presentation of both absolute and relative effect sizes is recommended	
Ancillary analyses	18	Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory	
Harms	19	All important harms or unintended effects in each group (for specific guidance see CONSORT for harms)	
Discussion			
Limitations	20	Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses	17-22
Generalisability	21	Generalisability (external validity, applicability) of the trial findings	17
Interpretation	22	Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence	17
Other information			
Registration	23	Registration number and name of trial registry	4
Protocol	24	Where the full trial protocol can be accessed, if available	
Funding	25	Sources of funding and other support (such as supply of drugs), role of funders	22

Citation: Schulz KF, Altman DG, Moher D, for the CONSORT Group. CONSORT 2010 Statement: updated guidelines for reporting parallel group randomised trials. BMC Medicine. 2010;8:18. © 2010 Schulz et al. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

*We strongly recommend reading this statement in conjunction with the CONSORT 2010 Explanation and Elaboration for important clarifications on all the items. If relevant, we also recommend reading CONSORT extensions for cluster randomised trials, non-inferiority and equivalence trials, non-pharmacological treatments, herbal interventions, and pragmatic trials. Additional extensions are forthcoming: for those and for up-to-date references relevant to this checklist, see www.consort-statement.org.