


ERRATUM

A xenograft and cell line model of SDH-deficient pheochromocytoma derived from *Sdhb*^{+/-} rats

James F Powers¹, Brent Cochran², James D Baleja², Hadley D Sikes³, Andrew D Pattison⁴, Xue Zhang², Inna Lomakin¹, Annette Shepard-Barry¹, Karel Pacak⁵, Sun Jin Moon³, Troy F Langford³, Kassi Taylor Stein ³, Richard W Tothill^{4,6}, Yingbin Ouyang⁷ and Arthur S Tischler¹

¹Department of Pathology and Laboratory Medicine, Tufts Medical Center, Tufts University School of Medicine, Boston, Massachusetts, USA

²Department of Developmental, Molecular and Chemical Biology, Tufts University School of Medicine, Boston, Massachusetts, USA

³Department of Chemical Engineering, Massachusetts Institute of Technology, Cambridge, Massachusetts, USA

⁴Department of Clinical Pathology, University of Melbourne, Melbourne, Victoria, Australia

⁵Section on Medical Neuroendocrinology, Eunice Kennedy Shriver Division National Institute of Child Health and Human Development, Bethesda, Maryland, USA

⁶Peter MacCallum Cancer Centre, Melbourne, Victoria, Australia

⁷Cyagen US Inc, Santa Clara, California, USA

Correspondence should be addressed to J F Powers: jpowers1@tuftsmedicalcenter.org

Endocrine-Related Cancer
(2020) **27**, X9–X10

The authors and journal apologise for an error in the above paper, which appeared in volume 27 part 6, pages 337–354. The error relates to the artwork of [Table 1](#) on page 346, in which the units were given in micromoles per milligram of tissue, when the units should have been given in nanomoles per milligram of tissue.

The correct [Table 1](#) is given in full below:

Table 1 NMR metabolomic profiles of RS0, RS1/2 xenografts and rat adrenal medulla (RAM).

RAM (20 pooled)	RS0 (n = 4)		RS1/2 (n = 3)		
	Mean ± s.e.m.		Mean ± s.e.m.		
The 10 most abundant detectable metabolites (nmol/mg of tissue)					
Epinephrine	16.15	Lactate	15.18 ± 3.66	Norepinephrine	33.87 ± 29.41
Norepinephrine	12.33	Taurine	12.11 ± 2.69	Lactate	11.45 ± 2.18
Glucose	2.31	Succinate	5.99 ± 1.19	Taurine	10.38 ± 0.83
Lactate	0.89	Glycine	3.47 ± 0.75	Ascorbate	7.611 ± .42
Taurine	0.61	Glutamate	2.57 ± 0.58	myo-Inositol	6.33 ± 2.80
ATP (or ADP)	0.59	Ascorbate	2.57 ± 0.64	Glutamate	4.16 ± 0.97
Ascorbate	0.44	Alanine	2.08 ± 0.45	Dopamine	2.55 ± 2.04
AMP	0.30	Creatine	1.39 ± 0.28	O-Phosphoethanolamine	2.06 ± 0.25
ADP (or ATP)	0.21	sn-Glycero-3-phosphocholine	1.29 ± 0.34	AMP	1.85 ± 1.39
Glutamate	0.17	myo-Inositol	1.21 ± 0.26	Betaine	1.83 ± 0.31
Succinate				Succinate	
30 of 67	0.01			30 of 67	0.29 ± 0.10
Catecholamine and metabolite profile (nmol/mg of tissue)					
Dopamine	0.07				2.55 ± 2.04
3,4-Dihydroxybenzeneacetate ^a	0.00		0.38 ± 0.08		0.23 ± 0.05
Norepinephrine	12.33		0.05 ± 0.02		33.87 ± 29.41
Normetanephrine	0.00		0.06 ± 0.03		0.00 ± 0.00
Epinephrine	16.15		0.02 ± 0.01		0.81 ± 0.78
Tyrosine	0.00		0.00 ± 0.00		0.03 ± 0.00
			0.11 ± 0.01		

^a3,4 dihydroxyphenylacetic acid (DOPAC).