

# Clear as Mud: Readability Scores in Cloacal Exstrophy Literature and Its Treatment

Ahmad Haffar<sup>1</sup>, Alexander Hirsch<sup>1</sup>, Christian Morrill<sup>1</sup>, Adelaide Garcia<sup>1</sup>, Zachary Werner<sup>2</sup>, John P Gearhart<sup>1</sup>, Chad Crigger<sup>1</sup>

<sup>1</sup>Robert D. Jeffs Division of Pediatric Urology, James Buchanan Brady Urological Institute, Johns Hopkins Hospital, Johns Hopkins Medical Institutions, Charlotte Bloomberg Children's Hospital, Baltimore, MD, USA; <sup>2</sup>West Virginia University School of Medicine, Department of Urology, Division of Pediatric Urology, Morgantown, WV, USA

Correspondence: Ahmad Haffar, The Johns Hopkins University School of Medicine, The James Buchanan Brady Urological Institute, Robert D. Jeffs Division of Pediatric Urology, Charlotte Bloomberg Children's Center, Baltimore, MD, 21287, USA, Tel +1 (304) 993-2237, Email ahaffar1@jh.edu

**Purpose:** This study examines the readability of online medical information regarding cloacal exstrophy (CE). We hypothesize that inappropriate levels of comprehension are required in these resources, leading to poor understanding and confusion amongst caregivers.

**Methods:** The Google and Bing search engines were used to search the terms “cloacal exstrophy” and “cloacal exstrophy treatment”. The first 100 results for each were collected. Each webpage was analyzed for readability using four independent validated scoring systems: the Gunning-Fog index (GFI), SMOG grade (Simple Measure of Gobbledygook), Dale-Chall index (DCI), and the Flesch-Kincaid grade (FKG).

**Results:** Forty-seven unique webpages fit the inclusion criteria. Mean readability scores across all websites were GFI, 14.6; SMOG score, 10.8; DCI, 9.3; and FKG, 11.8, correlating to adjusted grade levels of college sophomore, 11th grade, college, and 11th grade, respectively. There were significant differences across all readability formulas. Non-profit websites were significantly less readable than institutional and commercial webpages (GFI  $p = 0.012$ , SMOG  $p = 0.018$ , DCI  $p = 0.021$ , FKG  $p = 0.0093$ ).

**Conclusion:** Caregiver-directed health information regarding CE and its treatment available online is written at the 11th grade reading level or above. Online resources pertaining to CE must be simplified to be effective.

**Plain Language Summary:** Cloacal exstrophy is a rare severe birth defect that does not always show up in prenatal screening. Parents are often unfamiliar with this disease and must learn about the disease, procedures, and outcomes their child may have in a short amount of time. Online medical information has been recommended to be written at a 6th grade reading level so that the general public may understand. The authors of this study wanted to investigate if average websites that parents might find using common search engines would be easily understood. The authors used different search phrases on Google and Bing search engines, and used them to look at the top 100 search results for each. The text from each page was graded based on 4 different readability scoring systems. The authors found 47 unique webpages that matched the criteria and found that most pages had reading levels of about 11th grade-college level. Due to its rarity, the information available about cloacal exstrophy are similar and would likely be poorly understood by most parents. Hospital institutions and non-profit exstrophy programs need to make a concerted effort to work together to develop simple yet helpful information regarding this disease.

**Keywords:** cloacal exstrophy, readability, online health information, exstrophy treatment

## Introduction

Cloacal exstrophy (CE), the most extreme presentation of the exstrophy-epispadias complex (EEC), is a rare congenital malformation characterized by an abdominal wall defect with exstrophy of the hemibladders and extrusion of the hindgut. Additionally, this disease has a wide spectrum of coexisting features leading to its second name: the OEIS complex (Omphalocele, bladder Exstrophy, Imperforate anus, and Spinal defects). CE is the least common presentation of the exstrophy-epispadias complex (EEC) with an incidence of 1:200,000 live births.<sup>1</sup> Although historically a fatal condition, surgical management has advanced, transforming CE into a uniformly survivable disease.<sup>2</sup>

This unfamiliar and morbid disease necessitates caregivers to learn about its presentation, associations, and sequelae to better understand their child and enhance their shared decision making. With the advent of the internet, allowing access to large volumes of information from various sources, caregivers have increasingly sought online medical information relating to their children.<sup>3</sup> Health literacy (HL), the ability of individuals to obtain, process, and comprehend health information to make informed decisions, is well recognized as a critical link in the modern health system.<sup>4</sup> The effect that inadequate HL can have on health outcomes is well documented including increased hospitalizations and poor medication adherence.<sup>5</sup> Unfortunately, the average American reads at the 8th grade level. Nearly one-fifth of adults are unable to comprehend texts written at a 4th grade level.<sup>6,7</sup> Accordingly, the National Institute of Health (NIH) and American Medical Association (AMA) recommend that all medical information materials should be written at the 6th grade reading level.<sup>8,9</sup> In this study, the readability of online webpages regarding CE and its treatment are examined. The authors hypothesize that most webpages are written above the recommended 6th grade reading level and thus poorly understood by a significant number of the general population.

## Methods

The search terms “cloacal exstrophy” and “cloacal exstrophy treatment” were reviewed on the Google search engine (<https://google.com>) and the Bing search engine (<https://bing.com>). Incognito mode and the disabling of “cookies” were utilized to reduce inherent bias of the authors’ search results. The first 100 search results for each search were collected on July 20, 2022. Each website was classified into one of three categories: non-profit, commercial, and institutional. The exclusion criteria consisted of duplicate websites, videos, research/news articles, and/or paid advertisements. Websites requiring payment or log-in information, such as UpToDate, were also excluded from review. Webpages with less than 200 words of content were also excluded to ensure an accurate evaluation of readability.

The readability of each webpage was evaluated using each of four independent validated scoring systems: The Gunning-Fog index (GFI), SMOG grade (Simple Measure of Gobbledygook), Dale-Chall index (DCI), and the Flesch-Kincaid grade (FKG). All 4 readability scores have been used frequently in evaluating the comprehensibility of online medical resources. Each portion of text was scored using an online tool ([readabilityformulas.com](http://readabilityformulas.com)). The GFI and FKG assign readability scores based on average sentence length and amount of “complex” words containing  $\geq 3$  syllables.<sup>10</sup> Like the GFI and FKG, the SMOG index derives its score from the number of words with greater than three syllables, but it does not take sentence length into account.<sup>10</sup> The scores of the GFI, SMOG, and FKG correspond to the US grade level required to understand the text (eg a score of 9.1 is understood by a 9th grade student). The DCI measures sentence length and “difficult” words that are considered outside a layperson’s familiarity. A score of 6.0–6.9 corresponds to a 7th/8th grade level, 7.0–7.9 corresponds to a 9th/10th grade level, 8.0–8.9 corresponds to a 11th/12th grade level, and a score above 9 indicates a college level. Statistical analysis was performed using one-way analysis of variance (ANOVA). Alpha was set at 0.05 to determine statistical significance. Analysis was conducted using JMP version 16.0.0.

## Results

Forty-seven unique webpages were analyzed from a total of 400 search results (Figure 1). The majority of webpages were institutional ( $n = 28$ , 59.6%), with the remaining classified as commercial ( $n = 10$ , 21.3%) and non-profit ( $n = 9$ , 19.1%) (Figure 2). The mean readability scores across all websites were a GFI of 14.6 (SD = 2.51, range: 10.5–23, variance = 6.28), which correlates to college sophomore reading level; SMOG score of 10.8 (SD = 1.83, range: 7.8–17.2, variance = 3.34), correlating to an 11th grade level; DCI of 9.3 (SD = 0.86, range: 7–11.8, variance = 0.74), correlating to the reading level of an average college student; and an FKG of 11.8 (SD = 2.40, range: 8.2–20.3, variance = 5.76), correlating to an 11th grade level. Webpages were further classified based on SMOG score into grade level groups of 7th–9th grade, 10th–11th, and 12th and college level (Figure 3).

Readability was then assessed across different website categories (Table 1). There were significant differences across all readability formulas with significantly greater readability scores amongst non-profit websites when compared to institutional and commercial webpages (GFI  $p = 0.012$ , SMOG  $p = 0.018$ , DCI  $p = 0.021$ , FKG  $p = 0.0093$ ).




Figure 1 Sample Selection and exclusionary criteria.

## Website Category Classification





Figure 2 Webpages categorized by type.

## Discussion and Conclusion

### Discussion

CE is an uncommon condition among the general population. Historically, parents relied on their medical team for all medical information regarding their child's condition. In the age of the Internet, caregivers have a wide selection of online health webpages to utilize. Assessment of the efficacy of this online platform is of increased importance amongst providers to ensure patients and their families can best understand their condition. This obstacle is prevalent amongst all fields of medicine. Numerous studies have been published assessing the readability of patient education materials, with a staggering trend towards texts written above the recommended grade level.<sup>11–22</sup>

### Webpage samples by grade level group



**Figure 3** Webpage samples by grade level group based on SMOG score readability formula.

Our online queries yielded an average readability level that greatly surpassed the recommended 6th grade reading level set by the NIH and the AMA. Among the four different readability formulas, the lowest average readability level was equivalent to an 11th grade reading level. These results align with the authors' previous findings regarding the readability of classic bladder exstrophy patient education material.<sup>23</sup> Unfortunately, there were no webpages that achieved the goal 6th grade reading level. Two webpages (Urology Care Foundation and Cincinnati Children's Hospital) were found to be at an 8th grade reading level.

When stratified by organization type, we found that non-profit websites had significantly higher average readability scores and thus were more difficult to comprehend. Non-profit webpages required an average of a college reading level across all formulas to understand the material. Perhaps, this is due to non-profit webpages placing emphasis on more complex topics like etiology, surgical treatments, and risks and complications. Although a few patterns have been published regarding the difficult readability of non-profit websites, when examining the multitude of readability analyses, no clear trend emerges.<sup>11-22</sup> The Urology Care Foundation, a non-profit webpage, stands out as one of the lowest scored pages and thus was easily comprehensible. In a similar study, Routh et al compared internet sources between common and uncommon pediatric urology topics and found that webpages on uncommon topics like exstrophy had inferior accuracy and completeness.<sup>24</sup> Nevertheless, this underscores the importance for health professionals to work closely with professional and charitable organizations to ensure that online health information is both accurate and comprehensible.

Google and Bing search engines were utilized for all searches, despite the fact that some patients utilize less common search engines like Yahoo. A study design of 400 total pages from the two most common search engines should provide the most likely pages that patients would encounter. A limitation of this approach is that Google and Bing search engines provide personalized and targeted results and can present variable search results for each user based on their geographic location and search history.<sup>25</sup> Although this effect can be reduced with the use of an incognito window and disabling of "cookies", the effect cannot be completely removed. All of the four readability formulas identify similar features from the text including word complexity, syllables, and sentence length which represents another limitation of this manuscript.

**Table 1** Average Readability Scores Based on Website Classification

	Institutional	Non-Profit	Commercial	p-value
Gunning-Fog Index score	14.13 (college sophomore)	16.76 (college senior)	13.95 (college freshman)	0.012
SMOG score	10.53 (11th grade)	12.31 (college)	10.25 (11th grade)	0.018
Dale-Chall Index score	9.14 (college)	9.98 (college)	9.06 (college)	0.021
Flesch-Kincaid grade	11.42 (11th grade)	13.92 (college)	11.01 (11th grade)	0.0093

**Note:** () = equivalent grade level.

**Abbreviation:** SMOG, Simple Measure of Gobbledygook.

## Conclusion

Inadequate HL is associated with negative consequences such as increased hospitalizations and poor medication adherence and contributes to health disparities between racial groups. Although the average American reads at the 8th grade level, this study found that most web resources directed at caregivers of children with CE are written for at least an 11th grade-level reader. Furthermore, materials posted by non-profit organizations were written for even more advanced readers, with an average of college-level reading skills required to comprehend the material. As a result, many caregivers of children with CE are not equipped to understand high-quality information about their child's condition available on the Internet.

## Practice Implications

Given the complex nature of repair and post-operative follow-up of CE, as well as the time-limited nature of patient-physician interactions, it is important that caregivers have access to publicly available resources that are both high-quality and easy to understand. This study highlights the large gap between the reading comprehension level of the average caregiver and the readability level of the available patient education material related to CE. To ensure the best outcomes for patients and their caregivers, and to enhance caregiver understanding and satisfaction, hospitals and healthcare systems must develop complete, understandable education materials to help families affected by CE.

## Abbreviations

CBE, Classic bladder exstrophy; CE, Cloacal Exstrophy; GFI, Gunning-Fog Index; SMOG, Simple Measure of Gobbledygook; DCI, Dale-Chall Index; FKG, Flesch-Kincaid Grade; EEC, Exstrophy Epispadias Complex; HL, Health Literacy; PIAAC, Program for the International Assessment of Adult Competencies; AMA, American Medical Association; NIH, National Institute of Health; ANOVA, one-way analysis of variance.

## Acknowledgments

This work was presented at the 19th Annual Academic Surgical Congress in Houston, TX on February 8, 2023.

## Funding

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

## Disclosure

The authors report no conflicts of interest in this work.

---

## References

1. Feldkamp ML, Botto LD, Amar E, et al. Cloacal exstrophy: an epidemiologic study from the International Clearinghouse for Birth Defects Surveillance and Research. In: American Journal of Medical Genetics Part C: Seminars in Medical Genetics (Vol. 157, No. 4, pp. 333–343); November 15, 2011; Hoboken: Wiley Subscription Services, Inc., A Wiley Company.
2. Goldstein SD, Inouye BM, Reddy S, et al. Continence in the cloacal exstrophy patient: what does it cost? *J Pediatr Surg*. 2016;51(4):622–625. doi:10.1016/j.jpedsurg.2015.12.003
3. Nicholl H, Tracey C, Begley T, King C, Lynch AM. Internet use by parents of children with rare conditions: findings from a study on parents' web information needs. *J Med Internet Res*. 2017;19(2):e51. doi:10.2196/jmir.5834
4. Nielsen-Bohlman L, Panzer AM, Kindig DA. Committee on Health Literacy. In: *Health Literacy: A Prescription to End Confusion*. Washington, DC: National Academies Press; 2004.
5. Berkman ND, Sheridan SL, Donahue KE, et al. Health literacy interventions and outcomes: an updated systematic review. *Evid Rep Technol Assess*. 2011;199:1–941.
6. Eitorai AE, Ghanian S, Adams CA, Born CT, Daniels AH. Readability of patient education materials on the American association for surgery of trauma website. *Arch Trauma Res*. 2014;3(2). doi:10.5812/atr.18161
7. Doak CC, Doak LG, Root JH. Teaching patients with low literacy skills; Volume 2; 1996. Philadelphia, PA: Lipincott Williams and Wilkins.
8. NCES Organization. Adult Literacy (U.S. Department of Education. Institute of Education Sciences, National Center for Education Statistics); 2017.
9. Weis BD. *Health Literacy: A Manual for Clinicians*. Washington D.C., Chicago, IL: American Medical Association Foundation and American Medical Association; 2003.
10. Ley P, Florio T. The use of readability formulas in health care. *Psychol Health Med*. 1996;1(1):7–28. doi:10.1080/13548509608400003

11. Cisu TI, Mingin GC, Baskin LS. An evaluation of the readability, quality, and accuracy of online health information regarding the treatment of hypospadias. *J Pediatr Urol.* 2019;15(1):40–e1. doi:10.1016/j.jpuro.2018.08.020
12. Werner Z, Trump T, Zaslau S, Shapiro R. Assessing comprehension of online information in the United States for third-line treatment of overactive bladder. *Int Urogynecol J.* 2022;34(3):1–5.
13. Koo K, Shee K, Yap RL. Readability analysis of online health information about overactive bladder. *NeuroUrol Urodynamics.* 2017;36(7):1782–1787. doi:10.1002/nau.23176
14. Sare A, Patel A, Kothari P, Kumar A, Patel N, Shukla PA. Readability assessment of Internet-based patient education materials related to treatment options for benign prostatic hyperplasia. *Acad Radiol.* 2020;27(11):1549–1554. doi:10.1016/j.acra.2019.11.020
15. Colaco M, Svider PF, Agarwal N, Eloy JA, Jackson IM. Readability assessment of online urology patient education materials. *J Urol.* 2013;189(3):1048–1052. doi:10.1016/j.juro.2012.08.255
16. Doinn TÓ, Broderick JM, Abdelhalim MM, Quinlan JF. Readability of patient educational materials in pediatric orthopaedics. *JBJS.* 2021;103(12):e47. doi:10.2106/JBJS.20.01347
17. Ballestas SA, Soriano RM, Sethna AB. Readability assessment of online rhytidectomy patient information. *Plastic Surg Nurs.* 2020;40(3):145–149. doi:10.1097/PSN.0000000000000311
18. Alejos D, Tregubenko P, Jayarangaiah A, Steinberg L, Kumar A. We need to do better: readability analysis of online patient information on cancer survivorship and fertility preservation. *J Cancer Policy.* 2021;28:100276. doi:10.1016/j.jcpo.2021.100276
19. Pass JH, Patel AH, Stuart S, Barnacle AM, Patel PA. Quality and readability of online patient information regarding sclerotherapy for venous malformations. *Pediatr Radiol.* 2018;48(5):708–714. doi:10.1007/s00247-018-4074-3
20. Nawaz MS, McDermott LE, Thor S, Abergel A. The readability of patient education materials pertaining to gastrointestinal procedures. *Can J Gastroenterol Hepatol.* 2021;2021:1–6. doi:10.1155/2021/7532905
21. Ahmadi O, Louw J, Leinonen H, Gan PY. Glioblastoma: assessment of the readability and reliability of online information. *Br J Neurosurg.* 2021;35(5):551–554. doi:10.1080/02688697.2021.1905772
22. Samuel D, Vilardo N, Isani SS, Kuo DY, Gressel GM. Readability assessment of online gynecologic oncology patient education materials from major governmental, non-profit and pharmaceutical organizations. *Gynecologic Oncol.* 2019;154(3):616–621. doi:10.1016/j.ygyno.2019.06.026
23. Haffar A, Morrill C, Garcia A, Werner Z, Crigger C, Gearhart JP. Complicating the already complex? Readability scores in bladder exstrophy and its treatment. *Front Urol.* 2023;2:1044639.
24. Routh JC, Gong EM, Nelson CP. Pediatric urology and the internet—does an uncommon topic decrease content quality? *J Urol.* 2009;182(4):1569–1574. doi:10.1016/j.juro.2009.06.056
25. Cai HC, King LE, Dwyer JT. Using the Google™ search engine for health information: is there a problem? Case study: supplements for cancer. *Curr Dev Nutr.* 2021;5(2):nzab002.

## Research and Reports in Urology

Dovepress

### Publish your work in this journal

Research and Reports in Urology is an international, peer-reviewed, open access journal publishing original research, reports, editorials, reviews and commentaries on all aspects of adult and pediatric urology in the clinic and laboratory including the following topics: Pathology, pathophysiology of urological disease; Investigation and treatment of urological disease; Pharmacology of drugs used for the treatment of urological disease. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/research-and-reports-in-urology-journal>