

There's Much Yet to be Done: Diverse Perspectives on HPV Vaccination

Gregory D. Zimet ^a and Nosayaba Osazuwa-Peters^b

^aDepartment of Pediatrics, School of Medicine, Indiana University, Indianapolis, IN, USA; ^bDepartment of Otolaryngology–Head and Neck Surgery, Saint Louis University, St Louis, MO, USA

KEYWORDS Vaccines; HPV; cervical cancer; oropharyngeal cancer

ARTICLE HISTORY Received 30 June 2019; Accepted 1 July 2019

Introduction

It has been over 10 y since the first HPV vaccines were licensed and introduced in a number of countries around the world. As only the second vaccine (after hepatitis B) that prevents an infection that can lead to the development of cancer, HPV vaccine occupies an important position in our armamentarium of vaccines yet remains underutilized. The number of national HPV vaccination programs has increased steadily; as of June 2017, 91 countries had introduced national HPV vaccination programs,¹ with that number now over 100. Over the past 10+ y, several modifications have been made to the vaccination regimen (e.g., moving from three to two doses if the first dose is administered before age 15 y), in the type of vaccine available (e.g., introduction of the 9-valent vaccine), and in the target of vaccination (e.g., many countries have shifted from female-only to gender-neutral vaccination). There is great variability across the globe in terms of HPV vaccination policies and accompanying barriers to the implementation and/or sustainability of programs. It is well known, for instance, that Japan's initial success with vaccination was undermined by several factors, leading to a precipitous drop in vaccination rates, with little subsequent recovery.² Other countries, such as the U.S.,³ have struggled to achieve vaccination goals, and still others have faced setbacks but with good recovery (e.g., Denmark and Ireland).^{4,5} At the same time, many countries, including China,⁶ still have not implemented national vaccination programs, with the cost of vaccines presenting a significant obstacle, particularly for those countries that are not eligible for reduced pricing through Global Alliance for Vaccines and Immunisation (GAVI) or other mechanisms. Other countries, such as Malaysia, Rwanda, Australia, and the U.K., have achieved sustained high levels of vaccination.^{7–10} Unwarranted fears about HPV vaccine and the proliferation of misinformation, particularly via social media, have proven to be significant and widespread obstacles to achieving and maintaining high vaccination rates.^{11,12}

This special issue of *Human Vaccines & Immunotherapeutics* brings together a number of timely articles covering several topic areas related to HPV vaccination. Included among these are papers focused on: social media and the Internet; vaccination policy; interventions to improve vaccination rates; new domains related to HPV vaccine knowledge, attitudes, and behaviors; alternative settings for vaccine delivery; HPV prevalence,

incidence, and type distribution among specific populations; HPV-related oropharyngeal cancers (OPC), vaccine characteristics; and cost-effectiveness modeling. The 68 papers in this special issue include research papers, reviews or policy pieces, short reports, and commentaries.

Social media and the Internet

As noted above, social media have enabled the spread of false information about HPV vaccination, presenting clinicians and researchers with difficult challenges.¹³ At the same time, social media also convey accurate information about vaccines and can (and should) be used by clinicians and researchers to counteract the proliferation of false information. Included in this special issue are several papers addressing social media and online information about HPV immunization. These include a systematic review examining how social media may affect attitudes about, and uptake of, HPV vaccine,¹⁴ as well as several research papers reporting on analyses of HPV-vaccine-related posts on Instagram,¹⁵ Facebook,¹⁶ and Twitter.^{17,18} Two additional articles examine the readability of online information¹⁹ and present a content analysis of online continuing medical education about HPV vaccination, respectively.²⁰

HPV vaccination policy

The ways in which countries, regions, and states craft public health policies about HPV vaccination have had an enormous effect on the success or failure of vaccination programs. Five articles in this special issue address varying aspects of policy. One paper involves a unique examination of U.S. states' statutes and regulations regarding HPV vaccination by using WestlawNext, a legal research database.²¹ A second paper points to the lower vaccination rates in rural areas of the U.S. and suggests policy strategies to improve vaccine uptake in these areas.²² A third paper examines, in detail, policy challenges and issues with the introduction of vaccines in China.⁶ Another paper addresses the challenges associated with implementing effective HPV vaccination programs for men who have sex with men,²³ and a final paper reviews the arguments for and against the implementation of policies to vaccinate female sex workers.²⁴

Interventions and pre-interventions to improve vaccination rates

There is a great need to continue to develop and evaluate interventions to increase HPV vaccination uptake. Eight articles in this special issue focus on pre-interventional and interventional research to improve vaccine initiation and series completion, including a review of technology-based interventions (e.g., text messaging and electronic health record reminders) designed to improve vaccination rates.²⁵ Three papers involve evaluations of a patient navigator program,²⁶ a quality improvement intervention,²⁷ and a tablet-based tailored messaging intervention,²⁸ respectively, in terms of their effects on vaccine initiation and series completion. An additional article reports on the acceptability to caregivers of the patient navigator program.²⁹ Another research report³⁰ examines secondary outcomes from a previously reported multi-component intervention designed to improve health-care provider (HCP) communication about HPV vaccination.³¹ Still another paper evaluates vaccine-related community-clinical linkages and addresses the implications for vaccine intervention efforts.³² A final research study looks at the effects on knowledge about HPV due to an educational intervention targeted to undergraduate students in Italy.³³

Knowledge, attitudes, and behaviors

There are 23 research reports, 2 review articles, and 1 commentary addressing different aspects of HPV vaccine knowledge, attitudes, and behaviors. An enormous amount of past research has addressed knowledge and attitudes about HPV vaccination. However, the articles in this special issue make some unique contributions to the literature. One paper reports on a systematic review of literature on the determinants of vaccine hesitancy in Europe,³⁴ and another offers practical guidance to HCPs in how to refute HPV vaccine myths.³⁵ Meanwhile, a commentary summarizes consensus messages to strengthen parental confidence in HPV vaccination that were generated at the U.S. National HPV Vaccination Roundtable meetings.³⁶ Other papers address provider, parent, and patient issues specific to understudied countries, such as China, India, and Italy, as well as areas of vaccine hesitancy and/or low vaccination uptake in the U.S. and Canada.^{37–44} Another research report found that few providers in a U.S. regional health plan administered vaccine in a way that was consistent with Healthcare Effectiveness Data and Information Set benchmarks.⁴⁵ Two articles explore issues of trust among African American parents and how this impacts vaccination.^{46,47} Two additional papers examine issues of risk compensation post-vaccination in the U.S. and in China, respectively.^{48,49} Still other articles involve a latent-class analysis of parental worries,⁵⁰ adolescents' perspectives on vaccination,⁵¹ college students' lack of awareness of HPV diseases and vaccination,⁵² knowledge and attitudes of caregivers of childhood cancer survivors,⁵³ HCPs' recommendation profiles and perceptions of barriers to vaccination,^{54,55} and perspectives on vaccination among boys in Sweden.⁵⁶ Finally, articles in this section apply the Precaution Adoption Process Model to a study of parental vaccine hesitancy,⁵⁷ examine preferences for a vaccine-related mobile health tool among young men

who have sex with men,⁵⁸ and report on the association between vaccination history in women and the HPV vaccine status of their 11–14-y-old children.⁵⁹

Alternative settings for HPV vaccine delivery

In countries like the U.S. that have not implemented school-located HPV vaccination programs, efforts have been made to expand promotion and/or delivery of vaccines beyond traditional pediatric or family practice office settings. Seven articles in this special issue consider such alternative settings, with papers addressing pharmacies and pharmacists as vaccine providers^{60,61} and gynecological providers.⁶² Two articles examine the potential role that dentists and dental practices can play in promoting HPV vaccination,^{63,64} and one additional paper considers barrier and facilitators of vaccination at school-based health centers.⁶⁵ A final study in this section used Veterans Affairs Medical Center data to identify missed opportunities for vaccination among young adult men and women who were military veterans.⁶⁶

HPV prevalence, incidence, and type distribution – implications for vaccination

Five articles in this special issue focus on HPV infection and disease in specific populations, which has implications for HPV vaccination programs. Two papers examine HPV genotype distribution among women in Changzhou,⁶⁷ China and among women with cervical cytological abnormalities in Xinjiang, China, respectively.⁶⁸ The Changzhou study found the most prevalent types in women with cervical cancer to be 16, 52, and 58. Similarly, the Xinjiang study identified types 16, 58, and 52 as the most prevalent types. Of note, types 52 and 58 are not covered by the bivalent and quadrivalent vaccines, only by the nonavalent vaccine. Another article looks at genital HPV prevalence among adult immigrants living in the U.S., finding that high-risk HPV prevalence was lower among this population compared to those born in the U.S.⁶⁹ An additional paper evaluated incident genital HPV infections in adult women living with HIV/AIDS, reporting that 35% of incident infections could have been prevented by the 9-valent vaccine.⁷⁰ A final article examined the hypothesis that obesity status might be associated with greater risk of HPV infection in the anal canal due to an increased associated risk of micro and macro tears in the epithelium.⁷¹ Results were mixed but certainly support universal gender-neutral HPV vaccination.

Oropharyngeal HPV

The incidence of HPV-related OPC has increased significantly over the last 15 y in the U.S. and in other high-income countries, particularly among men.⁷² Although HPV vaccines are not yet indicated for the prevention of HPV-related OPC, there is indirect evidence that vaccination may be effective.^{73–75} Three articles address aspects of HPV-related OPC. One paper reviews the epidemiology of OPC, as well as approaches to prevention and emerging technologies for screening.⁷⁶ In a commentary, there is a discussion of the roles that otolaryngologists can play in promoting vaccination.⁷⁷ A final study

examined whether sex differences in immune response may explain the significantly lower incidence of OPCs among women compared to men.⁷⁸

Other topics related to HPV and HPV vaccination

Seven articles in this special issue cover a variety of key issues central to HPV vaccination. One reports on the impact of updated medical costs on cost-effectiveness estimates for HPV vaccination in the U.S.,⁷⁹ while another estimates the epidemiological impact and cost-effectiveness of the 9-valent vaccine in Spain.⁸⁰ An additional paper finds evidence for cross-protection, but no evidence for type replacement 11 y after the introduction of HPV vaccine in the U.S.⁸¹ A study involving a 10-y follow-up of 10–14-y-old girls vaccinated with the bivalent vaccine found strong sustained antibody levels, with no severe adverse events attributable to the vaccine.⁸² Another report looked at the effect of long intervals between doses of HPV vaccine on immune response, finding that intervals of several years do not negatively impact the immune response to the second dose.⁸³ Also in this section, there is an article involving evaluation of the feasibility of using a combined approach to HPV vaccination and screening (also known as FASTER) in Mexico.⁸⁴ The final article in this section reports on the important effort to overcome barriers to implementation in low- and middle-income countries related to the need for continuous refrigeration during transport. Using a mouse model, they show immunogenicity and protective efficacy of the 9-valent vaccine after it had undergone a spray drying and stabilizing process.⁸⁵

Conclusions

Despite the availability of HPV vaccine in many locales for over 10 y, there remain substantial barriers to adequate coverage in many countries and regions. Reasons for poor rates of vaccination include attitudinal and behavioral barriers, system barriers, logistical challenges, and political and policy barriers. The 68 papers in this issue reflect the richness and diversity of research and thinking around HPV vaccination. Our hope is that the kind of work represented here will help in the global effort to move the dial on HPV vaccination to increased utilization of this very important disease-prevention method so that future suffering and deaths from HPV-related diseases can be minimized and the goal of HPV-cancer elimination can eventually become a reality.

Disclosure of potential conflicts of interest

GDZ received an honorarium from Sanofi Pasteur for work on the Adolescent Immunization Initiative and an honorarium and travel support from Merck to present at an HPV vaccine symposium.

ORCID

Gregory D. Zimet  <http://orcid.org/0000-0003-3835-937X>

References

1. Cervical Cancer Action. Global maps: global progress in HPV vaccination: status: June 2017. Published 2017. [Accessed Jan 2019 3]. <http://www.cervicalcanceraction.org/comments/comments3.php>
2. Hanley SJ, Yoshioka E, Ito Y, Kishi R. HPV vaccination crisis in Japan. *Lancet*. 2015;385(9987):2571. doi:10.1016/S0140-6736(15)61152-7.
3. Walker TY, Elam-Evans LD, Yankey D, Markowitz LE, Williams CL, Mbaeyi SA, Fredua B, Stokley S. National, regional, state, and selected local area vaccination coverage among adolescents aged 13–17 years – United States, 2017. *MMWR Morbidity Mortality Weekly Rep*. 2018;67(33):909–17. doi:10.15585/mmwr.mm6733a1.
4. Statens Serum Institut. Twice as many received HPV vaccination in 2017 as in 2016. 2018 [Accessed 2019 Mar 15]. <https://en.ssi.dk/news/news/2018/2018-01-hpv>
5. Health Service Executive. HSE confirms HPV vaccine uptake is now 70%. 2019. [Accessed 2019 Mar 14]. <https://www.hse.ie/eng/services/news/media/pressrel/hse-confirms-hpv-vaccine-uptake-is-now-70-.html>.
6. Wong LP, Han L, Li H, Zhao J, Zhao Q, Zimet GD. Current issues facing the introduction of human papillomavirus vaccine in China and future prospects. *Hum Vaccin Immunother*. 2019;15(7–8):1533–1540. doi:10.1080/21645515.2019.1611157.
7. Brotherton JM. Human papillomavirus vaccination update: non-valent vaccine and the two-dose schedule. *Aust J Gen Pract*. 2018;47:417–21.
8. England PH. Human papillomavirus (HPV) vaccine coverage in England, 2008/09 to 2013/14: a review of the full six years of the three-dose schedule. London (England): Public Health England; 2015.
9. Torres-Rueda S, Rulisa S, Burchett HE, Mivumbi NV, Mounier-Jack S. HPV vaccine introduction in Rwanda: impacts on the broader health system. *Sex Reprod Healthc*. 2016;7:46–51. doi:10.1016/j.srhc.2015.11.006.
10. Muhamad NA, Buang SN, Jaafar S, Jais R, Tan PS, Mustapha N, Lodz NA, Aris T, Sulaiman LH, Murad S. Achieving high uptake of human papillomavirus vaccination in Malaysia through school-based vaccination programme. *BMC Public Health*. 2018;18(1):1402. doi:10.1186/s12889-018-6316-6.
11. Perez S, Zimet GD, Tatar O, Stupiansky NW, Fisher WA, Rosberger Z. Human papillomavirus vaccines: successes and future challenges. *Drugs*. 2018;78(14):1385–96. doi:10.1007/s40265-018-0975-6.
12. Head KJ, Biederman E, Sturm LA, Zimet GD. A retrospective and prospective look at strategies to increase adolescent HPV vaccine uptake in the United States. *Hum Vaccin Immunother*. 2018;14(7). doi:10.1080/21645515.2018.1486156.
13. Hoffman BL, Felter EM, Chu K-H, Shensa A, Hermann C, Wolynn T, Williams D, Primack BA. It's not all about autism: the emerging landscape of anti-vaccination sentiment on Facebook. *Vaccine*. 2019;37(16):2216–23. doi:10.1016/j.vaccine.2019.03.003.
14. Ortiz RR, Smith A, Coyne-Beasley T. A systematic literature review to examine the potential for social media to impact HPV vaccine uptake and awareness, knowledge, and attitudes about HPV and HPV vaccination. *Hum Vaccin Immunother*. 2019;15(7–8):1465–1475. doi:10.1080/21645515.2019.1581553.
15. Basch C, MacLean SBA. A content analysis of HPV related posts on Instagram. *Hum Vaccin Immunother*. 2019;15(7–8):1476–1478.
16. Buller DB, Walkosz BJ, Berteletti J, Pagoto SL, Bibeau J, Baker K, Hillhouse J, Henry KL. Insights on HPV vaccination in the United States from mothers' comments on Facebook posts in a randomized trial. *Hum Vaccin Immunother*. 2019;15(7–8):1479–1487. doi:10.1080/21645515.2019.1581555.
17. Dya A, Shah Z, Surian D, Martin P, Coiera E, Dey A, Leask J, Dunn AG. HPV vaccine coverage in Australia and associations with HPV vaccine information exposure among Australian Twitter users. *Hum Vaccin Immunother*. 2019;15(7–8):1488–1495. doi:10.1080/21645515.2019.1596712.

18. Luo X, Zimet G, Shah S. A natural language processing framework to analyse the opinions on HPV vaccination reflected in Twitter over 10 years (2008–2017). *Hum Vaccin Immunother.* 2019;15(7–8):1496–1504. doi:10.1080/21645515.2019.1627821.
19. MacLean SA, Basch CH, Ethan D, Garcia P. Readability of online information about HPV Immunization. *Hum Vaccin Immunother.* 2019;15(7–8):1505–1507.
20. Rosen BL, Bishop JM, Anderson R, Real FJ, Klein MD, Kreps GL. A content analysis of HPV vaccine online continuing medical education purpose statements and learning objectives. *Hum Vaccin Immunother.* 2019;15(7–8):1508–1518. doi:10.1080/21645515.2019.1587273.
21. Hoss A, Meyerson BE, Zimet GD. State statutes and regulations related to human papillomavirus vaccination. *Hum Vaccin Immunother.* 2019;15(7–8):1519–1526. doi:10.1080/21645515.2019.1627817.
22. Vanderpool RC, Stradtman LR, Brandt HM. Policy opportunities to increase HPV vaccination in rural communities. *Hum Vaccin Immunother.* 2019;15(7–8):1527–1532. doi:10.1080/21645515.2018.1553475.
23. Forster AS, Gilson R. Challenges to optimising uptake and delivery of a HPV vaccination programme for men who have sex with men. *Hum Vaccin Immunother.* 2019;15(7–8):1541–1543.
24. Schim van der Loeff MF, Vorsters A, Marra E, Van Damme P, Hogewoning A. Should female sex workers be offered HPV vaccination? *Hum Vaccin Immunother.* 2019;15(7–8):1544–1548. doi:10.1080/21645515.2019.1602432.
25. Stephens A, Wynn C, Stockwell M. Understanding the use of digital technology to promote human papillomavirus vaccination – a RE-AIM framework approach. *Hum Vaccin Immunother.* 2019;15(7–8):1549–1561. doi:10.1080/21645515.2019.1611158.
26. Berenson AB, Rupp R, Dinehart EE, Cofie LE, Kuo YF, Hirth JM. Achieving high HPV vaccine completion rates in a pediatric clinic population. *Hum Vaccin Immunother.* 2019;15(7–8):1562–1569.
27. Bonville CA, Domachowske JB, Suryadevara M. A quality improvement education initiative to increase adolescent human papillomavirus (HPV) vaccine completion rates. *Hum Vaccin Immunother.* 2019;15(7–8):1570–1576. doi:10.1080/21645515.2019.1627822.
28. Dempsey AF, Maertens J, Seveck C, Jimenez-Zambrano A, Juarez-Colunga E. A randomized, controlled, pragmatic trial of an iPad-based, tailored messaging intervention to increase human papillomavirus vaccination among Latinos. *Hum Vaccin Immunother.* 2019;15(7–8):1577–1584. doi:10.1080/21645515.2018.1559685.
29. Hirth JM, Berenson AB, Cofie LE, Matsushita L, Kuo YF, Rupp RE. Caregiver acceptance of a patient navigation program to increase human papillomavirus vaccination in pediatric clinics: a qualitative program evaluation. *Hum Vaccin Immunother.* 2019;15(7–8):1585–1591. doi:10.1080/21645515.2019.1587276.
30. Reno JE, Thomas J, Pyrzanowski J, et al. Examining strategies for improving healthcare providers' communication about adolescent HPV vaccination: evaluation of secondary outcomes in a randomized controlled trial. *Hum Vaccin Immunother.* 2019;15(7–8):1592–1598.
31. Dempsey AF, Pyrzanowski J, Lockhart S, Page S, Sibley L, Skinner A. Effect of a health care professional communication training intervention on adolescent human papillomavirus vaccination: a cluster randomized clinical trial. *JAMA Pediatr.* 2018;172(5):732–40. doi:10.1001/jamapediatrics.2018.1273.
32. Brandt HM, Vanderpool RC, Curry SJ, Farris P, Daniel-Ulloa J, Seegmiller L, Stradtman LR, Vu T, Taylor V, Zubizarreta M. A multi-site case study of community-clinical linkages for promoting HPV vaccination. *Hum Vaccin Immunother.* 2019;15(7–8):1599–1606. doi:10.1080/21645515.2019.1616501.
33. Gualano MR, Thomas R, Stillo M, et al. What is the most useful tool in HPV vaccine promotion? Results from an experimental study. *Hum Vaccin Immunother.* 2019;15(7–8):1607–1614.
34. Karafillakis E, Simas C, Jarrett C, Verger P, Peretti-Watel P, Dib F, De Angelis S, Takacs J, Ali KA, Pastore Celentano L, et al. HPV vaccination in a context of public mistrust and uncertainty: a systematic literature review of determinants of HPV vaccine hesitancy in Europe. *Hum Vaccin Immunother.* 2019;15(7–8):1615–1627. doi:10.1080/21645515.2018.1564436.
35. Bednarczyk RA. Addressing HPV vaccine myths: practical information for healthcare providers. *Hum Vaccin Immunother.* 2019;15(7–8):1628–1638. doi:10.1080/21645515.2019.1565267.
36. Perkins RB, Fisher-Borne M, Brewer NT. Engaging parents around vaccine confidence: proceedings from the national HPV vaccination roundtable meetings. *Hum Vaccin Immunother.* 2019;15(7–8):1639–1640.
37. Baldovin T, Bertoncetto C, Cocchio S, Fonzo M, Gazzani D, Buja A, Majori S, Baldo V. Perception and knowledge of HPV-related and vaccine-related conditions among a large cohort of university students in Italy. *Hum Vaccin Immunother.* 2019;15(7–8):1641–1649. doi:10.1080/21645515.2018.1564432.
38. Dube E, Gagnon D, Clement P, Bettinger JA, Comeau JL, Deeks S, Guay M, MacDonald S, MacDonald NE, Mijovic H, et al. Challenges and opportunities of school-based HPV vaccination in Canada. *Hum Vaccin Immunother.* 2019;15(7–8):1650–1655. doi:10.1080/21645515.2018.1564440.
39. Shetty S, Prabhu S, Shetty V, Shetty AK. Knowledge, attitudes and factors associated with acceptability of human papillomavirus vaccination among undergraduate medical, dental and nursing students in South India. *Hum Vaccin Immunother.* 2019;15(7–8):1656–1665. doi:10.1080/21645515.2019.1565260.
40. Thomas TL, Caldera M, Maurer J. A short report: parents HPV vaccine knowledge in rural South Florida. *Hum Vaccin Immunother.* 2019;15(7–8):1666–1671. doi:10.1080/21645515.2019.1600986.
41. Topazian HM, Dizon AM, Di Bona VL, Levitz L, Ramos S, Morgan K, Kim CJ, Richter K, De Sanjose S, Smith JS. Adolescent providers' knowledge of human papillomavirus vaccination age guidelines in five countries. *Hum Vaccin Immunother.* 2019;15(7–8):1672–1677. doi:10.1080/21645515.2018.1558688.
42. Victory M, Do TQN, Kuo YF, Rodriguez AM. Parental knowledge gaps and barriers for children receiving human papillomavirus vaccine in the Rio Grande Valley of Texas. *Hum Vaccin Immunother.* 2019;15(7–8):1678–1687. doi:10.1080/21645515.2019.1628551.
43. Zhou M, Qu S, Zhao L, Campy KS, Wang S. Parental perceptions of human papillomavirus vaccination in central China: the moderating role of socioeconomic factors. *Hum Vaccin Immunother.* 2019;15(7–8):1688–1696.
44. Rubens-Augustson T, Wilson LA, Murphy MS, et al. Healthcare provider perspectives on the uptake of the human papillomavirus vaccine among newcomers to Canada: a qualitative study. *Hum Vaccin Immunother.* 2019;15(7–8):1697–1707.
45. Panozzo C, Gilkey MBP, Kornides MLS, Wharam JF. Provider-level rates of HEDIS-consistent HPV vaccination in a regional health plan. *Hum Vaccin Immunother.* 2019;15(7–8):1708–1714. doi:10.1080/21645515.2019.1574150.
46. Fu LY, Haimowitz R, Thompson D. Community members trusted by African American parents for vaccine advice. *Hum Vaccin Immunother.* 2019;15(7–8):1715–1722. doi:10.1080/21645515.2019.1581553.
47. Nan X, Daily K, Richards A, et al. The role of trust in health information from medical authorities in accepting the HPV vaccine among African American parents. *Hum Vaccin Immunother.* 2019;15(7–8):1723–1731.
48. Thomas R, Dillard M, Xu J, Zimet GD, Kahn JA. Risk perceptions after human papillomavirus vaccination are not subsequently associated with riskier behaviors or sexually transmitted infections in HIV-infected young women. *Hum Vaccin Immunother.* 2019;15(7–8):1732–1736. doi:10.1080/21645515.2019.1582401.
49. Wu T, Qu S, Fang Y, Ip M, Wang Z. Behavioral intention to perform risk compensation behaviors after receiving HPV vaccination among men who have sex with men in China. *Hum Vaccin Immunother.* 2019;15(7–8):1737–1744. doi:10.1080/21645515.2019.1622975.
50. Gilkey MB, Mohan D, Janssen EM, McRee AL, Kornides ML, Bridges JFP. Exploring variation in parental worries about HPV

- vaccination: a latent-class analysis. *Hum Vaccin Immunother.* 2019;15(7–8):1745–1751. doi:10.1080/21645515.2019.1574157.
51. Herman R, McNutt LA, Mehta M, Salmon DA, Bednarczyk RA, Shaw J. Vaccination perspectives among adolescents and their desired role in the decision-making process. *Hum Vaccin Immunother.* 2019;15(7–8):1752–1759. doi:10.1080/21645515.2019.1571891.
 52. Kellogg C, Shu J, Arroyo A, Dinh NT, Wade N, Sanchez E, Equils O. A significant portion of college students are not aware of HPV disease and HPV vaccine recommendations. *Hum Vaccin Immunother.* 2019;15(7–8):1760–1766. doi:10.1080/21645515.2019.1627819.
 53. Kirchhoff AC, Mann K, Warner EL, Kaddas HK, Fair D, Fluchel M, Knackstedt ED, Kepka D. HPV vaccination knowledge, intentions, and practices among caregivers of childhood cancer survivors. *Hum Vaccin Immunother.* 2019;15(7–8):1767–1775. doi:10.1080/21645515.2019.1619407.
 54. Hopfer S, Wright ME, Pellman H, Wasserman R, Fiks AG. HPV vaccine recommendation profiles among a national network of pediatric practitioners: understanding contributors to parental vaccine hesitancy and acceptance. *Hum Vaccin Immunother.* 2019;15(7–8):1776–1783.
 55. Lake PW, Kasting ML, Christy SM, Vadaparampil ST. Provider perspectives on multilevel barriers to HPV vaccination. *Hum Vaccin Immunother.* 2019;15(7–8):1784–1793. doi:10.1080/21645515.2019.1581554.
 56. Grandahl M, Neveus T, Dalianis T, Larsson M, Tyden T, Stenhammar C. 'I also want to be vaccinated!' – adolescent boys' awareness and thoughts, perceived benefits, information sources, and intention to be vaccinated against human papillomavirus (HPV). *Hum Vaccin Immunother.* 2019;15(7–8):1794–1802.
 57. Tatar O, Shapiro GK, Perez S, Wade K, Rosberger Z. Using the precaution adoption process model to clarify human papillomavirus vaccine hesitancy in canadian parents of girls and parents of boys. *Hum Vaccin Immunother.* 2019;15(7–8):1803–1814. doi:10.1080/21645515.2019.1575711.
 58. Fontenot HB, Rosenberger JG, McNair KT, Mayer KH, Zimet G. Perspectives and preferences for a mobile health tool designed to facilitate HPV vaccination among young men who have sex with men. *Hum Vaccin Immunother.* 2019;15(7–8):1815–1823. doi:10.1080/21645515.2019.1568156.
 59. Kornides M, Head KJ, Feemster K, Zimet GD, Panozzo CA. Associations between HPV vaccination among women and their 11–14 year-old children. *Hum Vaccin Immunother.* 2019;15(7–8):1824–1830.
 60. Calo WA, Shah PD, Gilkey MB, Vanderpool RC, Barden S, Doucette WR, Brewer NT. Implementing pharmacy-located HPV vaccination: findings from pilot projects in five U.S. states. *Hum Vaccin Immunother.* 2019;15(7–8):1831–1838. doi:10.1080/21645515.2019.1602433.
 61. Islam JY, Gruber JF, Kepka D, et al. Pharmacist insights into adolescent human papillomavirus vaccination provision in the United States. *Hum Vaccin Immunother.* 2019;15(7–8):1839–1850.
 62. Elsamadicy EA, Schneider MK, Hull PC, Khabele D. Human papillomavirus vaccination completion rates among gynecological providers: an institutional retrospective review. *Hum Vaccin Immunother.* 2019;15(7–8):1851–1855. doi:10.1080/21645515.2019.1619405.
 63. Griner SB, Thompson EL, Vamos CA, Chaturvedi AK, Vazquez-Otero C, Merrell LK, Kline NS, Daley EM. Dental opinion leaders' perspectives on barriers and facilitators to HPV-related prevention. *Hum Vaccin Immunother.* 2019;15(7–8):1856–1862. doi:10.1080/21645515.2019.1565261.
 64. Walker KK, Jackson RD, Sommariva S, Neelamegam M, Desch J. USA dental health providers' role in HPV vaccine communication and HPV-OPC protection: a systematic review. *Hum Vaccin Immunother.* 2019;15(7–8):1863–1869. doi:10.1080/21645515.2018.1558690.
 65. Oliver K, McCorkell C, Pister I, Majid N, Benkel DH, Zucker JR. Improving HPV vaccine delivery at school-based health centers. *Hum Vaccin Immunother.* 2019;15(7–8):1870–1877. doi:10.1080/21645515.2019.1578596.
 66. Nobel T, Rajupet S, Sigel K, Oliver K. Using Veterans Affairs Medical Center (VAMC) data to identify missed opportunities for HPV vaccination. *Hum Vaccin Immunother.* 2019;15(7–8):1878–1883. doi:10.1080/21645515.2018.1559684.
 67. Geng Y, Liu L. Human papillomavirus genotypes and infection among women in Changzhou, China. *Hum Vaccin Immunother.* 2019;15(7–8):1884–1888. doi:10.1080/21645515.2019.1611159.
 68. Wang J, Tang D, Wang J, Zhang Z, Chen Y, Wang K, Zhang X, Ma C. Genotype distribution and prevalence of human papillomavirus among women with cervical cytological abnormalities in Xinjiang, China. *Hum Vaccin Immunother.* 2019;15(7–8):1889–1896. doi:10.1080/21645515.2019.1578598.
 69. Bhattacharya M, Reiter PL, McRee AL. Nativity status and genital HPV infection among adults in the U.S. *Hum Vaccin Immunother.* 2019;15(7–8):1897–1903. doi:10.1080/21645515.2019.1578592.
 70. Orlando G, Frati ER, Fasolo MM, et al. Incident genital HPV infections and potential impact of HPV vaccines in adult women living with HIV/AIDS. *Hum Vaccin Immunother.* 2019;15(7–8):1904–1910.
 71. Nyitray AG, Peng F, Day RS, Carvalho Da Silva RJ, Baggio ML, Salmerón J, Quiterio M, Abrahamson M, Lazcano-Ponce E, Villa LL, et al. The association between body mass index and anal canal human papillomavirus prevalence and persistence: the HIM study. *Hum Vaccin Immunother.* 2019;15(7–8):1911–1919. doi:10.1080/21645515.2019.1593083.
 72. Osazuwa-Peters N, Simpson MC, Massa ST, Adjei Boakye E, Antisdel JL, Varvares MA. 40-year incidence trends for oropharyngeal squamous cell carcinoma in the United States. *Oral Oncol.* 2017;74:90–97. doi:10.1016/j.oraloncology.2017.09.015.
 73. Herrero R, Quint W, Hildesheim A, Gonzalez P, Struijk L, Katki HA, Porras C, Schiffman M, Rodriguez AC, Solomon D, et al. Reduced prevalence of oral human papillomavirus (HPV) 4 years after bivalent HPV vaccination in a randomized clinical trial in Costa Rica. *PLoS One.* 2013;8(7):e68329. doi:10.1371/journal.pone.0068329.
 74. Hirth JM, Chang M, Resto VA. Prevalence of oral human papillomavirus by vaccination status among young adults (18–30years old). *Vaccine.* 2017;35(27):3446–51. doi:10.1016/j.vaccine.2017.05.025.
 75. Chaturvedi AK, Graubard BI, Broutian T, Pickard RKL, Tong Z-Y, Xiao W, Kahle L, Gillison ML. Effect of prophylactic human papillomavirus (HPV) vaccination on oral HPV infections among young adults in the United States. *J Clin Oncol.* 2018;36:262–67. doi:10.1200/JCO.2017.75.0141.
 76. Timbang MR, Sim MW, Bewley AF, Farwell DG, Mantravadi A, Moore MG. HPV-related oropharyngeal cancer: a review on burden of the disease and opportunities for prevention and early detection. *Hum Vaccin Immunother.* 2019;15(7–8):1920–1928. doi:10.1080/21645515.2019.1600985.
 77. Shew M, Shew ML, Bur AM. Otolaryngologists and their role in vaccination for prevention of HPV associated head & neck cancer. *Hum Vaccin Immunother.* 2019;15(7–8):1929–1934.
 78. Windon MJ, Waterboer T, Hillel AT, Chien W, Best S, Stewart C, Akst L, Troy T, Bender N, Miles B, et al. Sex differences in HPV immunity among adults without cancer. *Hum Vaccin Immunother.* 2019;15(7–8):1935–1941. doi:10.1080/21645515.2019.1568157.
 79. Chesson HW, Meites E, Ekwueme DU, Saraiya M, Markowitz LE. Updated medical care cost estimates for HPV-associated cancers: implications for cost-effectiveness analyses of HPV vaccination in the United States. *Hum Vaccin Immunother.* 2019;15(7–8):1942–1948. doi:10.1080/21645515.2019.1603562.
 80. De La Fuente J, Hernandez Aguado JJ, Martin MS, Boix PR, Gomez SC, Lopez N. Estimating the epidemiological impact and cost-effectiveness profile of a nonavalent HPV vaccine in Spain. *Hum Vaccin Immunother.* 2019;15(7–8):1949–1961. doi:10.1080/21645515.2018.1560770.
 81. Covert C, Ding L, Brown D, Franco EL, Bernstein DI, Kahn JA. Evidence for cross-protection but not type-replacement over the 11

- years after human papillomavirus vaccine introduction. *Hum Vaccin Immunother.* 2019;15(7–8):1962–1969. doi:10.1080/21645515.2018.1564438.
82. Schwarz TF, Huang L-M, Valencia A, Panzer F, Chiu C-H, Decreux A, Poncelet S, Karkada N, Folschweiller N, Cresens LL, et al. A ten-year study of immunogenicity and safety of the AS04-HPV-16/18 vaccine in adolescent girls aged 10–14 years. *Hum Vaccin Immunother.* 2019;15(7–8):1970–1979. doi:10.1080/21645515.2019.1625644.
83. Gilca V, Sauvageau C, Panicker G, De Serres G, Schiller J, Ouakki M, Unger ER. Long intervals between two doses of HPV vaccines and magnitude of the immune response: a post hoc analysis of two clinical trials. *Hum Vaccin Immunother.* 2019;15(7–8):1980–1985. doi:10.1080/21645515.2019.1605278.
84. Leon-Maldonado L, Cabral A, Brown B, Ryan GW, Maldonado A, Salmerón J, Allen-Leigh B, Lazcano-Ponce E. Feasibility of a combined strategy of HPV vaccination and screening in Mexico: the FASTER-Tlalpan study experience. *Hum Vaccin Immunother.* 2019;15(7–8):1986–1994. doi:10.1080/21645515.2019.1619401.
85. Kunda NK, Peabody J, Zhai L, Price DN, Chackerian B, Tumban E, Muttill P. Evaluation of the thermal stability and the protective efficacy of spray-dried HPV vaccine, Gardasil(R) 9. *Hum Vaccin Immunother.* 2019;15(7–8):1995–2002. doi:10.1080/21645515.2019.1593727.