

Gene Expression, Morphology, and Electrophysiology During the Dynamic Development of Human Induced Pluripotent Stem Cell-Derived Atrial- and Ventricular-Like Cardiomyocytes [Letter]

Mayang Wulandari¹, Amal Prihatono¹, Achmad Jaelani Rusdi² 

¹Diploma 3 in Acupuncture Studies, ITSK RS DR Soepraoen Malang, Kota Malang, Jawa Timur, Indonesia; ²Medical Record and Health Information Department, ITSK RS DR Soepraoen Malang, Kota Malang, Jawa Timur, Indonesia

Correspondence: Mayang Wulandari, Prodi Akupunktur ITSK RS dr Soepraoen Jalan Majapahit No. 1, Kota Malang, Jawa Timur, 65119, Indonesia, Tel +628123315617, Email mayang@itsk-soepraoen.ac.id

Dear editor

The study titled “Gene Expression, Morphology, and Electrophysiology During the Dynamic Development of Human Induced Pluripotent Stem Cell-Derived Atrial- and Ventricular-Like Cardiomyocytes” presents a valuable investigation into the dynamic development of human induced pluripotent stem cell-derived atrial-like (iPS-AM) and ventricular-like (iPS-VM) cardiomyocytes.¹ The authors employ a small molecule-based approach to modulate retinoic acid and bone morphogenetic protein signaling pathways during differentiation. Their comprehensive assessment, integrating gene expression, morphology, and electrophysiological function,² offers valuable insights into the maturation process of these cell types. A key strength of this work lies in its multifaceted approach. By employing immunofluorescence, qRT-PCR, flow cytometry, and electron microscopy, the authors demonstrate a coordinated increase in pan-cardiomyocyte markers³ (TNNT2, ACTN2) alongside chamber-specific markers (NPPA, MYL7, KCNJ5 for iPS-AM; GJA1, MYL2, CACNA1C for iPS-VM). This detailed characterization underscores the progressive acquisition of chamber-specific phenotypes during differentiation. Furthermore, the study effectively captures the dynamic changes in cell morphology. The observed transformation of cTnT organization from a scattered pattern to a well-defined sarcomeric structure in both iPS-AMs and iPS-VMs highlights the maturation of contractile machinery.⁴ Additionally, the dynamic shift in mitochondrial abundance and lipid droplet content suggests a metabolic reprogramming that aligns with functional development.⁵ While the study effectively demonstrates dynamic changes in gene expression and morphology, a deeper exploration of the electrophysiological maturation is warranted. Although resting and action potential amplitudes remained similar, the observed prolongation of action potential duration during development requires further investigation. Future studies could explore the underlying ionic currents and channel expression profiles to provide a more comprehensive understanding of electrophysiological maturation. In conclusion, the work by Yafei Zhou sheds light on the dynamic development of human iPSC-derived cardiomyocytes. Their findings hold significant promise for advancing our understanding of heart development and potentially paving the way for future applications in disease modeling and regenerative medicine. Further research delving deeper into electrophysiological maturation and potentially incorporating functional assays could offer even richer insights into this vital process.

Disclosure

The authors report no conflicts of interest in this communication.

References

1. Zhou Y, Zhou R, Huang W, et al. Gene expression, morphology, and electrophysiology during the dynamic development of human induced pluripotent stem cell-derived atrial- and ventricular-like cardiomyocytes. *Biologics*. 2024;18:115–127. doi:10.2147/BTT.S448054
2. Camunas-Soler J. Integrating single-cell transcriptomics with cellular phenotypes: cell morphology, Ca²⁺ imaging and electrophysiology. *Biophys Rev*. 2024;16(1):89–107. doi:10.1007/s12551-023-01174-2
3. Cui C, Wang J, Qian D, et al. binary colloidal crystals drive spheroid formation and accelerate maturation of human-induced pluripotent stem cell-derived cardiomyocytes. *ACS Appl Mater Interfaces*. 2019;11(4):3679–3689. doi:10.1021/acsami.8b17090
4. Mao M, Qu X, Zhang Y, et al. Leaf-venation-directed cellular alignment for macroscale cardiac constructs with tissue-like functionalities. *Nat Commun*. 2023;14(1):2077. doi:10.1038/s41467-023-37716-1
5. Mehta A, Ratre YK, Soni VK, et al. Orchestral role of lipid metabolic reprogramming in T-cell malignancy. *Front Oncol*. 2023;2023:13.

Dove Medical Press encourages responsible, free and frank academic debate. The content of the Biologics: Targets and Therapy 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Biologics: Targets and Therapy editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

Biologics: Targets and Therapy

Dovepress

Publish your work in this journal

Biologics: Targets and Therapy is an international, peer-reviewed journal focusing on the patho-physiological rationale for and clinical application of Biologic agents in the management of autoimmune diseases, cancers or other pathologies where a molecular target can be identified. This journal is indexed on PubMed Central, CAS, EMBase, Scopus and the Elsevier Bibliographic databases. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/biologics-targets-and-therapy-journal>

<https://doi.org/10.2147/BTT.S480180>