

POSTER PRESENTATION

Open Access


Asynchronous coding in neuronal networks

Eric S Kuebler*, Jean-Philippe Thivierge

From The Twenty Third Annual Computational Neuroscience Meeting: CNS*2014
Québec City, Canada. 26-31 July 2014

Recordings of neuronal networks in cortex show evidence of asynchronous – or out-of-phase – activity. Cells are known to generate asynchronous outputs despite strongly shared synaptic inputs [1], yet the computational benefits of this coding remain unclear. By comparison, synchronized activity in neuronal networks has been reported in a broad range of experiments [2], with a proposed functional role of enhancing the reliability of responses to stimuli [3]. Starting from a model of randomly connected leaky integrate-and-fire neurons ($N = 1000$), we injected sub-threshold oscillations that were either asynchronous or synchronous, resulting in time-lagged or zero-lag correlations in spiking activity, respectively. We then examined the ability of neurons to respond reliably and discriminately to stimuli (large depolarizing events) delivered to random subsets of the population. We measured reliability (C_{within}) by examining the correlations between responses to the same stimulus, and discriminability ($C_{between}$) as the correlation between responses to different stimuli.

Asynchronous networks responded with moderate reliability and high discriminability (green circles – Figure 1). By comparison, synchronous networks yielded the opposite effect and led to high reliability and low discriminability (blue circles – Figure 1). To provide a proof of principle that asynchronous networks could accurately classify stimuli, we designed a simple classification criterion based on the reliability of responses to stimuli. Results of this analysis show that asynchronous coding was more useful in classifying stimuli than synchronous networks (Figure 1A-B). We found that asynchronous coding may be especially beneficial to the subset of cells that was directly stimulated by an input (Figure 1B). The trade-off observed between reliability and discriminability may be continuous in nature – neurons receiving a hybrid combination of synchronous with asynchronous activity (in equal parts) were more reliable than asynchronous neurons and better at discriminating between stimuli than synchronous neurons. In sum, our work highlights a novel form of trade-



* Correspondence: eric.s.kuebler@gmail.com

School of Psychology, University of Ottawa, Ottawa, Ontario, Canada, K1N 6R5

off between asynchrony and synchrony. We suggest that living neuronal networks may take advantage of both forms of coding depending on the context and requisites of information processing.

Acknowledgements

This work benefited from discussions with the lab of Dr. André Longtin. This research was supported by grants to J.P.T. from NSERC Discovery and CIHR operating funds.

Published: 21 July 2014

References

1. Renart A, de la Rocha J, Bartho P, Hollender L, Parga N, Reyes A, Harris KD: **The asynchronous state in cortical circuits.** *Science* 2010, **327**(5965):587-590.
2. Wang XJ: **Neurophysiological and computational principles of cortical rhythms in cognition.** *Physiological reviews* 2010, **90**(3):1195-1268.
3. Schaefer AT, Angelo K, Spors H, Margrie TW: **Neuronal oscillations enhance stimulus discrimination by ensuring action potential precision.** *PLoS biology* 2006, **4**(6):e163.

doi:10.1186/1471-2202-15-S1-P26

Cite this article as: Kuebler and Thivierge: **Asynchronous coding in neuronal networks.** *BMC Neuroscience* 2014 **15**(Suppl 1):P26.

**Submit your next manuscript to BioMed Central
and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

