



Predictors of Acceptance of Cosmetic Surgery: Instagram Images-Based Activities, Appearance Comparison and Body Dissatisfaction Among Women



Cristian Di Gesto¹ · Amanda Nerini² · Giulia Rosa Policardo¹ · Camilla Matera²

Received: 11 June 2021 / Accepted: 15 August 2021 / Published online: 3 September 2021
© The Author(s) 2021

Abstract

Background This study aimed to test a model in which Instagram images-based activities related to self, friends, and celebrities were associated with acceptance of cosmetic surgery via Instagram appearance comparison and body dissatisfaction. We predicted that Instagram use for images-related activities involving celebrities and self (but not friends) was associated with acceptance of cosmetic surgery both directly and indirectly.

Methods The study participants were 305 Italian women (mean age, 23 years). They completed a questionnaire containing the Instagram Image Activity Scale, the Instagram Appearance Comparison Scale, the Body Shape Questionnaire-14, the Acceptance of Cosmetic Surgery Scale. A path analysis was performed in which the Instagram images-based activities were posited as predictors of the Instagram appearance comparison, body dissatisfaction and acceptance of cosmetic surgery, respectively.

Results We found that only image-based activities related to celebrities and self were significantly related to acceptance of cosmetic surgery, whereas friends' Instagram-related activities were not significantly related to this criterion variable. Moreover, the indirect effect of both Instagram self- and celebrities-images activities on acceptance of cosmetic surgery through Instagram appearance comparison and body dissatisfaction was significant. Friends' Instagram images-related activities were not associated with acceptance of cosmetic surgery.

Conclusions Overall, these findings provide information about the role that activities carried out on Instagram, appearance comparison and body dissatisfaction, play on the acceptance of surgery for aesthetic reasons among women. The study highlighted the importance for surgeons to consider some psychological aspects and the influence of sociocultural factors on the interest for cosmetic surgery.

Level of Evidence IV This journal requires that authors assign a level of evidence to each article. For a full description of these Evidence-Based Medicine ratings, please refer to the Table of Contents or the online Instructions to Authors www.springer.com/00266.

✉ Cristian Di Gesto
cristian.digesto@unifi.it

Amanda Nerini
nerini@psico.unifi.it

Giulia Rosa Policardo
giuliarosa.policardo@unifi.it

Camilla Matera
camilla.matera@unifi.it

Keywords Psychological factors · Sociocultural influences · Instagram · Appearance comparison · Body dissatisfaction · Acceptance of cosmetic surgery

Introduction

The impact of sociocultural factors on body image ideals has been increasingly recognized in recent years [1]. The Tripartite Influence Model (TIM) of body dissatisfaction emphasizes the role of the media in the onset, development, and maintenance of negative body image [2, 3], fostering

¹ Department of Health Sciences, Section of Psychology, University of Florence, Via San Salvi 12, Pad. 26, Florence, Italy

² Department of Education, Languages, Intercultures, Literatures and Psychology, University of Florence, Via di San Salvi, 12–Pad. 26, 50135 Florence, Italy

interest in body modification strategies such as cosmetic surgery [4]. Several recent studies have shown that Social Network Sites (SNSs) have a significant influence on young women's body image [5–8]. SNSs have become the most commonly accessed websites on the Internet [9] and their use, as the main channel for social interaction [10], is constantly growing among young adults. Active users on social networks are over 3 billion and 35 million are Italians [11]. Unlike traditional forms of media, such as magazines or movies, SNSs allow users to be not just passive receivers of contents, but also active creators of individual private or public profiles, sharing various forms of personal content, interacting with followers, and viewing, commenting, and “liking” peer-generated content [12–18]. SNSs allow users to receive a constant flow of information (e.g., picture and video sharing, tagging, and newsfeed) from friends as well as celebrities they follow, at any given time as long as they have Internet access on a smartphone, laptops, and desktop computers [19]. Therefore, compared to the traditional media environment, where exposure to content is limited by physical access to material or screen time (e.g., having access to fashion magazines or watching television), the SNSs environment offers young women greater exposure to idealized body in the form of friends' edited profile picture or celebrities' latest photos [19].

Through this study we aimed to examine the relationship between the use of Instagram and acceptance of cosmetic surgery via the serial mediation of appearance social comparison and body dissatisfaction.

Visual Social Media

Instagram is a social networking site used solely for photo and video sharing, which has risen in popularity in recent years, with over 400 million active users [20, 21]. The number of photos uploaded each day on Instagram has increased from 80 million photos per day in 2015 to 95 million photos per day in 2019 [20]. Since Instagram allows individuals to carefully select the personal photos they wish to post and to enhance them with filtering and editing tools [16], a growing body of research has investigated the impact of Instagram use on body image. The use of Instagram for activities such as viewing images focused on body ideals and participating in conversations relating to physical appearance can be particularly harmful for body image. Indeed, engaging in appearance-based activities is associated with concerns about body image [22] and greater self-objectification among young women [5, 12, 23, 24].

Although several studies have reported that the time spent on SNSs and their general use is significantly related to body image concerns [25–27], the type of activity

carried out online and the target to which they are addressed (e.g., themselves, celebrities, friends) worth further consideration [22, 26–28]. For example, one study [29] found that it was not the frequency or quantity of Facebook use among adolescents that predicted their levels of body dissatisfaction, but rather the extent to which they engaged in appearance-related activities such as viewing, posting, or commenting on images of themselves or their friends.

Acceptance of Cosmetic Surgery

Sociocultural theories on body image contend that messaging through media has had a profound effect on how individuals view standards of beauty [30]. Overall, photo-based social media and apps are providing a new reality of beauty for today's society. These apps allow one to alter his or her appearance in an instant and conform to an unrealistic and often unattainable standard of beauty [31]. SNSs make it easy for individuals to present their “best” selves albeit digitally enhanced [32, 33]. It can be argued that photo-based SNS, like Instagram, are making us lose touch with reality because we expect to look perfectly primed and filtered in real life as well [34]. The use of editing software can alter an individual's perception of one's appearance [35]. Choosing to alter one's appearance means recognizing a personal perceived imperfection, and this repeated behavior may drive to seek cosmetic care [36, 37]. Indeed, recent studies have shown that the use of social media is associated with increased acceptance of cosmetic surgery [38]. One study [39] experimentally examined whether exposure to images depicting facial cosmetic enhancements increases the desire for cosmetic surgery among young American women. They found that viewing images on Instagram of someone who had undergone cosmetic enhancements directly affected young women's desire for cosmetic surgery.

Several studies have suggested that body dissatisfaction is one of the factors involved in the decision to surgically modify one's body [4, 39, 40]. Some studies have shown a positive association between body dissatisfaction and acceptance of cosmetic surgery among women, suggesting that people may consider cosmetic surgery as a means to obtain both intrapsychic benefits (e.g., higher self-esteem) and social rewards deriving from appearing more attractive to others [4, 41–43].

Social Comparison and Body Dissatisfaction

According to the TIM [2, 3], the media influence body dissatisfaction levels through the mediating process of social comparison, that is the tendency to evaluate dimensions of the self, such as body, through comparison

with others. Social comparison is also implicated in the attitude toward cosmetic surgery [2, 4, 44, 45]. Women who internalize beauty ideals may be more likely to engage in physical appearance comparison to establish if they meet shared cultural standards of beauty [46, 47]; if physical appearance comparison discloses that a woman does not match the size and shape of other people, that woman may experience body dissatisfaction. Nerini et al. [4] showed that higher levels of physical appearance comparison were positively associated with greater acceptance of cosmetic surgery among young Italian women.

SNSs offer up an ideal platform for social comparison to take place [19, 48]. Indeed, it appears that people are quite interested in learning about others on SNSs, as most networking activity consists of browsing others' profiles without initiating social interaction [49]. Young women explicitly declared that they use SNSs for the purpose of making social comparisons, specifically while viewing others' posts and photos [50]. According to the Social Comparison Theory [51], apart from similar others, people tend to compare themselves with those who are perceived to be better, such as celebrities, who are perceived to be standard bearers of beauty [19, 52]. In their systematic review on the impact of SNSs on body image and disordered eating outcomes, Holland and Tiggemann [16] suggested that engaging in social comparisons mediated the relationship between time online and body image appraisals. Furthermore, in their sample of female university students, Fardouly and Vartanian [26] identified the value of examining physical appearance comparisons where one's own appearance was perceived to be less appealing or attractive than the one of others. This practice has been associated with higher body dissatisfaction rates [53] and disordered eating [54]. It has been reported that young women engage in this behavior more frequently than young men [55]. Posting personal photos on SNSs seems to make it easier for women to compare their appearance with that of others [22, 24] as individuals tend to share photos of themselves in which they are aesthetically attractive and without any imperfections [56]. Also with regard to Instagram, correlational and experimental studies have shown that appearance comparison with other users mediated the effect of exposure to images of idealized bodies on body dissatisfaction levels [6, 25, 57, 58]. The impact of social comparisons on self-evaluations can vary depending on the comparative target in relation to the self [48, 59].

The Present Study

The present study aimed to test a statistical model in which Instagram images-based activities related to self, friends, and celebrities were associated with acceptance of

cosmetic surgery *via* Instagram appearance comparison and body dissatisfaction. Previous correlational research has highlighted an association between Instagram use and acceptance of cosmetic surgery [37, 38]. However, none of these studies have measured the images-based activities that users can carry out on it in relation to different targets (e.g., themselves, friends, or celebrities). According to Scully and colleagues [48], measuring total time spent on SNSs, which does not account for how this time is spent, is less informative than specifically measuring the use of Instagram for appearance-related activities while logged on it. Moreover, to the best of our knowledge, there are no studies evaluating the relationship between the use of Instagram for images-based activities related to different targets and acceptance of cosmetic surgery.

We predicted that the Instagram image activities related to different targets (self, friends, and celebrities) would not be associated analogously with acceptance of cosmetic surgery. Previous research findings showed that the aesthetic models proposed by celebrities are more desirable than those proposed by friends [48]. Consequently, the Instagram celebrities' images-related activities (but not the ones related to friends) were hypothesized to be linked to acceptance of cosmetic surgery. The more frequently women expose themselves and interact with perfect, digitally modified appearance-based contents related to celebrities on Instagram, the more favorably they might consider modifying their bodies through cosmetic procedures (Hypothesis 1).

We also hypothesized a link between Instagram images-related activities related to the self and acceptance of cosmetic surgery (Hypothesis 2). The tendency to present the perfect image of self, which can be explained as self-presentation on social media, might include selecting your best photos [13, 60, 61] and greater acceptance of cosmetic surgery to make the virtual self-image real [62].

Furthermore, Instagram appearance comparison and body dissatisfaction were hypothesized to mediate the relationship between Instagram use for images-related activities involving celebrities and self (but not friends) and acceptance of cosmetic surgery (Hypothesis 3). Indeed, people tend to compare themselves with celebrities, who are perceived to be standards of beauty [19]. Much evidence has shown that appearance comparison on Instagram mediated the relationship between exposure to images of idealized bodies and dissatisfaction with one's body [58]. Several studies have also reported that selfie investment and photo manipulation are significantly associated both with social comparison and greater body dissatisfaction in young adult women [24, 33, 50, 63, 64].

Method

Participants

The participants included 305 Caucasian Italian university women aged 19–32 years ($M = 23$, $SD = 2.92$). The mean Body Mass Index (BMI) of the sample was 21.78 ($SD = 3.04$), ranging between 15.2 and 33.4. Most of the participants (86.8%) lived in central Italy, 12% in southern Italy or on islands, and 1.2% in northern Italy. Most of them (94.6%) reported being unmarried, whereas 5.4% reported being married or cohabiting. With regard to education, 92.6% of them had high school diplomas, 6.9% had bachelor's degrees, and 0.5% had master's degrees. Most of the participants (97.2%) defined themselves as students, whereas 2.8% as workers (1.6% were occasional employees, 0.8% part-time employees, 0.3% were looking for a first job, and 0.1% full-time employees).

Measures

Instagram Use

Participants were asked how much time they spend on Instagram per day (1 = 0–30 min; 12 = 10–11 h). They also rated how often they followed certain types of accounts (health and fitness; celebrities; travels) on Instagram (1 = never; 5 = very often).

Instagram Image Activity Scale

The Instagram Image Activity Scale [6] was used to assess the frequency with which various types of imaged-related activities are carried out on Instagram (e.g., posting or watching photos, videos, stories, direct; “liking” photos and videos). This scale consists of 13 items with a three-factor structure: the Activities: self-images subscale measures the frequency with which user can carry out image-based activities related to the self (four items; e.g., “Watching stories or direct in you are there, published by yourself”; $\alpha = .85$), the Activities: images of friends subscale measures activities related to friends (six items; e.g., “Watching photos or videos where your friends are”; $\alpha = .77$), and the Activities: images of celebrities subscale measures the frequency that a participant carries out image-based activities related to celebrities on Instagram (three items; e.g., “Watching stories or direct where your friends are”; $\alpha = .86$). The scale ranges from 1 (almost never) to 5 (almost always). High scores indicated high use of Instagram for images-related activities.

Instagram Appearance Comparison Scale

We adopted the Instagram Appearance Comparison Scale [6] to assess the level to which people make appearance comparisons on Instagram. This fifteen-item scale (e.g., “When I use Instagram, I compare my physical appearance to that of others”) ranges from 1 (never) to 5 (very often). Higher scores represented greater levels of physical appearance comparisons on Instagram ($\alpha = .94$).

Body Dissatisfaction

We used the Italian version [65] of the Body Shape Questionnaire-14 [66] to assess female body dissatisfaction. The scale has 14 items (e.g., “I felt ashamed of my body”) rated along a six-point Likert scale (1 = never; 6 = always). The questionnaire asks the participants to respond based on the past 2 weeks prior to administration. High scores indicated greater levels of general body dissatisfaction ($\alpha = 0.95$).

Acceptance of Cosmetic Surgery

Acceptance of cosmetic surgery was assessed through the Italian version [67] of the Acceptance of Cosmetic Surgery Scale [68]. This scale is composed of 15 items (e.g., “Cosmetic surgery can be a big benefit to people's self-image”) rated along a seven-point Likert scale (1 = definitively disagree; 7 = definitively agree). High scores indicated high levels of acceptance of cosmetic surgery ($\alpha = .93$).

Sociodemographic Details, BMI, and Previous Cosmetic Surgery Interventions

Each participant reported her age, sex, nationality, educational level, occupational status, and relationship status. We calculated BMIs (kg/m^2) using the participants' reported weights and heights. Finally, the participants were asked if they had undergone cosmetic surgery interventions.

Procedure

Using opportunistic sampling techniques, we recruited the study participants from the School of Psychology at the university with which the authors were affiliated. During regular undergraduate and graduate classes, we asked the students to take part in a study on body image. Participation in the study was voluntary, and we did not provide incentives to the participants. To be eligible for the study, the participants were needed to be 18 years or older women with an active Instagram account. We obtained informed

consent from each participant prior to administering the questionnaire. Participants completed measures in paper and pencil format. The questionnaire was anonymous, did not ask for any personally identifiable information, and took about 20 min to complete. The Ethical Committee of the University of Florence approved the study procedures. All procedures performed in studies involving human participants were in accordance with the ethical standards of the institutional and/or national research committee and with the 1964 Helsinki Declaration and its later amendments or comparable ethical standards.

Data Analyses

First, descriptive statistics and intercorrelations between all the variables were calculated. Second, we examined the fit of a statistical model in which the Instagram images-based activities related to self, friends, and celebrities were posited as predictors of the Instagram appearance comparison, body dissatisfaction and acceptance of cosmetic surgery, respectively. BMI was included to control for its effect, and the Instagram self, friends, and celebrities' images activities were allowed to covary. Less than 1% of the data were missing. We used a mean imputation process to replace the missing values. All the assumptions for path analysis were satisfied [69]. The hypotheses were tested using Amos (version 22); we used bootstrapping to test mediation by estimating the presence and size of the indirect (i.e., mediated) effects [70]. The sample size in the present study was bigger than the recommended size of 200 participants [71]. We adopted the maximum likelihood procedure to derive the parameter estimates and used the following goodness-of-fit indices: the χ^2/df ratio, a good score of which is 2 or below; the comparative fit index (CFI); the Tucker-Lewis Index (TLI); the Incremental Fit Index (IFI), the value of which should be higher than 0.95; the Normed Fit Index (NFI), a good score of which is more than 0.90; the Root Mean Square Error of Approximation (RMSEA); a 90% confidence interval for RMSEA (RMSEA 90% CI); and the standardized root mean square residual (SRMR). RMSEA and SRMR are considered acceptable if they are 0.08 or lower [72].

Results

All participants (100%) reported having their own active Instagram account. Most of them (36.7%) used Instagram for 1–2 h, 23.6% for 30 min–1 h, 14.1% for less than 30 min, 11.8% for 2–3 h, 5% for 3–4 h, 4.9% for 5–6 h and only 3.9% for 10–11 h per day. Moreover, most of the participants (38.8%) reported that they often followed health and fitness-related accounts, celebrities-relates

accounts (36.9%) and travels-related account (24.3%). None of the participants reported having undergone previous cosmetic surgery.

Table 1 shows the descriptive statistics (means and standard deviations) and the intercorrelations among Instagram images-based activities (self-images, images of friends, and images of celebrities), appearance comparison on Instagram, body dissatisfaction, and acceptance of cosmetic surgery. The data were normally distributed (skewness <0.90; kurtosis <2.75), as the skewness for all variables were lower than 2 and kurtosis is lower than 7 [73].

On average, the participants carried out more activities on Instagram based on images of friends, followed by images of celebrities and, finally, by self-images. They reported average levels of both appearance comparison on Instagram and body dissatisfaction, and low levels of acceptance of cosmetic surgery. From the correlation analyses (table 1), we can observe that the use of Instagram for image-based activities, regardless of the specific type of activity performed on it, was positively associated with higher levels of Instagram appearance comparison, body dissatisfaction and acceptance of cosmetic surgery.

The statistical model (Figure 1) fitted very well with the data [$\chi^2 = 8.53$, $p = .38$; $\chi^2/df = 1.06$; RMSEA = .01 (CI = .00; .07); SRMR = .02; CFI = .99; TLI = .99; IFI = .99; NFI = .99]. Covariances ranged between .20 ($p < .001$) and .43 ($p < .001$).

Hypotheses 1 and 2 were confirmed. Only image-based activities related to self and celebrities were significantly (and positively) related to acceptance of cosmetic surgery, whereas friends' Instagram-related activities were not significantly related to this criterion variable.

In line with Hypothesis 3, the bootstrapping procedure [74] showed that the indirect effect of both Instagram self- and celebrities-images activities on acceptance of cosmetic surgery through Instagram appearance comparison and body dissatisfaction was significant (self-image activities: .067; 95% CI: .039; celebrities-image activities: .019; 95% CI: .001; .042). Friends' Instagram images-related activities were not associated with acceptance of cosmetic surgery either directly or indirectly.

The statistical model accounted for much of the variance in body dissatisfaction (57%) and for a satisfactory percentage of the variance of acceptance of cosmetic surgery (26%).


Discussion

The present study examined the relationship between specific Instagram image-related activities and acceptance of cosmetic surgery among young Italian women as well as

Table 1 Mean (*M*), Standard Deviation (*SD*) and intercorrelations between all variables

Variable	1	2	3	4	5	6	7	<i>M (SD)</i>
1. BMI	1							21.78 (3.04)
2. Activities: self-images	.02	1						2.98 (1.04)
3. Activities: images of friends	.01	.53***	1					3.45 (.75)
4. Activities: images of celebrities	.11	.36***	.23***	1				3.21 (1.16)
5. Instagram Appearance Comparison	.22***	.43***	.21*	.28***	1			2.88 (.92)
6. Body Dissatisfaction	.47***	.29***	.16**	.22**	.69***	1		3.11 (1.35)
7. Acceptance of Cosmetic Surgery	.10	.39***	.18*	.31***	.35***	.38***	1	3.05 (1.30)

N = 305; * *p* < .05 ***p* < .01 ****p* < .001



* *p* < .05; ***p* < .01; ****p* < .001

Figure 1 Mediation model

its underlying mechanisms. Our findings showed that young women’ acceptance of cosmetic surgery was significantly associated with some of the Instagram image-related activities. Consistently with our predictions, Instagram celebrities and self-image related activities were directly associated with acceptance of cosmetic surgery.

Regarding to Instagram celebrities’ images, it seemed that the exposure to and the interaction with the enhanced photos, videos, or stories of celebrities on Instagram that promote beauty standards that are unattainable in a natural way may trigger assumptions that these photos are indicative of how they actually appear. As these ideals are

highly desired by women, more than those proposed by other sociocultural sources (e.g., friends) [48], women are likely to seek ways to achieve these standards. Cosmetic surgery might be conceived as a socially acceptable way to achieve such ideals of aesthetic beauty due to the promotion of surgery as a method of intervening on the body in a quick and accessible way [37]. Indeed, several social media celebrities are actively advertising surgery as a strategy their followers can use to achieve the ideal body [75]. Moreover, many people nowadays choose cosmetic surgery as a life changing gift [76] and many patients carry images of celebrities to their consultations to emulate their

attractive features [34]. Finally, Instagram friends' images-related activities were not significantly related to acceptance of cosmetic surgery directly (Hypothesis 1). In line with Scully et al. [48] the beauty ideals proposed by celebrities are more desirable than those proposed by friends which are instead more realistic and obtainable.

With regard self-image-related activities, the steps before posting personal photos, videos, or stories (e.g., picture taking, selection, and editing) may be a modern form of body checking through which changes in weight and appearance can be identified and tracked [33, 77, 78]. During these activities young women can carefully check their body image, comparing it with sociocultural standards and thinking about how to modify it to be closer to their beauty ideal [79, 80]. Consistently with some previous studies, our findings suggest that the tendency to present a perfect self-image made it more likely to consider cosmetic surgery as a means of appearing more attractive [4, 38, 62]. These findings are in line with a recent study showing that the primary reason for women patients seeking cosmetic surgery is the desire to look better in photographs and videos that portray them [36]. This is an alarming trend because filtered selfies often present an unattainable look and are blurring the line of reality and fantasy for these patients [34].

Moreover, in line with Hypothesis 3 about the mediational role of Instagram appearance comparison and body dissatisfaction, our findings showed the activities conducted on Instagram related to images of celebrities were associated to the acceptance of cosmetic surgery not only directly but also indirectly. Celebrities represent an unattainable, psychologically distant, and extreme target of comparison for adolescent girls and young women [48]. Using Instagram for celebrities-related activities was positively associated with the tendency to evaluate one's body in comparison with the idealized and digital enhanced physical appearance of celebrities that, in turn, was associated with women's acceptance of cosmetic surgery. Our findings are consistent with studies that showed how people more inclined to judge their own aesthetic appearance in relation to the unrealistic physical attractiveness of others may experience feelings of body-related distress, such as body dissatisfaction [81, 82], making them more interested in cosmetic surgery to enhance their physical appearance [14].

Furthermore, we found that also self-appearance activities were associated with acceptance of cosmetic surgery both directly and indirectly relationship. We can observe that Instagram activities related to self were linked with the tendency to compare one's physical appearance with that of others, which could help establish if one is effectively meeting sociocultural standards of beauty [46, 47]. If physical appearance comparison discloses that a woman

does not match the beauty ideal which she wants to achieve, that woman may experience body dissatisfaction [83–85]. Concerns about physical look could make people more interested in cosmetic surgery to enhance their appearance [62].

Finally, regarding to Instagram activities about friends, our results do not reveal a direct or indirect link between these activities and acceptance of cosmetic surgery. It seemed that the greater realism of the aesthetic standards proposed by friends, compared to those of celebrities, on Instagram would neither favor physical appearance comparison and body dissatisfaction nor a greater acceptance of cosmetic surgery. Indeed, the impact of social comparisons on self-evaluations can vary depending on the comparative target's distance, extremity, and attainability in relation to the self [59].

The statistical model we tested explained a good percentage of variance in body dissatisfaction levels (57%) and a satisfactory percentage of variance (26%) in the acceptance of cosmetic surgery. From a conceptual point of view, it should be considered that we have analyzed a specific sociocultural factor (i.e., Instagram use) as a possible predictor of the acceptance of cosmetic surgery among young women; however, the sociocultural factors that can play a role in this acceptance are manifold (e.g., traditional media, peer, family, partner). Furthermore, there are other factors, in addition to sociocultural ones, that can favor both dissatisfaction with one's body and the acceptance of cosmetic surgery. Among these, individual variables could be relevant (e.g., self-monitoring, self-awareness, control beliefs over one's own physical appearance). For these reasons, it seems reasonable to us to argue that the variance explained by Instagram images-based activities appears to be good for body dissatisfaction and satisfactory for interest in cosmetic surgery. This conceptual reflection can also be supported from a statistical point of view, considering that variance explained from .05 to .10 indicates a very small score, a score of > .20 is medium and relatively satisfactory, a score of > .30 indicates a large value of variance explained, a score of > .40 or greater is very large [86].

This study has some limitations. First, because of the correlational nature of this research, we cannot make causal inferences. Future research in SNSs, body image and cosmetic surgery could adopt experimental designs to investigate whether different activities conducted on Instagram are causally linked with levels of acceptance of cosmetic surgery. Second, we assessed acceptance, but not effective engagement, of cosmetic surgery. Perspective and experimental studies must clarify the causal relationship between the variables and should examine the relationship between attitudes and the actual decision to undergo cosmetic surgical procedures. Moreover, we used a

convenience sample, so that our findings are not generalizable to the entire population. Previous research has also found that the relationships between variables outlined in sociocultural models of body dissatisfaction vary depending upon the age, gender, and sociocultural setting of the participants. For example, cultural specificities are important factors to consider when devising and analyzing sociocultural models of body dissatisfaction, with the focus on appearance potentially varying between countries [44]. Further attention is warranted to extrapolate how the effects of online media exposure can vary depending on an individual's sociocultural environment, gender, and age.

Finally, this study is not exhaustive of potential variables that may increase interest for cosmetic surgery by women. Future studies could examine if body compassion, which is negatively related to body dissatisfaction and positively with acceptance of the perception of personal inadequacies, failures, and difficulties related to the body [87], might be a relevant mediator of the relationship between the Instagram use and acceptance of cosmetic surgery. Considering the proliferation of research within the positive body image literature, future research could also benefit from examining protective factors that may buffer young girls from the more adverse effects of social media sites. Emerging research has highlighted how young women who were exposed to body-positive posts experienced improvements in mood, body satisfaction, and body appreciation in comparison to being exposed to thin ideal and appearance-neutral posts [88]. Future research could also examine the transactional and reciprocal effects of social media. It is uncertain whether vulnerability factors such as high levels of appearance comparison or body dissatisfaction predispose individuals to seek out content that favor the consideration of cosmetic surgery, or whether SNSs such as Instagram cause individuals to engage in such consideration due to the features they afford which may heighten their levels of social comparison and body dissatisfaction.

Conclusions

The present study suggests that frequent use of Instagram for activities related to the self and celebrities may favor acceptance of cosmetic surgery fostering physical appearance comparison and body dissatisfaction. These sociocultural and psychological processes are all important in explaining how young women's online appearance-related activities are related to favorable attitudes toward strategy aimed to modify permanently one's physical attributes.

From a practical point of view, these findings could help plastic surgeons in their practice, suggesting the importance of psychological assessment to investigate if

women's motivation to cosmetic procedures is related to stable reasons or is determined by temporary elements [4, 89, 90], such as Instagram's physical appearance ideals. Candidates for surgery for purely cosmetic reasons, focusing on the potential short-term benefits of such interventions, may not be fully aware of the risks such interventions can have on a psychophysical level. Surgeons could carry out a preliminary assessment aimed at investigating patients' expectations about the outcome of the surgery, proposing more realistic one; they might explore if they feel compelled to achieve sociocultural aesthetic ideals, emphasizing their unrealistic and unattainable nature. Moreover, they might be reminded that cosmetic surgery does not necessarily help women to improve their body image evaluation [91, 92]. If women modify their bodies through cosmetic surgery without changing attitude toward their body self, concerns about their appearance may not decrease, which could lead them to look for further cosmetic procedures, without ever feeling comfortable with their own body image.

Funding Open access funding provided by Università degli Studi di Firenze within the CRUI-CARE Agreement. This study was not funded

Declarations

Conflict of interest The authors declare that they do not have any conflict of interest.

Ethical Approval The Ethical Committee of the University of Florence approved the study procedures. All procedures performed in studies involving human participants were in accordance with the ethical standards of the institutional and/or national research committee and with the 1964 Helsinki Declaration and its later amendments or comparable ethical standards.

Informed Consent All participants provided informed consent.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

References

1. Stefanile C, Nerini A, Matera C, Schaefer LM, Thompson JK (2019) Validation of an Italian version of the sociocultural

- attitudes towards appearance questionnaire-4-revised (SATAQ-4R) on non-clinical Italian women and men. *Body Image* 31(4):48–58. <https://doi.org/10.1016/j.bodyim.2019.08.005>
2. Keery H, van den Berg P, Thompson JK (2004) An evaluation of the Tripartite Influence Model of body dissatisfaction and eating disturbance with adolescent girls. *Body Image* 1(3):237–251. <https://doi.org/10.1016/j.bodyim.2004.03.001>
 3. Thompson JK, Heinberg LJ, Altabe M, Tantleff-Dunn S (1999) *Exacting beauty: Theory, assessment, and treatment of body image disturbance*. American Psychological Association, Washington, DC. <https://doi.org/10.1037/10312-000>
 4. Nerini A, Matera C, Di Gesto C, Policardo GR, Stefanile C (2019) Exploring the Links Between Self-Compassion, Body Dissatisfaction, and Acceptance of Cosmetic Surgery in Young Italian Women. *Front Psychol* 10:2698. <https://doi.org/10.3389/fpsyg.2019.02698>
 5. Casale S, Gemelli G, Calosi C, Giangrasso B, Fioravanti G (2019) Multiple exposure to appearance-focused real accounts on Instagram: Effects on body image among both genders. *Curr Psychol*. <https://doi.org/10.1007/s12144-019-00229-6>
 6. Di Gesto C, Matera C, Nerini A, Policardo GR, Stefanile C (2020) Misurare le attività relative alle immagini su Instagram e il confronto relativo all'apparenza: validazione della Instagram Image Activity Scale e della Instagram Appearance Comparison Scale. *Psicologia della Salute* 3:109–128. <https://doi.org/10.3280/PDS2020-003005>
 7. Veldhuis J, Alleva JM, Bij de Vaate AJ, Keijer M, Konijn EA (2020) Me, my selfie, and I: The relations between selfie behaviors, body image, self-objectification, and self-esteem in young women. *Psychology of Popular Media* 9(1):3–13. <https://doi.org/10.1037/ppm0000206>
 8. Verrastro V, Liga F, Cuzzocrea F, Gugliandolo MC (2020) Fear the Instagram: beauty stereotypes, body image and Instagram use in a sample of male and female adolescents. *Qwerty-Open Interdisciplinary J Technol Culture Education* 15(1):31–49
 9. Tiggemann M, Slater A (2014) NetTweens: The internet and body image concerns in preteenage girls. *J Early Adolescence* 34(5):606–620. <https://doi.org/10.1177/0272431613501083>
 10. Rollero C, Daniele A, Tartaglia S (2019) Do men post and women view? The role of gender, personality and emotions in online social activity. *Cyberpsychol JPsychosocial Res Cyber-space*. <https://doi.org/10.5817/CP2019-1-1>
 11. Global Digital Report (2020). *Digital in 2020*. <https://wearesocial.com/global-digital-report-2020>
 12. Boursier V, Gioia F, Griffiths MD (2020) Selfie-engagement on social media: Pathological narcissism, positive expectation, and body objectification—Which is more influential? *Addictive Behaviors Reports* 11:100263. <https://doi.org/10.1016/j.abrep.2020.100263>
 13. Boursier V, Manna V (2018) Selfie expectancies among adolescents: Construction and validation of an instrument to assess expectancies toward selfies among boys and girls. *Front Psychol* 9:839. <https://doi.org/10.3389/fpsyg.2018.00839>
 14. Butkowski CP, Dixon TL, Weeks K (2019) Body surveillance on Instagram: examining the role of selfie feedback investment in young adult women's body image concerns. *Sex Roles* 81(5–6):385–397. <https://doi.org/10.1007/s11199-018-0993-6>
 15. Cohen R, Newton-John T, Slater A (2018) 'Selfie'-objectification: The role of selfies in self-objectification and disordered eating in young women. *Comput Hum Behav* 79:68–74. <https://doi.org/10.1016/j.chb.2017.10.027>
 16. Holland G, Tiggemann M (2016) A systematic review of the impact of the use of social networking sites on body image and disordered eating outcomes. *Body Image* 17(2):100–110. <https://doi.org/10.1016/j.bodyim.2016.02.008>
 17. Kuss DJ, Griffiths MD (2017) Social networking sites and addiction: Ten lessons learned. *Int J Environ Res Public Health* 14(3):311. <https://doi.org/10.3390/ijerph14030311>
 18. Tiggemann M, Slater A (2017) Facebook and body image concern in adolescent girls: A prospective study. *Int J Eat Disord* 50(1):80–83. <https://doi.org/10.1002/eat.22640>
 19. Ho SS, Lee EW, Liao Y (2016) Social network sites, friends, and celebrities: The roles of social comparison and celebrity involvement in adolescents' body image dissatisfaction. *Social Media Soc* 2(3):1–11
 20. Instagram (2021). *Instagram statistics*. <https://www.instagram.com/press/>
 21. Statista (2021). *Instagram dossier*. www.statista.com/study/21392/instagram-statista-dossier/
 22. Hendrickse J, Arpan LM, Clayton RB, Ridgway JL (2017) Instagram and college women's body image: Investigating the roles of appearance-related comparisons and intrasexual competition. *Comput Hum Behav* 74:92–100. <https://doi.org/10.1016/j.chb.2017.04.027>
 23. Caso D, Fabbriatore R, Muti F, Starace C (2019) Sessualizzazione e oggettivazione femminile su Instagram: Il ruolo delle influencer. *Psicologia Sociale* 14(3):441–463. <https://doi.org/10.1482/94944>
 24. Fardouly J, Willburger BK, Vartanian LR (2018) Instagram use and young women's body image concerns and self-objectification: Testing mediational pathways. *New Media Soc* 20(4):1380–1395. <https://doi.org/10.1177/1461444817694499>
 25. Brown Z, Tiggemann M (2016) Attractive celebrity and peer images on Instagram: Effect on women's mood and body image. *Body Image* 19(4):37–43. <https://doi.org/10.1016/j.bodyim.2016.08.007>
 26. Fardouly J, Vartanian LR (2015) Negative comparisons about one's appearance mediate the relationship between Facebook usage and body image concerns. *Body Image* 12(1):82–88. <https://doi.org/10.1016/j.bodyim.2014.10.004>
 27. Kleemans M, Daalmans S, Carbaat I, Anschütz D (2018) Picture perfect: The direct effect of manipulated Instagram photos on body image in adolescent girls. *Media Psychol* 21(1):93–110. <https://doi.org/10.1080/15213269.2016.1257392>
 28. Tiggemann M, Slater A (2013) NetGirls: The Internet, Facebook, and body image concern in adolescent girls. *Int J Eat Disord* 46(6):630–633. <https://doi.org/10.1002/eat.22141>
 29. Meier EP, Gray J (2014) Facebook photo activity associated with body image disturbance in adolescent girls. *Cyberpsychol Behav Soc Netw* 17(4):199–206. <https://doi.org/10.1089/cyber.2013.0305>
 30. Hunt MG, Marx R, Lipson C, Young J (2018) No more FOMO: Limiting social media decreases loneliness and depression. *J Soc Clin Psychol* 37(10):751–768. <https://doi.org/10.1521/jscp.2018.37.10.751>
 31. Wang JV, Rieder EA, Schoenberg E, Zachary CB, Saedi N (2019) Patient perception of beauty on social media: Professional and bioethical obligations in esthetics. *J Cosmet Dermatol* 19(5):1129–1130. <https://doi.org/10.1111/jocd.13118>
 32. Chen JY, Gardner JM, Chen SC, McMichael JR (2020) Instagram for dermatology education. *J Am Acad Dermatol* 83(4):1175. <https://doi.org/10.1016/j.jaad.2020.02.001>
 33. Tiggemann M, Anderberg I, Brown Z (2020) Uploading your best self: Selfie editing and body dissatisfaction. *Body Image* 33(2):175–182. <https://doi.org/10.1016/j.bodyim.2020.03.002>
 34. Rajanala S, Maymone MB, Vashi NA (2018) Selfies—living in the era of filtered photographs. *JAMA facial plastic surgery* 20(6):443–444. <https://doi.org/10.1001/jamafacial.2018.0486>
 35. Vendemia MA, DeAndrea DC (2018) The effects of viewing thin, sexualized selfies on Instagram: Investigating the role of image

- source and awareness of photo editing practices. *Body Image* 27(4):118–127. <https://doi.org/10.1016/j.bodyim.2018.08.013>
36. Maisel A, Waldman A, Furlan K, Weil A, Sacotte K, Lazaroff JM, Cartee TV (2018) Self-reported patient motivations for seeking cosmetic procedures. *JAMA Dermatol* 154(10):1167–1174. <https://doi.org/10.1001/jamadermatol.2018.2357>
 37. Martel J, Powell E, Murina A (2020) The effect of Instagram and photograph editing on seeking dermatologic care. *J Cosmet Dermatol* 19:2732–2735. <https://doi.org/10.1111/jocd.13456>
 38. Chen J, Ishii M, Bater KL, Darrach H, Liao D, Huynh PP, Ishii LE (2019) Association between the use of social media and photograph editing applications, self-esteem, and cosmetic surgery acceptance. *JAMA Facial Plastic Surgery* 21(5):361–367. <https://doi.org/10.1001/jamafacial.2019.0328>
 39. Walker CE, Krumhuber EG, Dayan S, Furnham A (2019) Effects of social media use on desire for cosmetic surgery among young women. *Curr Psychol*. <https://doi.org/10.1007/s12144-019-00282-1>
 40. Sarwer DB, Crerand CE (2004) Body image and cosmetic medical treatments. *Body Image* 1(1):99–111. [https://doi.org/10.1016/S1740-1445\(03\)00003-2](https://doi.org/10.1016/S1740-1445(03)00003-2)
 41. Lunde C (2013) Acceptance of cosmetic surgery, body appreciation, body ideal internalization, and fashion blog reading among late adolescents in Sweden. *Body Image* 10(4):632–635. <https://doi.org/10.1016/j.bodyim.2013.06.007>
 42. Menzel JE, Sperry SL, Small B, Thompson JK, Sarwer DB, Cash TF (2011) Internalization of appearance ideals and cosmetic surgery attitudes: A test of the tripartite influence model of body image. *Sex Roles* 65(7–8):469–477. <https://doi.org/10.1007/s11199-011-9983-7>
 43. Slevac J, Tiggemann M (2010) Attitudes toward cosmetic surgery in middle-aged women: Body image, aging anxiety, and the media. *Psychol Women Q* 34(1):65–74. <https://doi.org/10.1111/j.1471-6402.2009.01542.x>
 44. Rodgers R, Chabrol H, Paxton SJ (2011) An exploration of the tripartite influence model of body dissatisfaction and disordered eating among Australian and French college women. *Body Image* 8(2):208–215. <https://doi.org/10.1016/j.bodyim.2011.04.009>
 45. Stefanile C, Matera C, Pisani E, Zambrini I (2009) Insoddisfazione corporea in adolescenza: influenze di fattori bio-psico-sociali. *Psicologia della Salute* 2:51–65. <https://doi.org/10.3280/PDS2009-002004>
 46. Durkin SJ, Paxton SJ, Sorbello M (2007) An integrative model of the impact of exposure to idealized female images on adolescent girls' body satisfaction 1. *J Appl Soc Psychol* 37(5):1092–1117. <https://doi.org/10.1111/j.1559-1816.2007.00201.x>
 47. Matera C, Nerini A, Stefanile C (2013) The role of peer influence on girls' body dissatisfaction and dieting. *Eur Rev Appl Psychol* 63(2):67–74. <https://doi.org/10.1016/j.erap.2012.08.002>
 48. Scully M, Swords L, Nixon E (2020) Social comparisons on social media: Online appearance-related activity and body dissatisfaction in adolescent girls. *Irish J Psychol Med*. <https://doi.org/10.1017/ipm.2020.93>
 49. Pemppek TA, Yermolayeva YA, Calvert SL (2009) College students' social networking experiences on Facebook. *J Appl Dev Psychol* 30(3):227–238. <https://doi.org/10.1016/j.appdev.2008.12.010>
 50. Lee M, Lee HH (2020) Social media photo activity, internalization, appearance comparison, and body satisfaction: The moderating role of photo-editing behavior. *Comput Hum Behav* 114:106579. <https://doi.org/10.1016/j.chb.2020.106579>
 51. Festinger L (1954) A Theory of Social Comparison Processes. *Human Relations* 7:117–140. <https://doi.org/10.1177/001872675400700202>
 52. Prieler M, Choi J (2014) Broadening the scope of social media effect research on body image concerns. *Sex Roles* 71(11–12):378–388. <https://doi.org/10.1007/s11199-014-0406-4>
 53. Ricciardelli LA, McCabe MP (2001) Children's body image concerns and eating disturbance: A review of the literature. *Clin Psychol Rev* 21(3):325–344. [https://doi.org/10.1016/S0272-7358\(99\)00051-3](https://doi.org/10.1016/S0272-7358(99)00051-3)
 54. Saunders JF, Eaton AA (2018) Social comparisons in eating disorder recovery: Using PhotoVoice to capture the sociocultural influences on women's recovery. *Int J Eat Disord* 51(12):1361–1366. <https://doi.org/10.1002/eat.22978>
 55. Hahn SL, Bauer KW, Kaciroti N, Eisenberg D, Lipson SK, Sonnevile KR (2021) Relationships between patterns of weight-related self-monitoring and eating disorder symptomology among undergraduate and graduate students. *Int J Eat Disord* 54(4):595–605. <https://doi.org/10.1002/eat.23466>
 56. Chae J (2017) Virtual makeover: Selfie-taking and social media use increase selfie-editing frequency through social comparison. *Comput Hum Behav* 66:370–376. <https://doi.org/10.1016/j.chb.2016.10.007>
 57. Ridgway JL, Clayton RB (2016) Instagram unfiltered: Exploring associations of body image satisfaction, Instagram# selfie posting, and negative romantic relationship outcomes. *Cyberpsychol Behav Soc Netw* 19(1):2–7. <https://doi.org/10.1089/cyber.2015.0433>
 58. Sherlock M, Wagstaff DL (2019) Exploring the relationship between frequency of Instagram use, exposure to idealized images, and psychological well-being in women. *Psychol Pop Media Cult* 8(4):482–490. <https://doi.org/10.1037/ppm0000182>
 59. Mussweiler T, Rüter K, Epstude K (2006) The why, who, and how of social comparison: A social-cognition perspective. In: Guimond S (ed) *Social comparison and social psychology: Understanding cognition, intergroup relations, and culture*. Cambridge University Press, pp 33–54
 60. Fox J, Rooney MC (2015) The Dark Triad and trait self-objectification as predictors of men's use and self-presentation behaviors on social networking sites. *Personality Individ Differ* 76:161–165. <https://doi.org/10.1016/j.paid.2014.12.017>
 61. Seidman G (2013) Self-presentation and belonging on Facebook: How personality influences social media use and motivations. *Personality Individ Differ* 54(3):402–407. <https://doi.org/10.1016/j.paid.2012.10.009>
 62. Sun Q (2020) Selfie Editing and Consideration of Cosmetic Surgery Among Young Chinese Women: The Role of Self-Objectification and Facial Dissatisfaction. *Sex Roles*. <https://doi.org/10.1007/s11199-020-01191-5>
 63. Lonergan AR, Bussey K, Mond J, Brown O, Griffiths S, Murray SB, Mitchison D (2019) Me, my selfie, and I: The relationship between editing and posting selfies and body dissatisfaction in men and women. *Body Image* 28(1):39–43. <https://doi.org/10.1016/j.bodyim.2018.12.001>
 64. Mills JS, Musto S, Williams L, Tiggemann M (2018) “Selfie” harm: Effects on mood and body image in young women. *Body Image* 27(4):86–92. <https://doi.org/10.1016/j.bodyim.2018.08.007>
 65. Matera C, Nerini A, Stefanile C (2013) Assessing body dissatisfaction: validation of the Italian version of the body shape questionnaire-14 (BSQ-14). *Counseling* 6:235–244
 66. Dowson J, Henderson L (2001) The validity of a short version of the Body Shape Questionnaire. *Psychiatry Res* 102(3):263–271. [https://doi.org/10.1016/S0165-1781\(01\)00254-2](https://doi.org/10.1016/S0165-1781(01)00254-2)
 67. Stefanile C, Nerini A, Matera C (2014) The factor structure and psychometric properties of the Italian version of the acceptance of cosmetic surgery scale. *Body Image* 11(4):370–379. <https://doi.org/10.1016/j.bodyim.2014.06.005>

68. Henderson-King D, Henderson-King E (2005) Acceptance of cosmetic surgery: Scale development and validation. *Body Image* 2(2):137–149. <https://doi.org/10.1016/j.bodyim.2005.03.003>
69. Streiner DL (2005) Finding our way: an introduction to path analysis. *Can J Psychiatry* 50(2):115–122. <https://doi.org/10.1177/070674370505000207>
70. Rucker DD, Preacher KJ, Tormala ZL, Petty RE (2011) Mediation analysis in social psychology: current practices and new recommendations. *Soc Pers Psychol Compass* 5(6):359–371. <https://doi.org/10.1111/j.1751-9004.2011.00355.x>
71. Weston R, Gore PA (2006) A brief guide to structural equation modeling. *Counseling Psychologist* 34(5):719–751. <https://doi.org/10.1177/0011000006286345>
72. Hooper D, Coughlan J, Mullen M (2008) Structural equation modelling: guidelines for determining model fit. *Electron J Bus Res Methods* 6:53–60
73. West, S. G., Finch, J. F., & Curran, P. J. (1995). “Structural equation models with non-normal variables: problems and remedies” in *Structural equation modeling: Concepts, issues, and applications*. Ed. R. Hoyle (Thousand Oaks, CA: Sage), 56–75.
74. Preacher KJ, Hayes AF (2008) Asymptotic and resampling strategies for assessing and comparing indirect effects in multiple mediator models. *Behav Res Methods* 40(3):879–891. <https://doi.org/10.3758/BRM.40.3.879>
75. Suleymani S (2019) Futurities of beauty and the scalpel: Cosmetic surgeries and fatphobia in Iran. *Fat Stud* 9(3):204–219. <https://doi.org/10.1080/21604851.2019.1641396>
76. American Society for Aesthetic Plastic Surgery (ASAPS) (2019). Aesthetic Plastic Surgery National Databank. Statistics. www.surgery.org/sites/default/files/Aesthetic-Society_Stats2019Book_FINAL.pdf.
77. Bij de Vaate AJD, Veldhuis J, Allewa JM, Konijn EA, van Hugten CHM (2018) Show your best self(ie): An exploratory study on typical selfie-makers and their selfie-behavior. *Telematics Inform* 35(5):1392–1407. <https://doi.org/10.1016/j.tele.2018.03.010>
78. Yellowlees R, Dingemans AE, Veldhuis J, de Vaate AB (2019) Face yourself (ie): Investigating selfie-behavior in females with severe eating disorder symptoms. *Comput Hum Behav* 101:77–83. <https://doi.org/10.1016/j.chb.2019.07.018>
79. Chua THH, Chang L (2016) Follow me and like my beautiful selfies: Singapore teenage girls’ engagement in self-presentation and peer comparison on social media. *Comput Hum Behav* 55:190–197. <https://doi.org/10.1016/j.chb.2015.09.011>
80. Grogan S, Rothery L, Cole J, Hall M (2018) Posting selfies and body image in young adult women: The selfie paradox. *The Journal of Social Media in Society* 7(1):15–36
81. Ahadzadeh AS, Sharif SP, Ong FS (2017) Self-schema and self-discrepancy mediate the influence of Instagram usage on body image satisfaction among youth. *Comput Hum Behav* 68:8–16. <https://doi.org/10.1016/j.chb.2016.11.011>
82. Chou HTG, Edge N (2012) “They are happier and having better lives than I am”: the impact of using Facebook on perceptions of others’ lives. *Cyberpsychol Behav Soc Netw* 15(2):117–121. <https://doi.org/10.1089/cyber.2011.0324>
83. Hassim, N., Hasmadi, M. H. N., & Sharipudin, M. N. S. (2020). Social media or social comparison? An analysis of Instagram use among Malaysian youth. *Special Issue: The Sixth International Conference in Communication and Media – ICOME’18*, 33: 1-16
84. Myers TA, Crowther JH (2009) Social comparison as a predictor of body dissatisfaction: A meta-analytic review. *J Abnorm Psychol* 118(4):683–698. <https://doi.org/10.1037/a0016763>
85. Tiggemann M, Anderberg I (2019) Social media is not real: The effect of ‘Instagram vs reality’ images on women’s social comparison and body image. *New Media Soc* 22(12):2183–2199. <https://doi.org/10.1177/1461444819888720>
86. Funder, D. C., & Ozer, D. J (2019) Evaluating effect size in psychological research: Sense and nonsense. *Adv Methods Pract Psychol Sci* 2(2):156–168. <https://doi.org/10.1177/2515245919847202>
87. Altman JK, Zimmaro LA, Woodruff-Borden J (2017) Targeting body compassion in the treatment of body dissatisfaction: A case study. *Clin Case Stud* 16(6):431–445. <https://doi.org/10.1177/1534650117731155>
88. Cohen R, Fardouly J, Newton-John T, Slater A (2019) # BoPo on Instagram: An experimental investigation of the effects of viewing body positive content on young women’s mood and body image. *New Media Soc* 21(7):1546–1564. <https://doi.org/10.1177/1461444819826530>
89. Brunton G, Paraskeva N, Caird J, Bird KS, Kavanagh J, Kwan I, Thomas J (2014) Psychosocial predictors, assessment, and outcomes of cosmetic procedures: a systematic rapid evidence assessment. *Aesthetic Plast Surg* 38(5):1030–1040. <https://doi.org/10.1007/s00266-014-0369-4>
90. Mulkens S, Bos AE, Uleman R, Muris P, Mayer B, Velthuis P (2012) Psychopathology symptoms in a sample of female cosmetic surgery patients. *J Plast Reconstr Aesthet Surg* 65(3):321–327. <https://doi.org/10.1016/j.bjps.2011.09.038>
91. Sarwer DB (2019) Body image, cosmetic surgery, and minimally invasive treatments. *Body Image* 31(4):302–308. <https://doi.org/10.1016/j.bodyim.2019.01.009>
92. Sobanko JF, Dai J, Gelfand JM, Sarwer DB, Percec I (2018) Prospective cohort study investigating changes in body image, quality of life, and self-esteem following minimally invasive cosmetic procedures. *Dermatol Surg* 44(8):1121–1128. <https://doi.org/10.1097/DSS.0000000000001523>

Publisher’s Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.