# Differentiation of Campylobacter fetus Subspecies by Proteotyping

## Matthias F. Emele<sup>1</sup>, Matti Karg<sup>1</sup>, Helmut Hotzel<sup>2</sup>, Linda Graaf-van Bloois<sup>3,4</sup>, Uwe Groß<sup>1</sup>, Oliver Bader<sup>1</sup> and Andreas E. Zautner<sup>1\*</sup>

<sup>1</sup>Institut für Medizinische Mikrobiologie, Universitätsmedizin Göttingen, Göttingen, Germany

<sup>2</sup>Institut für bakterielle Infektionen und Zoonosen, Friedrich-Loeffler-Institut Bundesforschungsinstitut für Tiergesundheit,

Jena, Germany

<sup>3</sup>Department of Infectious Diseases and Immunology, Faculty of Veterinary Medicine, Utrecht University, The Netherlands <sup>4</sup>WHO Collaborating Center for Campylobacter/OIE Reference Laboratory for Campylobacteriosis, Utrecht, The Netherlands

Received: 19 March 2019; accepted: 29 March 2019

*Campylobacter fetus* is a causative agent of intestinal illness and, occasionally, severe systemic infections and meningitis. *C. fetus* currently comprises three subspecies: *C. fetus* subspecies *fetus* (*Cff*), *C. fetus* subspecies *venerealis* (*Cfv*), and *C. fetus* subspecies *testudinum* (*Cft*). *Cff* and *Cfv* are primarily associated with mammals whereas *Cft* is associated with reptiles.

To offer an alternative to laborious sequence-based techniques such as multilocus sequence typing (MLST) and polymerase chain reaction (PCR)-ribotyping for this species, the purpose of the study was to develop a typing scheme based on proteotyping.

In total, 41 representative *C. fetus* strains were analyzed by intact cell mass spectrometry and compared to MLST results. Biomarkers detected in the mass spectrum of *C. fetus* subsp. *fetus* reference strain LMG 6442 (NCTC 10842) as well as corresponding isoforms were associated with the respective amino acid sequences and added to the *C. fetus* proteotyping scheme.

In combination, the 9 identified biomarkers allow the differentiation of Cft subspecies strains from Cff and Cfv subspecies strains. Biomarkers to distinguish between Cff and Cfv were not found. The results of the study show the potential of proteotyping to differentiate different subspecies, but also the limitations of the method.

Keywords: MALDI-TOF MS, Campylobacter fetus, below species differentiation, ICMS, proteotyping, MLST

## Introduction

Campylobacter spp. can cause gastrointestinal and extra-intestinal infections [1]. Although the majority of cases (>90%) of intestinal campylobacteriosis are caused by Campylobacter jejuni and Campylobacter coli, a small number of these cases are also caused by Campylobacter fetus [2-5]. Among these, C. fetus is the most common cause of Campylobacter bacteremia. The frequency of detection in blood cultures varies between 19% and 53% [6-8] of all campylobacterioses. The reported case fatality rate of invasive C. fetus infections is at 14% [9]. Due to the high incidence rate of campylobacteriosis worldwide, this shows that C. fetus infections occur frequently and have the potential to become a significant public health issue. However, relatively little is known about the infection sources and the people at risk, so far. Most reported C. fetus infections were observed in AIDS patients and other immunocompromised individuals [1, 10].

*C. fetus* is a Gram-negative, microaerophilic bacterium, growing between 25 °C and 37 °C. Clinical symptoms of human *C. fetus* infection vary from acute diarrhea to systemic illness [11, 12], and the presentation of these symptoms depends on localization of the disseminated pathogen. Septicemia with fever, but without apparent localized infection, for example, is reported in 24% to 41% of cases [7, 9]. Other manifestations can be the result of neurological infections (i.e., meningoen-

\*Author for correspondence: Universitätsmedizin Göttingen, Institut für Medizinische Mikrobiologie, Kreuzbergring 57, D-37075 Göttingen, Germany; Phone: +49-551-398549; Fax: +49-551-395861; E-mail: azautne@gwdg.de. cephalitis, meningitis, or brain abscesses), arthritis, lung abscesses, osteomyelitis, and perinatal infections (i.e., abortion, infection in utero, or placentitis) [12]. Furthermore, *C. fetus* infections may also cause vascular pathology (i.e., endocarditis, pericarditis, vasculitis, and mycotic aneurysms) [13].

Currently, 3 subspecies of C. fetus are known. These are C. fetus subspecies fetus (Cff), C. fetus subspecies venerealis (Cfv), and C. fetus subspecies testudinum (Cft). For Cfv, also the biovar intermedius (Cfvi) has been identified in previous studies [14, 15]. Subspecies Cff and Cfv are primarily associated with mammals [13, 14], whereas the third subspecies Cft is associated with reptiles [15, 16]. Cff and Cfv are genetically very closely related [17, 18] but differ in host adaption. Cff can cause sporadic infections in humans and abortion in sheep and cattle and can be isolated from different sites in different hosts [19]. Occurrence of Cfv is restricted to the genital tract of cattle and is furthermore responsible for bovine genital campylobacteriosis (BGC). This syndrome is characterized by fertility problems in cattle [20]. Previous studies have demonstrated a substantial genetic divergence between strains of reptile and mammal origins [21, 22], and molecular and phenotypic characterization of human cases and 3 reptiles identified a new subspecies and proposed the name C. fetus subsp. testudinum subsp. nov. [15, 23].

In recent years, intact cell matrix-assisted laser desorption/ ionization time-of-flight (MALDI-TOF) mass spectrometry (ICMS) became a standard method for microbial species identification in clinical diagnostic laboratories [24, 25]. MALDI-TOF mass spectrometry (MS) also offers the opportunity to classify unknown bacterial isolates by identifying

This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (https://creativecommons.org/licenses/by-nc/4.0/), which permits unrestricted use, distribution, and reproduction in any medium for non-commercial purposes, provided the original author and source are credited, a link to the CC License is provided, and changes - if any - are indicated.

similarities in mass spectra of unknown bacteria and biomarkers in existing databases, a procedure referred to as phyloproteomics [26]. Typing methods, which are based on mass spectrometric analysis, are generally known as



**Figure 1.** Illustration of the different proteotyping steps. 1) Recording of the ICMS mass spectra of the *C. fetus* test cohort and reference strain *Cff* LMG 6442 (NCTC 10842). 2) Establishment of a *C. fetus*-specific allelic isoform list by blasting the genome sequences obtained from the NCBI database against the genome of the *C. fetus* reference strain. Subsequently, allelic isoforms in the test cohort are identified by comparing with the newly established allelic isoform list. 3) For each strain in the test cohort, a specific set of biomarker isoforms is obtained. Subsequently the amino acid sequences of the biomarkers are fused into a single sequence that results in specific proteotyping-based sequence type for each of the strains and allows the calculation of an proteotyping-derived taxonomic dendrogram

## Proteotyping of Campylobacter fetus Subspecies

proteotyping [27] and have previously been used for characterization of microbial communities, tissues, individual proteins, viruses, and bacteria for several years now [28–31]. Among clinically relevant bacteria *Salmonella* serotypes, *Clostridioides difficile* polymerase chain reaction (PCR) ribotypes and methicillin-resistant *Staphylococcus aureus* lineages have been shown to be detectable by proteotyping, to name just a few [32–34].

Previous studies of our working group demonstrated the potential of bacterial subtyping on Campylobacter species in the clinical context, as it was possible to differentiate clinically relevant from clinically less relevant subgroups (Figure 1) [35-39]. At the heart of our approach is a list of allelic isoforms that resulted from non-synonymous mutations and posttranslational modifications in biomarker gene sequences, which are detectable as mass shifts in MALDI-TOF spectra. In this way, a combination of amino-acid sequences specific for each of the isolates to be typed can be derived, in a similar manner as for multilocus sequence typing (MLST). By using proteotyping, only the changes in mass associated with a certain set of allelic isoforms of the same protein are taken into account for the derivation of phylogeny, whereas the visibility or absence of particular masses, as well as their intensity, is not considered. This improves the measurement accuracy, wherefore ICMS is a very promising subtyping approach and a realistic alternative to currently used sequence-based techniques [37].

The goal of this study was to complete the set of typing schemes for clinically relevant *Campylobacter* species by

developing a *C. fetus*-specific proteotyping scheme. A set of 41 *C. fetus* isolates covering all currently known subspecies of *C. fetus* was used. All isolates were characterized by proteotyping and MLST, followed by the deduction of the phylogenetic relations.

## **Materials and Methods**

C. fetus Isolates. The test cohort was compiled in way that all subspecies of the bacterial species were represented. In total, 41 C. fetus isolates were included in our study: 20 Cff, 11 Cfv, 7 Cft, and 3 Cfvi isolates (Table 1). The isolates were of different biological origins, namely, preputial washing of cattle (4 Cff, 7 Cfv), vaginal mucus of cattle (2 Cfv), fetuses of cattle (2 Cfv), cattle (not further specified, 3 Cfv), bovine sperm (1 Cff), bull genitals (1 Cff), calf fetus (2 Cff), intestinal content of a calf (1 Cff), intestinal content of a pig (1 Cff), fetus brain of a sheep (1Cff), reptile cloak swab (3 Cft), human blood culture (7 Cff, 4 Cft), and 2 Cff strains of unknown origin. Animal isolates were provided by the Friedrich-Loeffler-Institut Bundesforschungsinstitut für Tiergesundheit, Jena, Germany. The following strains were received from the Belgian coordinated collections of microorganisms (BCCM; http://bccm.belspo.be/about-us/bccm-lmg): (Cfv), LMG6442 (Cff), LMG6570 (Cfv), LMG6443 LMG27499 (Cft), LMG06569 (Cff), LMG06571 (Cff), and LMG06727 (Cff). Human blood culture isolates were provided by the routine diagnostic laboratory of the University Medical Center, Göttingen, Germany (Table 1).

Isolate Origin Region Date Other strain designations MLST-ST Cfv0018 28.04.2009 Preputial washing Lower-Saxony 4 Cfv145/05 Preputial washing S-Bavaria 02.08.2005 4 Cfv0114 Vaginal sample cattle Lower-Saxony 19.12.2006 4 Cfv151/05 Preputial washing S-Bavaria 10.08.2005 4 Čfv93/05 Preputial washing Thuringia 10.05.2005 6 *Cff*94/05 12.05.2005 Preputial washing Thuringia 6 Cfvi 96/05 Preputial washing Thuringia 12.05.2005 4 Cff225/04 Fetus calf Thuringia 16.12.2004 3 Cff512/99 Calf intestinal content Thuringia 24.09.1999 5 Cfv63/05 Preputial washing 6.03.2005 4 N-Bavaria 4 Cfv11/05 21 01 2005 Preputial washing N-Bavaria CfvBS122/05 4 Fetus, cattle Baden-W. 14.06.2005 Cfv07BS0007 Preputial washing Baden-W. 26.09.2007 4 Cfv134/65 Fetus cattle S-Bavaria 12.07.2005 4 2 Cff201/05 23.11.2005 Thuringia *Cff*91/05 6 Preputial washing Thuringia 12.05.2005 Cff155/60s Preputial washing Baden-W. 07.09.2006 6 Cff222/04 Bovine sperm 16.12.2004 2 Saxony *Cff*45361 Human blood culture Germany 3 Cff169361 Human blood culture 3 Germany Čff148/5361 Human blood culture 3 Germany CfvLMG6443 United Kingdom 1962 ATCC 19438; CCUG 538; Cow, vaginal mucus 4 CIP 68.29; JCM 2528; NCDO 1876; NCTC 10354; Park X/161/5 1972 ATCC 27374; CCTM La3023; 3 CffLMG6442 Sheep fetus brain Sweden, Göteborg CCUG 6823A; CECT 564; CIP 53.96; JCM 2527; LMG 8849; NCTC 10842; NIAH 1049; Vinzent strain Mouton 1 CfvLMG6570 1985 CCUG 7477; CIP 53.105; 4 Cattle Belgium Florent 483; NIDO 483 Cff71721 Human blood culture Germany, Duderstadt 2016 3 Cff82014 Human blood culture Germany, Herzberg am Harz 2015 68 CftLMG27499 2003 ATCC BAA-2539; Blaser 03-427 Human blood culture USA New York 15 CffLMG06569 Calf fetus 1985 CCUG 17693; CIP 68.8; Belgium 11 Florent 7572; NIDO 7572 CffLMG06571 Bull genitals Belgium 1985 CCUG 17694; De Keyser 2125/4; 3 NIDO 2125/4 CffLMG06727 1985 CCUG 17695A; LMG 6628 t1 2 Belgium

Table 1. List of C. fetus isolates used in the study

**Bacterial Culture Conditions.** *C. fetus* isolates used in the experiments were kept as cryobank stocks (Mast Diagnostica, Reinfeld, Germany) at -80 °C. For the subsequent MALDI-TOF MS analysis, the isolates were incubated under microaerophilic conditions (5% O<sub>2</sub>, 10% CO<sub>2</sub>, and 85% N<sub>2</sub>) in Mueller–Hinton agar supplemented with horse blood at 37 °C for 2–3 days.

**Preparation of Matrix Solution.** As part of the measurement preparation  $\alpha$ -cyano-4-hydroxy-cinnamic acid (HCCA) purified matrix substance (Bruker Daltonics, Bremen, Germany) was dissolved in standard solvent (acetonitrile 50%, trifluoroacetic acid 2.5% in ddH<sub>2</sub>O) to 10 mg HCCA/mL. Purified recombinant human insulin (Sigma-Aldrich, Taufkirchen, Germany) was added to the HCCA solution as an internal calibrant to a final concentration of 10 pg/µL. The exact mass of the internal calibrant was experimentally determined (m/z = 5806.1) with reference to the Bruker Test Standard (BTS). The calibrant did not overlap with any of the biomarker masses of interest and allowed a very precise internal mass calibration of the spectra.

**Table 2.** Theoretical biomarker masses predicted by the genome sequence of *C. fetus* reference strain LMG 6442 (NCTC 10842) under consideration of possible posttranslational modifications

Biomarker	[-Met	[-Met	[-Met + PO4	$[M + H^{+}]$	$[fM + H^+]$
	$M + H^+$ ]	$mM + H^+$ ]	$M + H^+$ ]		
L36	4197	4211	4277	4332	4360
L34	5083	5097	5163	5218	5246
L32-M	5527	5541	5607	5662	5690
L33-M	6202	6216	6282	6337	6365
S14-M	6725	6739	6805	6860	6888
L29	6759	6773	6839	6894	6922
L24-M	8023	8037	8103	8158	8186
S20-M	9738	9752	9818	9873	9901
S19-M	10,274	10,288	10,354	10,409	10,437
	· · · +1			. 1.0	

 $[-Met mM + H^+] = methylated mass - demethioninated form.$ 

 $[-Met +PO4 M + H^+] = phosphorylated mass - demethioninated form.$  $[M + H^+] = unmodified mass.$ 

 $[fM + H^{+}] = formylated mass.$ 

**MALDI-TOF Mass Spectrometry.** To prepare samples for the measurements, 2 different variants were used: smear preparation and formic acid/acetonitrile extraction. Smear preparation by experience yields clearer peaks in the m/z range <10,000 Da, whereas the extraction variant allows more precise analysis in the field >10,000 Da [39].

The samples for the measurements were prepared as described before [37, 39]. In the measurement process, 600 spectra (mass range 2 to 20 kDa) were obtained in 100-shot steps on an Autoflex III system and summed up. If the MALDI Biotyper (Database release 2016) identification score values were  $\geq$ 2.00, they were considered correct.

**Identification of Biomarkers in ICMS Spectra.** The obtained mass spectra were analyzed by standard algorithms of FlexAnalysis (Bruker Daltonics, Bremen, Germany). Initially, spectra were internally calibrated to the spiked human insulin peak. Subsequently, the baseline was subtracted, and the spectra were smoothened (standard MBT method).

For determination of the theoretical average weight of the amino acid sequences corresponding to the respective open reading frames of ribosomal proteins, the amino acid sequences were uploaded one by one to the ExPASy Bioinformatics Resource Portal (https://web.expasy.org/compute\_pi/), where a molecular weight calculator tool is provided.

Proteins used for previous proteotyping schemes sometimes underwent posttranslational modifications [40, 41]; therefore, further molecular weights were calculated for each biomarker, taking into account potential proteolytic removal of the *N*-terminal methionine (-131.04 Da), acetylation, phosphorylation, formylation, and methylation (Table 2).

Biomarker masses observed in the reference genome of reference strain LMG 6442 (NCTC 10842) (Figure 2) were matched to the calculated masses. In contrast, biomarker masses are observed in the spectrum of clinical isolates, which could not be assigned to the calculated masses from the



Figure 2. ICMS spectrum of *C. fetus* subsp. *fetus* reference strain LMG 6442 (NCTC 10842). Singularly charged biomarkers that were part of the *C. fetus* proteotyping scheme labeled with a black arrow or, in the case of an *N*-terminal methionine cleavage (posttranslational modification) with a red arrow. Multiple charged ions are not marked in this illustration

Table 3. Primers used for sequencing of C. fetus genes coding for ribosomal proteins included in the proteotyping scheme

Biomarker	Gene	Forward primer $[5' \rightarrow 3']$	Reverse primer [5'→3']	Amplicon length [bp]
L36	RpmJ	CGGGTGATCGCGTTAAAGTT	TACGAATCGCAGCAGCTTCA	522
L34	RpmH	AGTTATGCCGCAAACACCTAT	TTTTCAAGCCCTGCTTTTGCT	699
L32-M	RpmF	ACCACTATTGTGATAGATGCGGT	ACATCAGTAGCACTTTCTCCCA	596
L33-M	RpmG	CCCAGTTGCACTTGAAGAAGG	ACGATCGCTACAACAGCAAAT	539
S14-M	RpsN	AGGACTTCCGTGGTCTTCCA	ACGCTTCTACCACGTTCGTC	624
L29	RpmC	CGCCAGATAGAATCAGCTCGT	GCGGAAGCTTTTTCTAGCAC	701
L24-M	RplX	TTTGACGAAAATGCAGCCGT	ACTGGGAAGCCTTCACGAAC	621
S20-M	RpsT	TTCTCCGGCTCTGCCTCTAA	GCGAGTTCGCCTAGTTCTGG	736
S19	RpsS	GGGCAAACGTAACTATCGGC	GAACAGGACCGGCATCTACT	752

*C. fetus* reference genome, and the spectra were considered as novel isoforms of the particular biomarker.

For each isolate of the *C. fetus* test cohort, all biomarker genes were amplified by PCR using primers listed in Table 3, and the amplicon was sequenced (Microsynth Seqlab, Göttingen, Germany). To confirm the respective allelic isoforms, the gene sequences obtained from the amplicons were translated in silico, and the amino acid sequences were subsequently aligned.

**Multilocus Sequence Typing (MLST).** For MLST, a procedure modified from the original typing schemes was used [18, 23]. In brief, the annealing temperature of the PCR was decreased from 48 °C to 47 °C, and the *glyA2* oligonucleotide primer for the amplification of the *glyA* locus was replaced with the primer *glyS4* [18]. After concatenating of the MLST gene sequences for each strain, the software MEGA X was also used to construct an MLST-based UPGMA dendrogram [42].

**Phylogenetic and Phyloproteomic Analyses.** An amino acid sequence list of all allelic isoforms of the 9 identified biomarkers was compiled (Table 4). GenBank accession numbers for the biomarker sequences observed in this study are listed in Table 5.

To analyze the biomarkers' protein sequences translated from the National Center for Biotechnology Information (NCBI) nucleotide database (Geneious V10.1.3) they were concatenated for each strain and an unweighted pair group method with arithmetic mean (UPGMA) dendrogram (MEGA X) was constructed [42].

**Ethical Approval.** Ethical approval for the study was obtained from Ethics Commission of the University Medical Center Göttingen, Germany. No humans, animals, or personalized data were used for this study.

## **Results and Discussion**

In 2015, our working group set up a new proteotyping workflow for the proteotyping of microorganisms (Figure 1) [37]. Now, the established procedure was used to develop a C. fetus-specific proteotyping scheme. According to the standard workflow, masses emerging in the mass spectrum of the genome sequenced Cff reference strain LMG 6442 (NCTC 10842) were analyzed, and MS biomarker ions were related with gene products consistent with the observed mass. By evaluating the 67 C. fetus nucleotide sequences available in the NCBI database, a collection of allelic isoforms for all biomarkers observed in the reference spectrum was set up (Table 4). In accordance with the established proteotyping procedure, mass spectra of all strains included in the test cohort were recorded. Subsequently, spectra were edited (baseline subtraction and smoothing) and overlaid with the spectrum of Cff reference strain LMG 6442 (NCTC 10842). Recorded biomarker masses were matched with the calculated average protein masses, and mass shifts in relation to the masses of the references strain were analyzed. After

concatenation of amino acid sequences of the biomarkers included in the *C. fetus* typing scheme, a UPGMA tree based on these strain-specific proteotyping-based types was calculated.

Identification of Biomarker Ions. In total, the analysis based on the genome of Cff reference strain LMG 6442 (NCTC 10842) yielded nine, single charged biomarker masses between m/z = 4300 and 10,300, which were presumptively correlated with a specific gene product. To provide reliable statements on reproducibility of our measurements, the standard deviation was calculated on the basis of 6 measurements. The highest standard deviation (0.959) was observed for isoform 1 of biomarker S20-M, whereas the lowest standard deviation (0.271) was observed for isoform 5 of biomarker L33-M (Table 6). The following biomarkers were identified: L36 (4331.35 Da), L34 (4217.26 Da), L32-M (5530.47 Da), L33-M (6205.31 Da), S14-M (6728.11 Da), L29 (6893.22 Da), L24-M (8026.59 Da), S20-M (9741.33 Da), and S19-M (10,277.10 Da). De-methionation was observed for biomarkers L32-M, L33-M, S14-M, L24-M, S19-M, and S20-M (Table 2, Figures 2 & 3). In the case of MLST, the established markers are distributed over the whole genome of the reference strain. As the biomarkers identified in this study show a comparable distribution, they were suitable for the deduction of phylogenetic relations.

Comparing *C. fetus* proteotyping biomarkers to biomarkers identified within the context of *C. jejuni* subsp. *jejuni*, *C. jejuni* subsp. *doylei*, and *C. coli* proteotyping [37–39], several differences can be noted: In the case of *C. jejuni* subsp. *jejuni*, 19 biomarkers were identified and associated with the respective peak in the ICMS spectrum, whereas less than half (9) were found for *C. fetus*. Furthermore, biomarker L33 lacked *N*-terminal methionine in the case of *C. fetus* (L33-M) but it was present in *C. jejuni* subsp. *jejuni*, *C. jejuni* subsp. *doylei*, and *C. coli*. These observations confirm the results published by Fagerquist et al., in which posttranslational modification patterns are microbial species-specific. Within the isolate collection, biomarker mass shifts were observed in 7 out of 9 biomarkers [43].

Establishment of an Allelic Isoform Database. Following the identification of biomarker ions, an amino acid sequence isoform list for each of the biomarkers identified in the previous step was compiled. In this context, we analyzed the 67 *C. fetus* genome sequences that can be found on NCBI. The number of identified isoforms for the respective biomarker varied. The highest number was 6, whereas 1 biomarker showed just a single isoform. Differences were also observed regarding frequency of occurrence; whereas some isoforms occurred in >99% of the cases, other isoforms were only found once. Regarding single occurrence of isoforms, a sequencing error is possible. Except for biomarker L36, all identified biomarkers showed at least 3 different isoforms, demonstrating their suitability in the *C. fetus* subtyping context.

Table 4	• C.	<i>fetus-</i> sp	ecific	allelic	isoform	list

Locus	Full name/product	Calc. average mass [Da]		Frequency in database	
	(ORF Locus tag in LMG 6442)				
~	RpmJ/L36				
Sequence	MKVRPSVKKMCDKCKIVKRKGIVHVICENPKHKQF	A221 25	$\pm 0.00$	100 0009/ (67/67)	
RpmH/L34	reference isololili Elvio 0442 (NCTC 10042)	4551.55	+0.00	100.00078 (07/07)	
Sequence	MKRTYQPHKTPKKRTHGFRGRMKTKNGRKVINARRAKO	RKRLAA (44	4aa)		
$1^a$	reference isoform LMG 6442 (NCTC 10842)	5217.26	$\pm 0.00$	47.761% (32/67)	
2"	MKRTYQPHKTPKKRTHGFRERMKTKNGRKVINARRAKGRKRLAA(44aa)	5289.32	+72.06 +100.07	32.836% (22/67)	
S RpmF/L32-M	MIKTI YQPHKIPKKKI HOFKEKMIKI KNORK VLNARKAKOKKKLAA(44aa)	3317.33	+100.07	19.405% (15/07)	
Sequence	(M)AVPKRRVSHTRAAKRRTHYKVTLPMPVKDKDGSV TTGEY <sup>a</sup> (48aa)	/KMPHRINK			
$1^a$	reference isoform LMG 6442 (NCTC 10842)	5530.47	$\pm 0.00$	77.941% (53/68)	
2	(M)AVPKRRVSHTRAAKRRTHYKVTLPMPVKDKDGSWKMPHRMNKTTGEY (48aa)	5548.50	+18.03	17.647% (12/68)	
3	(M)AVPKRRVSHTRAAKRRTHYKVTLPMPVKDKDGSWKMPHRINKITGEY (48aa)	5542.52	+12.05	1.471% (1/68)	
4	(M)AVPKKVSHIKAAKCKIHYKVILPMPVKDKDGSWKMPHKINKIIGEY (48aa) (M)AVPKRIVSHTRAAKRTHYKVTIPMPVKNKDGSWKMPHRINKTTGEY (48aa)	5477.42	-55.05 -44.02	1.4/1% (1/68) 1.471% (1/68)	
6 <sup><i>a</i></sup>	(M)AVPKRRVSHTRAAKRRTHYKITLPMPVKDKDGSWKMPHRINKTTGEY (48aa)	5544.49	+14.02	New sequence	
RpmG/L33-M				1	
Sequence	(M)ASANRVKIGLKCAECNDINYTTTKNSKTTTEKLELK	KYCPRLKKI	H		
1 <i>a</i>	IVHKEVKLK (558a) reference isoform IMG 6442 (NICTC 10842)	6205 31	+0.00	46 970% (31/66)	
2	(M)ASANRIKIGLKCVECGDINYTTTKNSKKTTEKLELKKYCPRLKKHTEHKEVKLK	6247.39	+42.08	18.182% (12/66)	
	(55aa)				
3 <sup><i>a</i></sup>	(M)ASANRVKIGLKCAECNDINYTTTKNSKKTTEKLELKKYCPRLKKHTVHKEVKLK	6232.38	+27.07	33.333% (22/66)	
4	(55aa) (M)ASVNRIKIGLKCVECGDINYTTTKNSKKTTEKLELKKYCPRLKKHTEHKEVKLK	6275.44	+70.13	1.515% (1/66)	
5 <sup><i>a</i></sup>	(DDASANRVKIGI KCAFCNDINYTTKNSKTTTEKSEI KKVCPRI KKHTVHKEVKI K	6179 23	-26.08	New sequence	
5	(19) ASTANCE REPORT OF A DEALER AND A THE ASTAN AND ASTAN AND A THE ASTAN AND AS	0179.25	20.00	ivew sequence	
RpsN/S14-M					
Sequence	(M)AKKSMIAKAARKPKFSARGYTRCQICGRPHSVYKD	FGICRVCLR	K		
1 <i>a</i>	MANEGLIPOLKKASW (0188) reference isoform I MG 6442 (NCTC 10842)	6728 11	+0.00	80 303% (53/66)	
2	(M)AKKSMIAKAARKPKFSVRGYTRCQICGRPHSVYKDFGICRVCLRKMANEGLIP	6756.16	+28.05	3.030% (2/66)	
	GLKKASW (61aa)			· · · · ·	
3	(M)AKKSMIAKAARAPKFSSRGYTRCQICGRPHSVYKDFGICRVCLRKMANEGLIP	6687.01	+41.10	16.667% (11/66)	
RamC/L 20	GLKKASW (61aa)				
Sequence	MKYIDISAKSMSELNALLKEKKVLLFTLROKLKTMOLTNPNEIGETK	KDIARINTA	ISAAK (61aa	1)	
$1^a$	reference isoform LMG 6442 (NCTC 10842)	6893.22	±0.00	47.761% (32/67)	
2	MKYTEISAKSVSELTALLKEKKVLLFTLRQKLKTMQLTNPNEIRDTKKEIARINTAI	6949.27	+56.05	19.403% (13/67)	
$2^a$	SAAK (61aa) Mevidisa esisel nali leeveviletti dovletmoi tudneiddtevela dinta i	6074 22	191 10	22 8260/ (22/67)	
3	SAAK(61aa)	09/4.52	+81.10	52.850% (22/07)	
RplX/L24-M	2 ( )				
Sequence	(M)AVKYKIKKGDEVKVIAGDDKGKVAKVIAVLPKKGQ	VIVEGVKVA	K		
1 <i>a</i>	KAVKPTEKNPNGGFISKEMPIDISNVAKVEG (7	7aa)	0.00	47 7510/ (22/67)	
2	(M)AIKYKIKKGDEVKVIAGDDKGKVAKVI.AVI.PKKGOVIVEGVKVAKKAVKPTD	8026.59	$\pm 0.00$ -14.03	47.751% (32/67)	
2	KNPNGGFVSKEMPIDISNVAKVEG (77aa)	0012.00	11.05	11.91070 (12/07)	
3 <sup><i>a</i></sup>	(M)AVKYKIKKGDEVKVIAGDDKGKVAKVIAVLPKKGQVIVEGVKVAKKAVKPTD	8012.56	-14.03	32.836% (22/67)	
4	KNPNGGFISKEMPIDISNVAKVEG (77aa)	80.42 50	16.00	1 4020/ (1/(7)	
4	(M)AIKY KIKKUDE V KVIAGDDKGKVAK V LAV LPKKUQ VIV EGIKVAKKAV KP I D KNPNGGFVSK FMPIDISNVSK VEG (77aa)	8042.59	$\pm 16.00$	1.493% (1/07)	
RpsT/S20-M					
Sequence	(M)ANHKSAEKRARQTIKRTERNRFYRTRLKNLTKAVRV	AVASGDKD	A		
19	ALVALKDANKNFHSFVSKGFLKKETASRKVSRLAKLV	STLAA (88aa)	)	49.5000/ (22/(9)	
2	(M)ANHKSAFKRAROTIKRTERNREVRTRI KNI TKAVRVAVANGDKDAALLALKD	9/41.33	$\pm 0.00$ $\pm 69.10$	48.529% (55/08)	
2	VNKNFHSFVSKGFLKKETASRKVSRLAKLVSTLAA (88aa)	9010.45	09.10	10.17070 (11/00)	
3	(M)ANHKSAEKRARQTIKRTERNRFYRTRLKNLTKAVRVAVANGDKDAALLALKD	9809.49	+68.14	1.471% (1/68)	
40	VNKNFHSFVSKGFLKKKTASRKVSRLAKLVSTLAA (88aa)	0012 42	. 72 10	22.2528/ (22/(2))	
4"	(M)ANHKSAEKKAKQIIKKIEKNKFYKIKLKNLIKAVKVAVISGDKDAALLALKD	9813.43	+/2.10	32.353% (22/68)	
5	(M)ANHKSAEKRAROTIKRTERNRFYRTRLKNLTKAVRVAVANGDKDAALLALKD	9780.41	+39.08	1.471% (1/68)	
	VNKNFHSFVSKGFLKKETASRKVGRLAKLVSTLAA (88aa)				
RpsS/S19-M					
Sequence	(M)ARSLKKGPFVDDHVMKKVLAAKAANDNKPIKTWSR	RSMIIPEMIC	ilt		
1 <i>a</i>	reference isoform LMG 6442 (NCTC 10842)	$102.77 \ 10$	$\pm 0.00$	47 761% (32/67)	
2	(M)ARSLKKGPFVDDHVMKKVLAAKAANDNKPIKTWSRRSTIIPEMIGLTFNVHNG	10277.04	-0.06	14.925% (10/67)	
	KSFIPVYVTENHIGYKLGEFAPTRTFKGHKGSVQKKIGK (93aa)				
$3^{a}$	(M)ARSLKKGPFVDDHVMKKVLAAKAANDNKPIKTWSRRSMIIPEMIGLTFNVHNG	10307.12	+30.02	32.836% (22/67)	
4	KSFIPVIVIENDIGI KLUEPAPIKIPKUHKUSVQKKIUK (9300) (M)ARSI KKGPFVDDHVMEKVI AAKATNDNKPIKTWSRRSTIIPFMIGI TENVING	10308.00	+30.90	4 478% (3/67)	
•	KSFIPVYVTENHIGYKLGEFAPTRTFKGHKGSVQKKIGK (93aa)	10200.00	. 50.70	1.17070 (5/07)	
<sup>a</sup> Observed	in test population AA numbering including start-methionine, if mass spectrometry indicates its	absence it is	written in bra	ckets (M).	

Table 5. Accession numbers of C. fetus-specific proteotyping biomarker isoforms

Biomarker Isoform		Isoform Gene Bank Accession		Protein ID	
L36	1	MK463617			
L34	1	CP000487.1:557520-557,654	CFF8240 0551	ABK82017.1	
L34	2	CP027287.1:608973-609,107	C6B32 03095	AVK80859.1	
L32-M	1	CP000487.1:210702-210,848	CFF8240 0235	ABK81894.1	
L32-M	6	MK463615	—		
L33-M	1	CP000487.1:1313847-1,313,949	CFF8240 1324	ABK82614.1	
L33-M	3	CP027287.1:c1398913-1,398,746	C6B32 06940	AVK81560.1	
L33-M	5	MK463616	—		
S14-M	1	CP000487.1:39526-39,711	CFF8240 0047	ABK82398.1	
L29	1	CP000487.1:37925-38,110	CFF8240_0042	ABK82084.1	
L29	3	CP027287.1:36898-37,083	C6B32 00200	AVK80319.1	
L24-M	1	CP000487.1:38746-38,979	CFF8240 0045	ABK83333.1	
L24-M	3	CP027287.1:37719-37,952	C6B32 00215	AVK80322.1	
S20-M	1	CP000487.1:1678191-1,678,457	CFF8240 1718	ABK82453.1	
S20-M	4	CP027287.1:1762618-1,762,884	C6B32 08820	AVK81906.1	
S19-M	1	CP000487.1:36187-36,468	CFF8240 0038	ABK81869.1	
S19-M	3	CP027287.1:35160-35,441	C6B32_00180	AVK80315.1	

Table 6. Measured and calculated biomarker masses

Biomarker	Isoform	Measured mass (Da)	Standard deviation	$\Delta$ Measured mass/average mass	Monoisotopic mass (Da)	Average mass (Da)
L36	Isoform 1	4331	0.765	0.35	4328.40	4331.35
L34	Isoform 1	5217	0.425	0.26	5214.02	5217.26
L34	Isoform 2	5290	0.593	0.68	5286.04	5289.32
L32-M	Isoform 1	5530	0.478	0.47	5526.99	5530.47
L32-M	Isoform 6	5544	0.475	0.49	5541.01	5544.49
L33-M	Isoform 1	6205	0.867	0.31	6201.37	6205.31
L33-M	Isoform 3	6232	0.381	0.38	6228.42	6232.38
L33-M	Isoform 5	6179	0.271	0.23	6175.32	6179.23
S14-M	Isoform 1	6728	0.445	0.11	6854.63	6728.11
L29	Isoform 1	6893	0.321	0.22	6888.84	6893.22
L29	Isoform 3	6975	0.877	0.68	6969.96	6974.32
L24-M	Isoform 1	8026	0.928	0.59	8021.62	8026.59
L24-M	Isoform 3	8012	0.620	0.56	8007.61	8012.56
S20-M	Isoform 1	9741	0.959	0.33	9735.50	9741.33
S20-M	Isoform 4	9813	0.361	0.43	9807.56	9813.43
S19-M	Isoform 1	10,277	0.499	0.10	10270.58	10277.10
S19-M	Isoform 3	10,308	0.635	0.88	10300.59	10307.12

The amino acid sequences of all biomarker isoform are listed in Table 4. Variations of the amino acid sequences obtained by alignment of the sequences are indicated in red; additionally, the computed average protein mass for each isoform is listed. It should be noted that due to some draft genomes in GenBank, the number of available sequences may vary, as there were no contigs with the sequences coding for each biomarker in all genomes.

**MLST and Proteotyping of the Isolate Collection.** To proof functionality of the *C. fetus* proteotyping scheme the test cohort (41 *C. fetus* strains) was typed by MLST, as well as proteotyping. The composition of the test cohort was such that all known subspecies of the species were covered. The isolate collection comprised the following 14 MLST sequence types: ST2 (3 isolates), ST3 (7 isolates), ST4 (14 isolates), ST5 (2 isolates), ST6 (4 isolates), ST11 (1 isolate), ST15 (2 isolates), ST20 (2 isolates), ST27 (1 isolate), ST30 (1 isolate), ST31 (1 isolate), ST66 (1 isolate), and ST68 (1 isolate, Table 1).

The concatenated amino acid sequences of the different biomarkers yielded four proteotyping-derived types (Figure 4, right dendrogram). Proteotyping-derived type A comprised most of the *Cff* and *Cfv* isolates (31/41). More precisely, it comprised 3 MLST-ST2 isolates, 7 MLST-ST3 isolates, 14 MLST-ST4 isolates, 4 MLST-ST6 isolates, 1 MLST-ST11 isolate, and 1 MLST-ST68 isolate.

Proteotyping-derived type B consisted of two Cff MLST-ST 20 isolates, while proteotyping-derived type C consisted of one MLST-ST5 isolate (Cff).

The most interesting findings were that proteotypingderived type D consisted only of Cft isolates. Regarding MLST sequence types, it comprised particularly 1 isolate of ST16, 2 isolates of ST15, 1 isolate of ST27, 1 isolate of ST30, 1 isolate of sequence type 31, and 1 isolate of ST61.

**Identification of Allelic Isoforms.** The test cohort was measured in exactly the same manner as it was done for the reference strain LMG 6442 (NCTC 10842). The evaluation of the measurements of mass spectra of the strains was done based on the comparison with the spectrum of this reference strain. Observed mass shifts were compared to the sequence list of amino acid isoforms, whereby a particular allelic isoform could be identified.

If two different isoforms with the same mutation at different positions were observed, which though did not differ regarding mass difference to the reference isoform, the variants were further examined by DNA sequencing. In the test cohort, 3 allelic isoforms for biomarker L33-M (RpmG) and 2 for biomarkers L34 (RpmH), L32-M (RpmF), L29 (RpmC), L24-M (RpIX), S20-M (RpsT), and S19-M (RpsS) were detected. For biomarkers L36 (RpmJ) and S14-M (RpsN), only one allelic isoform was identified (Table 2, Figure 3).

**Construction of an UPGMA-Dendrogram.** To deduce the phylogenetic relationships of the species, amino acid sequences of the 9 identified proteotyping biomarkers were fused into a single sequence. The concatenated sequence was then further processed with the MEGA X software to calculate a phyloproteomic tree (UPGMA). The 9 identified



**Figure 3.** Overview of *C. fetus* proteotyping biomarkers (a–i). To illustrate the observed mass differences of the allelic isoforms, spectra of different proteotyping-based sequence types were overlaid using the FlexAnalysis evaluation tool. *X*-Axis: mass [Da]–charge ratio, scale 200 Da. *Y*-Axis: intensity [10x arbitrary units]. For the graphical illustration, the peak intensity of high but respectively lower peaks was adjusted. Color code of the spectra: Spectra of strains with the isoform of *C. fetus* subsp. *fetus* reference strain LMG 6442 (NCTC 10842) are blue, whereas the differing isoforms are colored red, green, and yellow. If the *N*-terminal methionine of a ribosomal protein was cleaved, the respective illustration is provided with an "-M"

biomarkers allowed a clear differentiation of a group of Cffand Cfv strains from a group of utterly Cft strains. In order to assess the quality of the proteotyping results, another UPGMA tree was calculated based on MLST data (Figure 4). Comparative analysis of the trees revealed some differences between the two resulting phylogenies. While the test cohort was differentiated into 14 MLST sequence types, the proteotyping-based analysis led to a division into only 4 different groups. The most interesting finding was that proteotyping-based type D comprised all of the Cft isolates, showing that our approach here is comparable to the quality of the current gold standard MLST.

Unfortunately, the MLST-ST4 corresponding to the subspecies *Cfv* could not be differentiated by means of proteotyping. Here, proteotyping proves to be inferior to MLST in its discriminatory resolution.

A previous study by Fitzgerald et al. showed that it is possible to distinguish Cft from other C. fetus subspecies. Based on multiple unidentified biomarker peaks, a dendrogram was calculated using Pearson correlation [15]. A factor, which reduces the informative value of these results, was the lack of

knowledge about the proteins responsible for each of the discriminating peaks.

In contrast to this study, we were able to identify at least 9 defined ribosomal proteins as biomarkers. As *Cft* strains exhibited different biomarker isoforms compared to the other two *C. fetus* subspecies, they could be clearly differentiated. PCR and subsequent Sanger sequencing of the respective biomarkers further confirmed these differences.

Regarding the limitations of proteotyping, the number of sequence data available is decisive for the quality of the typing scheme. In the case of *C. fetus*, much less sequences (67) were available as compared to *C. jejuni* subsp. *jejuni* (more than 3000) [37]. Another factor affecting the quality of the typing scheme is the number of biomarkers it comprises. Further studies should therefore focus on the identification of additional reliable biomarkers that can be included in the existing scheme.

The prerequisite for the application of the technique is the visibility of all biomarkers of the typing scheme. If this is not the case, it is advisable to use sequence-based techniques.



**Figure 4.** Comparison of MLST- and proteotyping-derived phylogenies. On the left: Evolutionary tree calculated based on MLST by means of the maximum composite likelihood method (UPGMA). In total, 14 different MLST sequence types were identified which are illustrated in different colors. On the right: Evolutionary tree based on proteotyping and calculated using UPGMA. Four different proteotyping-derived types were identified. Type A contains most of the *C. fetus* subsp. *fetus* and *C. fetus* subsp. *venerealis* strains. Type B and C contain 2 MLST ST 5 and one MLST ST 20 strain. The most interesting proteotyping-derived type is type D, which contains all *C. fetus* subsp. *testudinum* strains and thereby allows the differentiation of the subspecies from other *C. fetus* subspecies. The different proteotyping-based sequence types are marked at the branches of the evolutionary tree (A, B, C, and D).

## Conclusion

As the results obtained so far demonstrate, proteotyping is a promising tool for microbial typing at the species, subspecies, and even below subspecies levels. A smart bioinformatics solution and the development of an easy-to-handle user interface would allow the application of the technique in daily diagnostic routine, as the corresponding equipment for proteotyping is available in modern clinical laboratories anyway. The rapidly growing sequence databases due to next generation sequencing (NGS) are opening up a wide range of opportunities for the development of further proteotyping schemes that possibly allow a rapid detection in the case of a disease outbreak.

## **Funding Sources**

This work was funded by the Federal State of Lower Saxony, Niedersächsisches Vorab (VWZN2889/3215/3266). The Open Access Support Program of the Deutsche Forschungsgemeinschaft and the publication fund of the Georg-August-Universität Göttingen funded publication of this paper.

## **Authors' Contributions**

M.F.E. and M.K. contributed equally to this work. M.F.E., O.B., and A.E.Z. wrote the manuscript and established the biomarker isoform database in silico. M.K. performed MALDI measurements and confirmatory PCRs. H.H., L.vd.G.B. and A.E.Z. collected bacterial isolates and performed data interpretation, bioinformatics, and correction of the manuscript. O.B., U.G. and A.E.Z. designed the experiments and evaluated the data.

## **Conflicts of Interest**

There are no conflicts of interest.

#### References

 Forbes BA, Sahm DF, Weissfeld AS. Diagnostic microbiology. In: Bailey & Scott's Diagnostic Microbiology. 2002. pp. 11–14.
Gillespie IA, O'Brien SJ, Frost JA, Adak GK, Horby P, Swan AV, et al.

 Gillespie IA, O'Brien SJ, Frost JA, Adak GK, Horby P, Swan AV, et al. A Case-Case Comparison of *Campylobacter coli* and *Campylobacter jejuni* Infection: A Tool for Generating Hypotheses. Emerg Infect Dis. 2002;8:937–42.

3. Nielsen H, Hansen KK, Gradel KO, Kristensen B, Ejlertsen T, Østergaard C, et al. Bacteraemia as a result of Campylobacter species: a population-based study of epidemiology and clinical risk factors. Clin Microbiol Infect. 2010;16:57-61.

4. Havelaar AH, Kirk MD, Torgerson PR, Gibb HJ, Hald T, Lake RJ, et al. Group on behalf of WHOFDBER: World Health Organization Global Estimates and Regional Comparisons of the Burden of Foodborne Disease in 2010. PLOS Med. 2015;12:e1001923

5. World Health Organization. WHO estimates of the global burden of foodborne diseases: foodborne disease burden epidemiology reference group 2007-2015. 2015.

6. Guerrant RL, Lahita RG, Winn WC, Roberts RB. Campylobacteriosis in man: Pathogenic mechanisms and review of 91 bloodstream infections. Am J Med. 1978;65:584-92.

7. Pacanowski J, Lalande V, Lacombe K, Boudraa C, Lesprit P, Legrand P, et al. Campylobacter Bacteremia: Clinical Features and Factors Associated with Fatal Outcome. Clin Infect Dis. 2008;47:790–96.
8. Fernández-Cruz A, Muñoz P, Mohedano R, Valerio M, Marín M,

Alcalá L, et al. Campylobacter Bacteremia: Clinical Characteristics, Incidence, and Outcome Over 23 Years. Medicine (Baltimore). 2010;89:319

9. Gazaigne L, Legrand P, Renaud B, Bourra B, Taillandier E, Brun-Buisson C, et al. Campylobacter fetus bloodstream infection: risk factors and clinical features. Eur J Clin Microbiol Infect Dis Off Publ Eur Soc Clin Microbiol. 2008;27:185-89.

10. Elshafie SS, Asim M, Ashour A, Elhiday AH, Mohsen T, Doiphode S. Campylobacter peritonitis complicating continuous ambulatory peritoneal dialysis: report of three cases and review of the literature. Perit Dial Int. 2010;30:99-104

11. Klein BS, Vergeront JM, Blaser MJ, Edmonds P, Brenner DJ, Janssen D, et al. Campylobacter infection associated with raw milk. An outbreak of gastroenteritis due to Campylobacter jejuni and thermotolerant Campylobacter fetus subsp. fetus. JAMA. 1986;255:361-64.

12. Man SM. The clinical importance of emerging Campylobacter species Nat Rev Gastroenterol Hepatol. 2011;8:669–85. 13. Wagenaar JA, van Bergen MAP, Blaser MJ, Tauxe RV, Newell DG, van

Putten JPM. *Campylobacter fetus* infections in humans: exposure and disease. Clin Infect Dis Off Publ Infect Dis Soc Am. 2014;58:1579–86.

14. Véron M, Chatelain R. Taxonomic Study of the Genus Campylobacter Sebald and Véron and Designation of the Neotype Strain for the Type Species, Campylobacter fetus (Smith and Taylor) Sebald and Véron. Int J Syst Evol Microbiol. 1973;23:122-34.

15. Fitzgerald C, Z chao Tu, Patrick M, Stiles T, Lawson AJ, Santovenia M, et al. *Campylobacter fetus* subsp. testudinum subsp. nov., isolated from humans and reptiles. Int J Syst Evol Microbiol. 2014;64:2944–48.

16. Gilbert MJ, Kik M, Timmerman AJ, Severs TT, Kusters JG, Duim B, et al. Occurrence, Diversity, and Host Association of Intestinal Campylobacter,

Arcobacter, and Helicobacter in Reptiles. PLOS ONE. 2014;9:e101599 17. On SLW, Harrington CS. Evaluation of numerical analysis of PFGE-DNA profiles for differentiating *Campylobacter fetus* subspecies by comparison with phenotypic, PCR and 16S rDNA sequencing methods. J Appl Microbiol. 2001;90:285-93.

18. van Bergen M a. P, Linnane S, van Putten JPM, Wagenaar JA. Global detection and identification of *Campylobacter fetus* subsp. *venerealis*. Rev Sci Tech Int Off Epizoot. 2005;24:1017–26.

 Thompson SA, Blaser MJ. Pathogenesis of Campylobacter fetus ections. In: Campylobacter. Washington, DC: American Society infections. In: Campylobacter. Microbiolgy Press; 2000. pp. 321-47.

20. Dekeyser J. Bovine genital campylobacteriosis. In: Campylobacter infection in man and animals. Boca Raton: CRC Press; 1984. pp. 181–91. 21. Van der Graaf-van Bloois L, Miller WG, Yee E, Duim B, Wagenaar JA.

Whole genome sequencing of Campylobacter fetus subspecies. In: American Society for Microbiology General Meeting, San Francisco, CA. 2012. pp. 16–

22. Tu Z-C, Zeitlin G, Gagner J-P, Keo T, Hanna BA, Blaser MJ. Campylobacter fetus of Reptile Origin as a Human Pathogen. J Clin Microbiol. 2004;42:4405–07.

23. Dingle KE, Blaser MJ, Tu Z-C, Pruckler J, Fitzgerald C, van Bergen MAP, et al. Genetic Relationships among Reptilian and Mammalian *Campylobacter fetus* Strains Determined by Multilocus Sequence Typing. J Clin Microbiol. 2010;48:977–80.

24. Seng P, Rolain JM, Fournier PE, La Scola B, Drancourt M, Raoult D. MALDI-TOF-mass spectrometry applications in clinical microbiology. Future Microbiol. 2010;5:1733-54.

25. Zingue D, Flaudrops C, Drancourt M. Direct matrix-assisted laser desorption ionisation time-of-flight mass spectrometry identification of mycobacteria from colonies. Eur J Clin Microbiol Infect Dis Off Publ Eur Soc Clin Microbiol. 2016;35:1983-87.

26. Conway GC, Smole SC, Sarracino DA, Arbeit RD, Leopold PE. Phyloproteomics: species identification of Enterobacteriaceae using matrixassisted laser desorption/ionization time-of-flight mass spectrometry. J Mol Microbiol Biotechnol. 2001;3:103-12.

27. Karlsson R, Gonzales-Siles L, Boulund F, Svensson-Stadler L, Skovbjerg S, Karlsson A, et al. Proteotyping: Proteomic characterization, classification and identification of microorganisms-A prospectus. Syst Appl Microbiol. 2015;38:246-57.

28. Hugo A, Baxter DJ, Cannon WR, Kalyanaraman A, Kulkarni G, Callister SJ. Proteotyping of microbial communities by optimization of tandem mass spectrometry data interpretation. Pac Symp Biocomput Pac Symp Biocomput. 2012 225-34.

29. Shillingford JM, Miyoshi K, Robinson GW, Bierie B, Cao Y, Karin M, et al. Proteotyping of mammary tissue from transgenic and gene knockout mice with immunohistochemical markers: a tool to define developmental lesions. J Histochem Cytochem Off J Histochem Soc. 2003;51:555-65.

30. Rodriguez C, Quero C, Dominguez A, Trigo M, Posada de la Paz M, Gelpi E, et al. Proteotyping of human haptoglobin by MALDI-TOF profiling: a population of toxic oil syndrome patients. Phenotype distribution in Proteomics. 2006;6:S272-81.

31. Schwahn AB, Wong JWH, Downard KM. Rapid differentiation of seasonal and pandemic H1N1 influenza through proteotyping of viral neuraminidase with mass spectrometry. Anal Chem. 2010;82:4584–90.
32. Ojima-Kato T, Yamamoto N, Takahashi H, Tamura H. Matrix-assisted Laser Desorption Ionization-Time of Flight Mass Spectrometry (MALDI-TOF

MS) Can Precisely Discriminate the Lineages of Listeria monocytogenes and Species of Listeria. PloS One. 2016;11:e0159730

33. Reil M, Erhard M, Kuijper EJ, Kist M, Zaiss H, Witte W, et al. Recognition of *Clostridium difficile* PCR-ribotypes 001, 027 and 126/078 using an extended MALDI-TOF MS system. Eur J Clin Microbiol Infect Dis. 2011:30:1431-6.

34. Wolters M, Rohde H, Maier T, Belmar-Campos C, Franke G, Scherpe S, et al. MALDI-TOF MS fingerprinting allows for discrimination of major methicillin-resistant Staphylococcus aureus lineages. Int J Med Microbiol. 2011:301:64-8.

35. Kuhns M, Zautner AE, Rabsch W, Zimmermann O, Weig M, Bader O, et al. Rapid discrimination of Salmonella enterica serovar Typhi from other serovars by MALDI-TOF mass spectrometry. PLoS One. 2012;7:e40004

36. Zautner AE, Masanta WO, Tareen AM, Weig M, Lugert R, Gross U, et al. Discrimination of multilocus sequence typing-based *Campylobacter jejuni* subgroups by MALDI-TOF mass spectrometry. BMC Microbiol. 2013:13:247

37. Zautner AE, Masanta WO, Weig M, Groß U, Bader O. Mass Spectrometry-based PhyloProteomics (MSPP): A novel microbial typing Method. Sci Rep. 2015;5:13431

38. Zautner AE, Lugert R, Masanta WO, Weig M, Groß U, et al. Subtyping of *Campylobacter jejuni* ssp. *doylei* Isolates Using Mass Spectrometry-based PhyloProteomics (MSPP). JoVE J Vis Exp. 2016 e54165 39. Emele MF, Možina SS, Lugert R, Bohne W, Masanta WO, Riedel T,

et al. Proteotyping as alternate typing method to differentiate Campylobacter coli clades. Sci Rep. 2019;9:4244
40. Gonzales T, Robert-Baudouy J. Bacterial aminopeptidases: properties

and functions. FEMS Microbiol Rev. 1996;18:319-44.

41. Varland S, Osberg C, Arnesen T. *N*-terminal modifications of cellular proteins: The enzymes involved, their substrate specificities and biological effects. Proteomics. 2015;15:2385–2401.

42. Kumar S, Stecher G, Li M, Knyaz C, Tamura K. MEGA X: Molecular Evolutionary Genetics Analysis across Computing Platforms. Mol Biol Evol. 2018;35:1547-9.

43. Fagerquist CK, Bates AH, Heath S, King BC, Garbus BR, Harden LA, biomarkers and their post-translational modifications. J Proteome Res. 2006;5:2527–38. et al. Sub-speciating Campylobacter jejuni by proteomic analysis of its protein