Influence of Puncture Site on Radial Artery Occlusion After Transradial Coronary Intervention

Xi-Le Bi, Xiang-Hua Fu, Xin-Shun Gu, Yan-Bo Wang, Wei Li, Li-Ye Wei, Yan-Ming Fan, Shi-Ru Bai

Department of Cardiology, The Second Hospital of Hebei Medical University, Shijiazhuang, Hebei 050000, China

Abstract

Background: The risk of radial artery occlusion (RAO) needs particular attention in transradial intervention (TRI). Therefore, reducing vascular occlusion has an important clinical significance. The aim of this study was to determine the appropriate puncture site during TRI through comparing the occurrence of RAO between the different puncture sites to reduce the occurrence of RAO after TRI.

Methods: We prospectively assessed the occurrence of RAO in 606 consecutive patients undergoing TRI. Artery occlusion was evaluated with Doppler ultrasound in 2 days and 1 year after the intervention. Risk factors for RAO were evaluated using a multivariate model analysis. **Results:** Of the 606 patients, the RAO occurred in 56 patients. Compared with TRI at 2–5 cm away from the radius styloid process, the odds ratio (*OR*) for occlusion risk at 0 cm and 1 cm were 9.65 (P = 0.033) and 8.90 (P = 0.040), respectively. The RAO occurred in the ratio of the arterial diameter to the sheath diameter ≤ 1 (OR = 2.45, P = 0.004).

Conclusion: Distal puncture sites (0–1 cm away from the radius styloid process) can lead to a higher rate of RAO.

 $\label{eq:constraint} \textbf{Trial Registration: } Clinical Trials.gov, NCT01979627; https://clinicaltrials.gov/ct2/show/NCT01979627?term = NCT01979627 and rank = 1.$

Key words: Percutaneous Coronary Intervention; Puncture Site; Radial Artery; Risk Factors

INTRODUCTION

Transradial intervention (TRI) is widely used for percutaneous coronary intervention (PCI) due to lower risk of bleeding and complications. It also facilitates rapid patient mobilization after TRI.^[1,2] However, complications, such as potential radial artery occlusion (RAO), could limit the use of forearm arteries as an access site for coronary interventions during postoperative re-examination. Despite pretreatment with heparinization, RAO occurs in 5–12% of patients after TRI.^[3-6] The risk of RAO needs particular attention.^[7] Therefore, reducing vascular occlusion has an important clinical significance.

So far, several approaches are proposed to reduce the risk of RAO that include anticoagulation, immediate postprocedural sheath removal, and a small sheath/radial artery (RA) ratio.^[8-10] Nevertheless, puncture site at RA may play an important role in RAO prevention. Interventional cardiologists usually choose the site 0–5 cm away from the radius styloid process as their puncture site. Whether this is the best puncture site during TRI remains unclear. Thus, we designed the present prospective study to determine the best puncture site to reduce occlusion risk during TRI.

Access this article online					
Quick Response Code:	Website: www.cmj.org				
	DOI: 10.4103/0366-6999.179795				

Methods

Patient selection

From November 2013 to November 2014, 669 consecutive patients admitted at our institution undergoing percutaneous coronary diagnostic or interventional procedures with an attempt to use the transradial approach as a first access were prospectively enrolled in the present registry. The inclusion criterium was adult patients (\geq 18 years) who were admitted for transradial catheterization. The exclusion criteria were patients on femoral access, arterial circulatory disease, pathological Allen tests, decompensated heart failure, chronic renal failure, puncture access crossover, and those who had a prior TRI. A preoperative forearm artery ultrasound was

> Address for correspondence: Dr. Xiang-Hua Fu, Department of Cardiology, The Second Hospital, Hebei Medical University, Shijiazhuang, Hebei 050000, China E-Mail: fuxh999@163.com

This is an open access article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms.

For reprints contact: reprints@medknow.com

© 2016 Chinese Medical Journal | Produced by Wolters Kluwer - Medknow

Received: 03-12-2015 **Edited by:** Li-Shao Guo **How to cite this article:** Bi XL, Fu XH, Gu XS, Wang YB, Li W, Wei LY, Fan YM, Bai SR. Influence of Puncture Site on Radial Artery Occlusion After Transradial Coronary Intervention. Chin Med J 2016;129:898-902. performed in all patients. The Allen and reverse Allen tests were routinely used with a cutoff time of <10 s. Before the procedure, a ruler was used to measure the length from the radius styloid process to 2 cm below the cubital fossa. RA lengths from the radius styloid process to the bifurcation of the brachial artery were measured by computer-based quantitative coronary analysis when performing a forearm angiography. The study was approved by the local Institutional Review Board. The study was conducted in accordance with the guidelines of the *Declaration of Helsinki*.

Procedure

The right forearm artery was the first choice for access. A dedicated 6F arterial puncture kit (with plastic cannula and hydrophilic 0.025-inch guidewire) and long (16 cm) hydrophilic sheath (Terumo Corporation, Tokyo, Japan) were used for RA catheterization. The overlying skin of RA was infiltrated with 2% lidocaine. RA was punctured with a 20G needle using the Seldinger technique. A small incision was made with a No. 11 surgical blade. The stylet was removed and a 0.025-inch guidewire and a 16 cm long 6Fr sheath were inserted. After sheath replacement, a solution of 3000 U unfractionated heparin and 200 µg nitroglycerin was administered into the side port of the sheath for coronary angiography (CAG). At the beginning of PCI, a weight-adjusted dose of unfractionated heparin (100 U/kg) was administrated through the sheath catheter to maintain an activated clotting time between 250 s and 350 s. CAG was performed with a 4Fr or 5Fr catheter, and PCI was performed with a 6Fr catheter. All patients without contraindications underwent percutaneous coronary procedures with double anti-platelet therapy (aspirin and clopidogrel). The arterial sheath was always removed after the completion of CAG or PCI. In all patients, a folded bandage consisting of three gauze layers was applied to the access site and wrapped with three adhesive elastic bands for compression hemostasis. The bandage was kept on for 6 h, but was loosened every 2 h.[11] During the application of folded bandage, the monitoring of plethysmography and oximetry pulse was performed to assess RA patency palm circulation status. The signal of plethysmography and oximetry pulse was observed using fingertip oxygen saturation. When the compression pressure was moderate, there was no significant decrease.[12,13]

Vascular complication definitions

RAO was defined as the absence of a flow signal on Doppler ultrasound examination. Local bleeding was defined as insignificant subcutaneous bleeding or hematoma formation around the puncture site. All patients were assessed forearm artery by Doppler ultrasound in two days after TRI. RAO was also evaluated in one year after the coronary intervention.

Statistical analysis

The Statistical Package for Social Sciences (SPSS) for Windows, version 13.0 (SPSS, Chicago, IL, USA) and MedCalc Software (version 12.2.1.0, MedCalc Software, Mariakerke, Belgium) were used for statistical analyses. The Chi-square test was used to compare categorical data, and the results were expressed as numbers and percentages. Continuous variables

were expressed as the mean \pm standard deviation (SD) for normally distributed variables and as the median (25th to 75th percentiles) for nonnormally distributed variables. P = 0.05was considered statistically significant. Logistic regression (LR) was then used to predict the probability of RAO. First, the unadjusted odds ratio (OR) value of the RAO for various patient characteristics included sex, body mass index (BMI), smoking, hypertension, diabetes, dyslipidemia, puncture site, spasms, and diameter/sheath ratio. The independent categorical variables were coded as follows: diameter/sheath (the ratio of the arterial diameter to the sheath; 0 stands for diameter/sheath >1 and 1 stands for diameter/sheath \leq 1); puncture site (the distance from the radius styloid process to puncture site; 0 stands for 5 cm, 1 stands for 4 cm, 2 stands for 3 cm, 3 stands for 2 cm, 4 stands for 1 cm, and 5 stands for 0 cm). A final multivariate model was then assigned that included all factors related to the occurrence of the RAO in the univariate analyses. Multivariate analysis, a binary LR of backward LR method (with the value of the P-entry [0.05] and P-exit [0.10]), was performed to identify the predictive variables of RAO.

RESULTS

Population characteristics

During the study period, 669 patients underwent TRI at our institution. Twenty-four of them did not meet the inclusion criterium and were excluded. Thirty-one patients crossovered to other artery after failed TRI. Of the 614 patients, 8 were excluded from the final analysis because of a lack of clinical follow-up data (n = 6) and death (n = 2). The remaining 606 patients who used RA as the first approach were enrolled in the study [Figure 1]. Baseline demographic and clinical history characteristics were overall matched [Table 1]. The average length from the styloid process to 2 cm below the cubital fossa was 19.5 ± 2.1 cm, which was similar to the average length of $RA(19.0 \pm 2.2 \text{ cm})$. There was no significant difference among the age, gender, BMI, coronary artery disease risk factors, medicine use, procedural time, and spasms between groups. The distribution of RA access puncture site using frequency in 606 patients during TRI is shown in Figure 2. The diameter and depth at 0-5 cm from the styloid process were measured



Figure 1: Study flow chart. TRI: Transradial intervention.

by Doppler ultrasound preoperatively [Figure 3]. The diameters of the RA at 0–5 cm (at 1 cm increments) from the radius styloid process were 2.78 ± 0.25 mm, 2.86 ± 0.30 mm, 2.86 ± 0.32 mm, 2.88 ± 0.31 mm, 2.81 ± 0.29 mm, and 2.86 ± 0.31 mm, respectively. The depths of the RA at 0–5 cm (at 1 cm increments) from the radius styloid process were 2.50 ± 0.23 mm, 3.07 ± 0.29 mm, 3.49 ± 0.36 mm, 3.82 ± 0.36 mm, 4.16 ± 0.40 mm, and 4.52 ± 0.42 mm, respectively.

The primary outcome

Fifty-six out of 606 patients suffered from RAO during the one year follow-up period. Sixteen of 67 patients with a puncture site located at 0 cm from the radius styloid process suffered RAO (P = 0.002), and fourteen of 62 patients suffered RAO at the 1 cm (P = 0.001). There was no difference between groups with regard to hemorrhage risk [Table 1].

Table 1: Baseline and procedural data										
Variables	All (<i>n</i> = 606)	RAO (+) (<i>n</i> = 56)	RAO (-) (<i>n</i> = 550)	Р						
Age (years)	63.5 ± 5.7	62.1 ± 5.6	64.5 ± 6.1	0.16						
Men, <i>n</i> (%)	382 (63.0)	35 (62.5)	347 (63.1)	0.97						
BMI (kg/m ²)	27.1 ± 2.5	26.9 ± 2.2	27.2 ± 3.1	0.49						
Smoking, n (%)	194 (32.0)	20 (35.7)	174 (31.6)	0.66						
Hypertension, n (%)	295 (48.7)	23 (41.1)	272 (49.5)	0.47						
Diabetes, n (%)	157 (25.9)	14 (25.0)	143 (26.0)	0.90						
Dyslipidemia, n (%)	226 (37.3)	18 (32.1)	208 (37.8)	0.51						
Asprin, <i>n</i> (%)	595 (98.2)	54 (96.4)	541 (98.4)	0.61						
Statin, <i>n</i> (%)	590 (97.4)	55 (98.2)	535 (96.9)	0.89						
Clopidogrel, n (%)	598 (98.7)	55 (98.2)	543 (98.7)	0.77						
Unfractionated heparin (U/kg)	72.0 ± 6.9	73.0 ± 7.0	72.0 ± 7.1	0.32						
Three vessel disease, $n(\%)$	58 (9.6)	6 (10.7)	52 (9.5)	0.95						
Spasms, <i>n</i> (%)	25 (4.1)	3 (5.4)	22 (4.0)	0.64						
Diameter \leq sheath size, <i>n</i> (%)	153 (25.2)	23 (41.1)	130 (23.6)	0.04						
Length (cm)	19.0 ± 2.2	18.9 ± 2.1	19.2 ± 2.5	0.13						
Bleeding, n (%)	5 (0.8)	1 (1.8)	4 (0.7)	0.41						
Procedure time (min)	22.9 ± 5.5	23.4 ± 5.6	22.6 ± 6.3	0.36						

Results are mean \pm SD or *n* (%). RAO: Radial artery occlusion; BMI: Body mass index; Length: The distance from the radius styloid process to bifurcation of the brachial artery; SD: Standard deviation.

The multivariate analysis

The unadjusted OR of the RAO for 606 patient characteristics was assessed in Figure 4. The RAO rate was significantly increased between the groups when the ratio of the arterial diameter to the sheath was <1 (41.1% vs. 23.6%, P = 0.04). There was a significant increase in the occurrence of RAO at puncture site 0 and 1 cm away from the radius styloid process (P = 0.002 and P = 0.001, respectively). However, the rate of RAO was significantly less with radial access at 4 cm from the radius styloid process (P = 0.001). A final multivariate LR analysis of RAO outcome is shown in Figure 5. When we used the puncture site at 0 cm (OR = 9.65. 95% confidential interval [CI]: 1.20–77.50; P = 0.033) and 1 cm (OR = 8.90, 95% CI: 1.10-72.40; P = 0.040), the rate of RAO was higher. The higher occurrence of RAO occurred in the ratio of the arterial diameter to the sheath ≤ 1 (OR = 2.45, 95% *CI*: 1.30–4.51; *P* = 0.004).

DISCUSSION

Although the TRI is considered a safe and effective option for coronary artery intervention, RAO is an important complication of TRI. Despite the fact that RAO tends to be asymptomatic, it limits the option of using RA as an access site in the future.^[14] Therefore, reducing vascular occlusion has an important clinical significance. This study aimed at comparing the risk of RAO through TRI up to one year. Our



Figure 2: Frequency of TRI puncture site use distribution of frequency in radial access puncture site use during TRI by 606 puncture sites. TRI: Transradial intervention.





		Total	RAO (+) (n,%)	RAO (-) (8,%)	OR (95% CI)	p value		Interaction p value
Sex	Men	382	35/56 (62.5)	347/550 (63.1)	0.99(0.64-1.54)	0.97	-	0.93
	Women	224	21/56 (37.5)	203/550 (36.9)	1.02 (0.60-1.72)	0.95	H	
вм	<25	217	25/56 (44.6)	192/550 (34.9)	1.28(0.78-2.11)	0.33	-	0.15
	≥25	389	31/56 (55.4)	358/550 (65.1)	0.85 (0.54-1.35)	0.49	-	
Smoking	No	412	36/56(64.3)	376/550 (68.4)	0.94 (0.61-1.46)	0.78		0.53
	Yes	194	20/56 (35.7)	174/550 (31.6)	1.13 (0.66-1.93)	0.66	-	1.1
Hypertension	No	311	33/56(58.9)	278/550(50.6)	1.17(0.74-1.84)	0.51	Course -	0.23
	Yes	295	23/56 (41.1)	272/550 (49.5)	0.83 (0.50-1.38)	0.47		
Diabetes	No	449	42/56 (75.0)	407/550(74.0)	1.01(0.67-1.54)	0.95	-	0.87
	Yes	157	14/56(25.0)	143/550(26.0)	0.96(0.52-1.78)	0.90	# -	
Dyslipidemia 🗰	No	380	38/56(67.9)	342/550 (62.2)	1.09(0.71-1.68)	0.69		0.40
	Yes	226	18/56 (32.1)	208/550 (37.8)	0.85(0.49-1.48)	0.51		
Punctu re site	Som	29	1/56 (1.8)	28/550 (5.1)	0.35(0.05-2.63)	0.29	*	
	4cm	126	1/56(1.8)	125/550(22.7)	0.08(0.01-0.57)	0.001	-	
	3cm	196	15/56(26.8)	181/550(32.9)	0.81(0.45-1.47)	0.50	Here a	
	2cm	126	9/56(16.1)	117/550(21.3)	0.76(0.36-1.57)	0.45		0.00
	lcm	62	14/56(25.0)	48/550(8.7)	2.86(1.49-5.52)	0.001		
	0cm	67	16/56(28.6)	51/550(9.3)	3.08(1.65-5.76)	0.002		
Spasms	No	581	53/56(94.6)	528/550(96.0)	0.99(0.66-1.46)	0.94		0.63
	Yes	25	3/56(5.40)	22:550(4.0)	1.34(0.39-4.62)	0.64		
Diameter/Sheath	>1	453	33/56(58.9)	420/550(76.4)	0.77(0.49-1.21)	0.26	+	0.005
	≤1	153	23/56(41.1)	130/550(23.6)	1.74(1.03-2.93)	0.04		
							0.002 1 5	
						Favo	urs RAO (-) Favours :	RAO (+)

Figure 4: Forest plot of RAO by risk factors. Puncture site: Defined as the distance from the radius styloid process to the puncture site; Diameter/ sheath: The ratio of the arterial diameter to the sheath. RAO: Radial artery occlusion; *OR*: Odds ratio; *CI*: Confidence interval; BMI: Body mass index.



Figure 5: Predictors of the radial artery occlusion by multivariate analysis. Puncture site: Defined as the distance from the radial styloid process to puncture site; Diameter/sheath: The ratio of the arterial diameter to the sheath. *OR*: Odds ratio; *CI*: Confidence interval.

data showed that the diameter of the RA from the distal to proximal puncture site was similar, although the depth of the RA increased from distal to proximal puncture site. This did not lead to an increase in bleeding complications. There was a statistically and clinically significant reduction in the incidence of RAO in the patients whose puncture site was >2 cm (from the radius styloid process) compared to those puncture sites that were within 0–1 cm. This appears to be a relationship exists between the length of the radial sheath and the length of the forearm. The average length from the radius styloid process to 2 cm below the cubital fossa was similar to the average length of RA. However, the length of the 6Fr radial sheath was only 16 cm, shorter than the length of the RAs. If the puncture sites were closer to the distal end of the artery, the length of the proximal RA with no sheath protection would increase. Thrombus formation is a direct pathophysiological consequence of RAO.^[15,16] Finding thrombi in the proximal artery may be due to using a short sheath, and thus is one disadvantage of its use. Using optical coherence tomography (OCT), Yonetsu *et al.*^[17] found that more than half of the intimal tears were observed at the proximal end of the sheath and close to the RA ostium, possibly because the protective sheath itself may cause intimal tears.

In addition, medial dissections also occur in the proximal RA. The proximal medial dissections are likely to be caused by advancing or withdrawing of catheters through the proximal RA where there was no sheath protection. The more catheters used, the higher the risk of occlusion. The interruption of blood flow tended to occur in the proximal artery was probably caused by occlusive thrombus formation. The thrombus formation in the distal of RA in a small proportion of patients was probably caused by the sheath implanted or repeated puncture. The intimal and medial thickening after transradial coronary interventions

which was observed through OCT was also noted by Yonetsu *et al.*^[17] Furthermore, the risk of medial dissections caused by sheath insertion may increase if the diameter/sheath ratio is ≤ 1 .^[18] Our results suggest that the risk of occlusion may be reduced by moving the puncture site proximally or by increasing the length of the sheath according to the forearm length of each patient.^[19]

There were some limitations in this study. This was a nondouble-blind trial between patients undergoing coronary procedures. We cannot exclude patients whose RA diameter was smaller than radial sheath that could have affected the results. In cardiology center of China, we routinely use heparin 3000 U for CAG rather than 5000 U, this may have affected the RAO results.^[20] The procedures were performed by four operators, which may also have resulted in some bias. The application of compressive bandage may not allow patent hemostasis depending on pressure adjusted.

In conclusion, this study demonstrated that distal puncture sites (0–1 cm away from the radius styloid process) can result in higher occurrence of RAO. This was probably due to the longer distance of no sheath protection that increased with more distal puncture sites. Therefore, the risk of RAO after TRI could be reduced by adopting more proximal puncture sites and usage of longer sheaths.

Financial support and sponsorship Nil.

Conflicts of interest

There are no conflicts of interest.

REFERENCES

- Valgimigli M, Saia F, Guastaroba P, Menozzi A, Magnavacchi P, Santarelli A, *et al.* Transradial versus transfemoral intervention for acute myocardial infarction: A propensity score-adjusted and -matched analysis from the REAL (REgistro regionale AngiopLastiche dell'Emilia-Romagna) multicenter registry. JACC Cariovasc Interv 2012;5:23-35.doi: 10.1016/j.jcin. 2011.08.018.
- Jolly SS, Yusuf S, Cairns J, Niemelä K, Xavier D, Widimsky P, et al. Radial versus femoral access for coronary angiography and intervention in patients with acute coronary syndromes (RIVAL): A randomised, parallel group, multicentre trial. Lancet 2011;377:1409-20. doi: 10.1016/S0140-6736(11)60404-2.
- Slawin J, Kubler P, Szczepanski A, Piatek J, Stepkowski M, Reczuch K. Radial artery occlusion after percutaneous coronary interventions – An underestimated issue. Postepy Kardiol Interwencyjnej 2013;9:353-61. doi: 10.5114/pwki.2013.38865.
- Lisowska A, Knapp M, Tycinska A, Sielatycki P, Sawicki R, Kralisz P, et al. Radial access during percutaneous interventions in patients with acute coronary syndromes: Should we routinely monitor radial artery patency by ultrasonography promptly after the procedure and in long-term observation? Int J Cardiovasc Imaging 2015;31:31-6. doi: 10.1007/s10554-014-0518-5.
- Sanmartin M, Gomez M, Rumoroso JR, Sadaba M, Martinez M, Baz JA, *et al.* Interruption of blood flow during compression and radial artery occlusion after transradial catheterization. Catheter Cardiovasc Interv 2007;70:185-9. doi: 10.1002/ccd.21058.
- 6. Bertrand OF, Rao SV, Pancholy S, Jolly SS, Rodés-Cabau J,

Larose E, *et al.* Transradial approach for coronary angiography and interventions: Results of the first international transradial practice survey. JACC Cardiovasc Interv 2010;3:1022-31. doi: 10.1016/j. jcin.2010.07.013.

- Shen H, Zhou YJ, Liu YY, DU J, Liu XL, Yan ZX, et al. Assessment of early radial injury after transradial coronary intervention by high-resolution ultrasound biomicroscopy: Innovative technology application. Chin Med J 2012;125:3388-92. doi: 10.3760/cma.j.is sn.0366-6999.2012.19.005.
- Plante S, Cantor WJ, Goldman L, Miner S, Quesnelle A, Ganapathy A, et al. Comparison of bivalirudin versus heparin on radial artery occlusion after transradial catheterization. Catheter Cardiovasc Interv 2010;76:654-8. doi: 10.1002/ccd.22610.
- Tuncali BE, Kuvaki B, Tuncali B, Capar E. A comparison of the efficacy of heparinized and nonheparinized solutions for maintenance of perioperative radial arterial catheter patency and subsequent occlusion. Anesth Analg 2005;100:1117-21. doi: 10.1213/01. ANE.0000146963.19543.D4.
- Kindel M, Rüppel R. Hydrophilic-coated sheaths increase the success rate of transradial coronary procedures and reduce patient discomfort but do not reduce the occlusion rate: Randomized single-blind comparison of coated vs. non-coated sheaths. Clin Res Cardiol 2008;97:609-14. doi: 10.1007/s00392-008-0658-5.
- Saito S, Ikei H, Hosokawa G, Tanaka S. Influence of the ratio between radial artery inner diameter and sheath outer diameter on radial artery flow after transradial coronary intervention. Catheter Cardiovase Interv 1999;46:173-8. doi: 10.1002/(SICI)1522-726X(199902)46:2< 173:AID-CCD12>3.0.CO;2-4.
- Burzotta F, Trani C, Mazzari MA, Tommasino A, Niccoli G, Porto I, *et al.* Vascular complications and access crossover in 10,676 transradial percutaneous coronary procedures. Am Heart J 2012;163:230-8. doi: 10.1016/j.ahj.2011.10.019.
- Barbeau GR, Arsenault F, Dugas L, Simard S, Larivière MM. Evaluation of the ulnopalmar arterial arches with pulse oximetry and plethysmography: Comparison with the Allen's test in 1010 patients. Am Heart J 2004;147:489-93. doi: 10.1016/j.ahj.2003.10.038.
- Pancholy S, Coppola J, Patel T, Roke-Thomas M. Prevention of radial artery occlusion-patent hemostasis evaluation trial (PROPHET study): A randomized comparison of traditional versus patency documented hemostasis after transradial catheterization. Catheter Cardiovasc Interv 2008;72:335-40. doi: 10.1002/ccd.21639.
- Kanei Y, Kwan T, Nakra NC, Liou M, Huang Y, Vales LL, *et al.* Transradial cardiac catheterization: A review of access site complications. Catheter Cardiovasc Interv 2011;78:840-6. doi: 10.1002/ccd.22978.
- Kim KS, Park HS, Jang WI, Park JH. Thrombotic occlusion of the radial artery as a complication of the transradial coronary intervention. J Cardiovasc Ultrasound 2010;18:31. doi: 10.4250/jcu.2010.18.1.31.
- Yonetsu T, Kakuta T, Lee T, Takayama K, Kakita K, Iwamoto T, et al. Assessment of acute injuries and chronic intimal thickening of the radial artery after transradial coronary intervention by optical coherence tomography. Eur Heart J 2010;31:1608-15. doi: 10.1093/ eurheartj/ehq102.
- Dahm JB, Vogelgesang D, Hummel A, Staudt A, Völzke H, Felix SB. A randomized trial of 5 vs 6 French transradial percutaneous coronary interventions. Catheter Cardiovasc Interv 2002;57:172-6. doi: 10.1002/ccd.10321.
- Kiemeneij F, Fraser D, Slagboom T, Laarman G, van der Wieken R. Hydrophilic coating aids radial sheath withdrawal and reduces patient discomfort following transradial coronary intervention: A randomized double-blind comparison of coated and uncoated sheaths. Catheter Cardiovasc Interv 2003;59:161-4. doi: 10.1002/ccd.10444.
- Stella PR, Kiemeneij F, Laarman GJ, Odekerken D, Slagboom T, van der Wieken R. Incidence and outcome of radial artery occlusion following transradial artery coronary angioplasty. Cathet Cardiovasc Diagn 1997;40:156-8. doi: 10.1002/(SICI)1097-0304(199702)40:2<156::AID-CCD7>3.0.CO;2-A.