

Invasive species denialism: Sorting out facts, beliefs, and definitions

Demetrio Boltovskoy^{1,2}  | Francisco Sylvester^{2,3} | Esteban M. Paolucci^{1,2,4}

¹IEGEB (CONICET-UBA), Facultad de Ciencias Exactas y Naturales, Universidad de Buenos Aires, Buenos Aires, Argentina

²Consejo Nacional de Investigaciones Científicas y Técnicas, Buenos Aires, Argentina

³Instituto para el Estudio de la Biodiversidad de Invertebrados (IEBI), Facultad de Ciencias Naturales, Universidad Nacional de Salta, Salta, Argentina

⁴Museo Argentino de Ciencias Naturales "Bernardino Rivadavia" (CONICET-MACN), Buenos Aires, Argentina

Correspondence

Demetrio Boltovskoy, IEGEB (CONICET-UBA), Facultad de Ciencias Exactas y Naturales, Universidad de Buenos Aires, Buenos Aires, Argentina.
Email: demetrio@ege.fcen.uba.ar

Funding information

Agencia Nacional de Promoción Científica y Tecnológica (Argentina), Grant/Award Number: 2016-0631 PICT 2015 2598 PICT 2015-3513

Abstract

In the last decades, thousands of investigations confirmed the detrimental effects of species translocated by man outside of their native ranges (nonindigenous species, or NIS). However, results concluding that many NIS have null, neutral, or positive impacts on the biota and on human interests are as common in the scientific literature as those that point at baneful impacts. Recently, several scholars confronted the stand that origin per se is not a reliable indicator of negative effects, suggesting that such conclusions are the expression of scientific denialism, often led by spurious purposes, and that their numbers are increasing. When assessed in the context of the growing interest in introduced species, the proportion of academic publications claiming that NIS pose no threats to the environment and to social and economic interests is extremely low, and has not increased since 1990. The widely prevailing notion that many NIS are effectively or potentially harmful does not conflict with the fact that most have mixed (negative, neutral, and positive) impacts. When based on solid grounds, reports of positive or neutral impacts should not be labeled as manipulative or misleading unless proven otherwise, even if they may hamper interest in and funding of research and control bioinvasion programs.

KEYWORDS

denialism, impact, invasive species, nonindigenous species

1 | INTRODUCTION

The debate over the issue of how science and society should deal with the threats posed by nonindigenous species (NIS) dates from the early efforts focused on understanding how and why some organisms succeed in taking advantage of the dispersal opportunities of man's increasing mobility around the globe, while others do not (Davis, 2006). Two opposing lines of thought emerged, vividly illustrated by the Davis versus Simberloff, 2011 debate (Davis et al., 2011; Simberloff, 2011). The core of these discussions is whether NIS share traits that differentiate them from species that do not become NIS or invasive (i.e., NIS whose populations grow vigorously in density and/or areal extension enhancing their use of resources and

influencing other members of the community or ecosystem), which boils down to the issue if origin is an overarching attribute significantly associated with the odds of NIS becoming more influential and more harmful in the recipient communities than native species. The answer to this controversy has far-reaching implications, involving paradigms of ecological theory, as well as management approaches and decisions. In academic media, discussions have centered on the search of scientific evidence and produced massive amounts of data, which fostered healthy and productive debate. However, in efforts to discredit scientists who do not align with the tenet that the alien status of NIS per se entails larger impacts, in the last years some scholars suggested that scientific consensus on the detrimental impacts of NIS is overwhelming, and that opponents to this stand

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2018 The Authors. *Ecology and Evolution* published by John Wiley & Sons Ltd.

are the expression of purposeful denialism of solid scientific facts, often based on spurious motivations. Further, they suggested that these contrarian pieces of information have been growing in the last decades.

A major point at stake in these discussions is the definition of "large impact," and especially of "harmful impact." With some notable exceptions, often involving plagues of highly valued cultivated or wild plants and animals (e.g., the Colorado potato beetle *Leptinotarsa decemlineata*, the sea lamprey *Petromyzon marinus*, the snail *Pomacea canaliculata*; Jernelöv, 2017; Joshi, 2017), assessing the size and sign of the effect of a NIS is far from straightforward. We therefore deliberately avoid defining these concepts a priori, referring the reader to the discussions below.

In this article, we first assess whether the relative number of purportedly contrarian academic works has effectively increased since 1990. On the basis of an overview of previous results, chiefly meta-analyses based on tens to hundreds of case studies, we then assess the consistency and degree of scientific consensus on the notion that NIS have stronger and/or more detrimental effects on the environment and on human interests than native species. We further comment on the reliability of the results published, and discuss some potential sources of bias in their conclusions and in their interpretation by subsequent workers. Finally, we outline the implications of academic research on policy, allocation of resources, and management of biological invasions.

2 | GROWING DENIALISM?

Building upon previous comments by Richardson and Ricciardi (2013), Russell and Blackburn (2017a, b) recently published provocative arguments against what they perceive as an increase of information opposing the vast majority of the scientific literature that demonstrates the disrupting effects of NIS. These claims were swiftly contested by some of the scholars criticized (Briggs, 2017; Crowley, Hinchliffe, Redpath, & McDonald, 2017; Davis & Chew, 2017; Tassin, Thompson, Carroll, & Thomas, 2017) as unfair and unsupported by evidence. In an effort to back Russell and Blackburn's (2017a, b) perception with actual data, Ricciardi and Ryan (2018a) provided a list of 77 contrarian sources (i.e., pieces of information


denying the impacts of NIS), about one third of them from the area of academic literature, and a graph showing how the number of such pieces has increased between 1990 and 2016. Again, this article was rebutted, chiefly on the grounds that it interprets legitimate dissent as denialism (Sagoff, 2018), and the rebuttal was responded by the original authors (Ricciardi & Ryan, 2018b).

At first glance, the trend illustrated by Ricciardi and Ryan (2018a) is impressive, as the curve it shows climbs dramatically. However, the numbers involved (between 0 and 15 cherry-picked sources per year) make one frown at their representativeness. A search of the Scopus database (performed on 10 July 2018) using the same terms employed by Ricciardi and Ryan (2018a) ("invasive species," or "non-native species," or "alien species" in the title, abstract or keywords; restricted to the areas Agricultural and Biological Sciences, Environmental Science, Biochemistry, Genetics and Molecular Biology, Earth and Planetary Sciences, and Multidisciplinary, and the years 1990–2016), yielded a total of 27,603 hits. This literature list was downloaded and 159 duplicates were identified and eliminated (using the DOI and title fields). Subsequently, all source names (>95% journals) were scanned for suspicious entries and 18 references unrelated with NIS were deleted, leaving a total of 27,426 works (~98% journal articles, books, and book chapters; Figure 1). Thus, the numbers of academic contrarian pieces listed by Ricciardi and Ryan (2018a) for the same period (1990–2016) represent, on average, ~0.2% of Scopus' totals (Figure 1).

A similar assessment for the non-academic sources is more complicated because there are no databases that cover this type of information. However, a Google search of three major websites (YouTube, The New York Times, and Discover Magazine) using the same keywords also shows a growing trend (from 2 in 1990 to 447 in 2016; total 4,229), and the pieces of non-academic information listed by Ricciardi and Ryan (2018a) account for ~1%. Thus, even if the numbers given by Ricciardi and Ryan (2018a) are underestimating (as are also ours, in particular for the non-academic information), and all the pieces they cite are effectively contrarian (Crowley et al., 2017; Davis & Chew, 2017; Sagoff, 2018; Tassin et al., 2017), the weight of this denialism is insignificant when compared with the volume of scientific publications on NIS in the same period of time.

Admittedly, we did not check whether the NIS-related articles identified in Scopus include any that could conceivably be labeled

FIGURE 1 Numbers of academic articles in natural sciences (broken line), and academic publications on nonindigenous species (NIS; solid red line) published between 1990 and 2016 (based on searches of the Scopus database, see text for details), and proportions of publications dismissing the negative impacts of introduced species listed by Ricciardi and Ryan (2018a) (bars, as a proportion of publications shown by the solid red line)



as contrarian. But even if there were some, their numbers would be very low because >95% of the sources involved are from journals in the areas of natural (rather than social) sciences, and therefore are chiefly centered on original scientific research results, rather than on interpretational reviews or philosophical or ethical discussions.

An especially disturbing issue is the fact that the numbers presented by Ricciardi and Ryan (2018a) are given outside of the context of how information on NIS evolved in the period covered. As a matter of fact, this exponential growth of purportedly deceiving information lags behind the also exponential growth in the number of scientific surveys on NIS (Ricciardi & MacIsaac, 2008; Richardson & Ricciardi, 2013). Judging from the list provided by Ricciardi and Ryan (2018a), the proportions of academic contrarian publications show a decreasing (rather than increasing) trend between 1990 and 2016 (Figure 1), making such claims (Ricciardi & Ryan, 2018a; Richardson & Ricciardi, 2013; Russell & Blackburn, 2017a, b) unsubstantiated and misleading.

Incidentally, although interest in invasion biology has clearly increased in the last decades (Canning-Clode, 2015; Ricciardi & MacIsaac, 2008; Richardson & Ricciardi, 2013), as with contrarian publications, measuring this growth on the basis of absolute numbers of articles is misleading because the total number of papers published in academic journals has been growing by ~4%–5% every year during the last two decades (from 226,626 in 1990, to 699,041 in 2016, according to a Scopus search of all entries in the areas Agricultural and Biological Sciences, Environmental Science, Biochemistry, Genetics and Molecular Biology, and Earth and Planetary Sciences, performed on 10 July 2018; overall total for 1996–2016:11,319,483; Figure 1). The share of NIS-related academic publications indeed shows a statistically steeper slope than biological output in general (ANCOVA interaction term for year vs. % publications of total for 1990–2016, $p < 0.001$, Figure 1), but the gap is less impressive than when article numbers on NIS are shown outside of this context. As a matter of fact, this relative increase has been particularly strong between ~2000 and 2010, but stabilized thereafter (Figure 1).

3 | DISSENT, DEBATE, AND DENIALISM

The denialism of solid scientific facts proving that many NIS may—and very often do—have devastating effects on the native flora and fauna is, beyond doubt, harmful for the progress of our understanding of their ecology and their impacts on recipient communities. On the other hand, the assertion that there is ample consensus that NIS pose significant risks to biodiversity and ecosystems is accurate, but it should be clearly distinguished from the lack of consensus that all—or even most—NIS are significant and harmful, which is a matter of intense controversy (Crowley et al., 2017; Davis & Chew, 2017; Davis et al., 2011; Humair, Edwards, Siegrist, & Kueffer, 2014; Jernelöv, 2017; Sagoff, 2005; Simberloff, 2011; Tassin et al., 2017; Young & Larson, 2011).

Dissent can be an expression of honest disagreement (Crowley et al., 2017), or attempts to manufacture conclusions (Ricciardi &

Ryan, 2018a), often exploiting the fact that all scientific knowledge contains an element of uncertainty (Russell & Blackburn, 2017b). Both situations occur in the literature on biological introductions, but emphasis on the impacts of NIS, and particularly of those that are perceived as negative, seems more common than their denial, and NIS are often unduly maligned (Brown & Sax, 2004; Humair et al., 2014; Pereyra, 2016). This bias often takes the form of covert hints in the interpretations and discussions of experimental or observational data that show no relationship between origin and impact. In analyzing the density, diversity and composition of epifauna across eight brown seaweed species, including the invasive *Undaria pinnatifida*, Suárez-Jiménez et al. (2017) concluded that epifaunal traits were unassociated with the origin of the macroalgae, but with the complexity of host morphology, whereby *U. pinnatifida* (and several indigenous species) have simple morphologies and therefore support depauperate epifaunal assemblages. Yet, despite the fact that the area under study (New Zealand) was colonized by this NIS over 30 years earlier, in their concluding remarks the authors note that "abundances of epifauna at the ecosystem level will be reduced if *U. pinnatifida* displaces more structurally complex native seaweed species," omitting the obvious fact that that prospective future dominance by any of the indigenous species with a simple morphology will probably lead to the same result. This type of legitimate, but still lopsided, remarks are hardly surprising, as academic publications, grant submissions, conference reports, newspaper and magazine articles, thesis dissertations, and web pages are unlikely to state that the particular NIS or NIS-related problem they deal with, or plan to do so, is of little importance to the environment and to society, thus reifying the "native good, alien bad" dichotomy (Goodenough, 2010; Slobodkin, 2001).

Among other possible motivations for dissent, citing Duffy (2013), Ricciardi and Ryan (2018a) mention that "...for some, might be a desire to attain increased visibility; a contrarian message can facilitate exposure in the popular press as well as in some scholarly journals." Interestingly, the same argument has been used for suggesting that the threats posed by NIS might be inflated. Byers et al. (2002) noticed that "...because positive results are more likely to be submitted and published, the invasion literature may be biased toward demonstrating that nonindigenous species have large ecological impacts." An evaluation of 651 journal articles published between 1999 and 2014 supported the existence of this bias, but suggested that it has been waning after the mid-2000s (Warren, King, Tarsa, Haas, & Henderson, 2017).

In academia, many apparent disagreements stem from the fact that the effects of biological introductions are context-dependent, whereby the impacts are associated with the species and the areas (of origin and recipient) involved (Pantel et al., 2017). Insofar as every NIS represents a new component of an extremely complex and intricate machine (i.e., the community or ecosystem), it invariably has both beneficial and detrimental consequences (as seen from man's perspective), which often change in time (seasonally, multiannually) and space (Atkinson, 1985; Byers et al., 2002; Flory & D'Antonio, 2015; Pearson, Ortega, Eren, & Hierro, 2018; Ricciardi & Whoriskey,

2004; Ruokonen, Karjalainen, & Hämäläinen, 2014; Thomsen et al., 2014). Many species introduced by humans have turned out to be pests or have inflicted economic damage, but one can also make a long list of introductions that have had beneficial effects (Briggs, 2017), and especially of solid, peer-reviewed reports, that point at significant differences between ecosystems in their response to NIS, of concurrent positive and baneful impacts, and of opposing stands on the sign of their influences (Goodenough, 2010; Sagoff, 2005). For example, the impact of the introduced Argentine ant (*Linepithema humile*) is quite dissimilar over its invasive range, flourishing along the European coasts of the Mediterranean, but with mixed success elsewhere, including Corsica, New Zealand, and the USA (Jernelöv, 2017). Enhancement of toxic cyanobacterial blooms in South America by the freshwater invasive bivalve *Limnoperna fortunei* (Cataldo et al., 2012) is clearly a negative impact which, among many others, is often responsible for massive fish mortalities. However, since its introduction around 1990, the planktonic larvae of this invasive mussel are widely consumed by indigenous fish larvae, for which they represent an abundant, easily available and more nutritious prey than native zooplankton (Paolucci, Thuesen, Cataldo, & Boltovskoy, 2010), and adult mussels are grazed upon by at least 50 South American fish species (Cataldo, 2015), which eliminate up to over 90% of the mussel's yearly production (Duchini, Boltovskoy, & Sylvester, 2018; Sylvester, Boltovskoy, & Cataldo, 2007). The increase in Argentine freshwater fish landings from ~10,000 metric tons in 1950–1990, to ~20,000 tons after 1995, has been tentatively attributed to the presence of this new trophic resource (Boltovskoy, Correa, Cataldo, & Sylvester, 2006). Gauging the balance between these opposite effects and their long-term impacts on the environment and on social and economic interests is an elusive task, which inevitably involves contradicting opinions when attempting to label the impacts of a NIS (Boltovskoy, 2017), let alone all NIS in toto. Criticisms from both sides rarely target case studies; they are usually centered on attempts at extrapolating case studies to general rules applicable to all bioinvasions, which is the Achilles' heel of invasion science.

4 | INTERPRETING AND RECONCILING DISSENT

In an effort to resolve or reconcile these disagreements, and exploiting the growing volume of empirical data available, in the last ~15 years several review articles and meta-analyses using tens to hundreds of case studies were undertaken. They were aimed at pinpointing traits common to NIS, and particularly at elucidating if the overall trends point at impacts different from those of the native species. The issues most frequently addressed were the impacts on abundance, diversity, competition, fitness, and performance, reproduction, growth, survival, biogeochemistry, and nutrient dynamics. In this respect, meta-analyses employing quantitative methods are conceivably more objective than review articles, because they should be less susceptible to preconceived notions. Although some

meta-analyses concluded that the impacts of NIS are stronger and/or more detrimental than those of indigenous species (Ferlian et al., 2018; Paolucci, Maclsaac, & Ricciardi, 2013; Salo, Korpimäki, Banks, Nordstrom, & Dickman, 2007; Simberloff, Souza, Nuñez, Barrios-Garcia, & Bunn, 2012; van Hengstum, Hooftman, Oostermeijer, Tienderen, & Mack, 2014; Vilá et al., 2011; Wood et al., 2017; Yoon & Read, 2016), many suggested positive influences and/or that the purported negative effects of NIS are not supported by evidence (Charlebois, Sargent, & Maherali, 2017; Gurevitch & Padilla, 2004; Norkko et al., 2011; Pintor, Byers, & Anderson, 2015; Radville, Gonda-King, Gómez, Kaplan, & Preisser Evan, 2014; Reise, Olenin, & Thielges, 2006), and most found variable and context-dependent impacts (Cameron, Vilà, Cabeza, & Sykes, 2016; Guy-Haim et al., 2018; Higgins & Vander Zanden, 2010; Howard, Therriault, & Côté, 2017; Martin, Newton, & Bullock, 2017; Nelson et al., 2017; Potgieter et al., 2017; Pysek et al., 2008; Qiu, 2015; Thomsen et al., 2014; Twardochleb, Olden, & Larson, 2013; Vaz et al., 2018; Ward & Ricciardi, 2007), thus hindering broad generalizations.

Several significant points were raised in the literature, especially in review articles, concerning the meaning and the intrinsic, scientific, and social value of "indigenous" versus "invasive," the concept of "harmful," the notion and evaluation of "diversity" (Sagoff, 2005, 2018; Tassin et al., 2017), and biases in the geographic and taxonomic coverage of the surveys (Pysek et al., 2008; Salo et al., 2007). A particularly sensitive issue is the fact that species with known large and/or negative impacts are selected for investigation far more often than benign species or those considered of little relevance, whereas positive interactions of NIS with natives are under-reported (Guerin, Martín-Forés, Sparrow, & Lowe, 2018). The conclusions of review papers and meta-analyses are subsequently permeated by this bias.

Ricciardi and Ryan (2018a) noticed that most of the academic contrarian articles come from social scientists and philosophers. We acknowledge that these scholars likely have a limited knowledge of the scientific evidences involved. However, rather than dismissing their opinion, natural scientists would benefit from critically evaluating their input, particularly in the light of how NIS are perceived by scientists, managers, and the general public (Humair et al., 2014; Peretti, 1998; van der Wal, Fischer, Selge, & Larson, 2015).

Another source of dissent may stem from semantics, from adherence to a particular belief, and from the abundance and conspicuousness of some invasive species in the recipient area, rather than from conflicting scientific evidence. Attempts at unifying terminology used in research on introduced species (Colautti & Maclsaac, 2004; Davis, 2009; Richardson et al., 2000; Russell & Blackburn, 2017a) have had very limited success (Sagoff, 2018) and explicit opposition (Hodges, 2008; Larson, 2007). Despite (or because of) its value-laden implications, the term "invasive" has been growing in acceptance (Pereyra, 2016), to the point that the field itself is usually referred to as "invasion biology," even by scholars opposed to the concept that all NIS are harmful (Davis, 2009). "Invasive" is a value-laden adjective, with unobvious negative connotations (Davis, 2009; Russell & Blackburn, 2017b), and the notion of "negative" has been

incorporated by researchers and international organizations in their definition of “invasive” (IUCN, 2018; Russell & Blackburn, 2017a, b; Simberloff et al., 2012; WWF, 2018). Further, attempts have been made at associating abundance in the recipient area and terminology with social values. Russell and Blackburn (2017a) suggested that the term “invasive” should be applied to the NIS with negative impacts only (but, surprisingly, they also noticed that the impacts of non-invasive NIS “can be positive and negative, often a combination of both, and **potentially benign overall**”; our emphasis). The distinction between NIS and invasive has traditionally been based on a subjective appreciation of the abundance and impact of the alien species in the recipient environment, whereby NIS are present in moderate numbers, whereas invasives are very abundant. However, as mentioned above, most scholars use “invasive” rather indiscriminately for any NIS (Pereyra, 2016). Thus, implicit or explicit adherence to the notion that “invasive” necessarily involves deleterious impacts, and usage of “invasive” for all introduced species leads to the tautological conclusion that NIS are harmful. We agree that NIS that become very abundant in the recipient range (invasive) are more likely to have large effects than those that do not, but we object the ensuing assumption that large effect equates negative, even though this is often the case.

Dissent on the damage of the impacts is also engendered by the fact that most meta-analyses center their interest on the net effect sizes of the NIS (usually through exclusion-inclusion experiments or field observations), while the issue whether the organisms or processes affected involve environmentally or societally negligible (even when statistically significant), negative, or positive changes is given less consideration. For example, Paolucci et al. (2013) performed a meta-analysis comparing the pressure of indigenous versus NIS consumers on native organisms. They concluded that terrestrial and freshwater (but not marine) NIS have larger effects on native resources than native consumers. This survey was not aimed at assessing the ecological, societal, or economic value of the resources fed upon. As most similar meta-analyses, the authors’ purpose was not investigating whether the species consumed were highly valued plants or animals, or nuisance weeds, or pests. Within this framework, the use of “more negative” (resulting from the algorithm used in this and many other meta-analyses) for the more voracious introduced consumers and “less negative” for the native ones was meant to identify the ones that are more likely to engender community or ecosystem-level changes. However, subsequent interpretations of these specific results were used to support statements such as “substantial ecological and economic damage” (Emde et al., 2016), and “non-native species are more likely to become a pest” (Verbrugge, Leuven, & Zwart, 2016). Change per se is often equated with negative impact, either explicitly or implicitly, entailing that the NIS responsible for the change are deleterious.


Maritime cordgrasses (*Spartina* spp.) are considered “powerful ecological engineers...” (i.e., species that change the character, dynamics, form, or nature of ecosystems over substantial areas; Jones & Lawton, 1994) “...that are highly valued where they are native” (Strong & Ayres, 2013); however, “elsewhere, they overgrow native

salt marsh and open intertidal mudflats, diminish biota, increase costs of managing wildlife, and interfere with human uses of estuaries” (Strong & Ayres, 2013). Overgrowth of native vegetation and reduction of biota can, indeed, be interpreted as negative outcomes. Overgrowth of bare mudflats is more debatable (after all, that is what all cordgrasses do, regardless of their origin), but increasing costs of managing wildlife (i.e., eliminating the introduced seagrass), and interfering the human uses of estuaries is clearly contradictory with the fact that they should be protected where they are native (i.e., not wiped out by grazing by cattle or for urbanization). The smooth cordgrass, *Spartina alterniflora*, historically assumed to be an indigenous, highly valued feature of the Atlantic coasts of South America, was suggested to have **catastrophically** (our emphasis) altered the pristine state of nature when its native status was questioned (Bortolus, Carlton, & Schwindt, 2015). Although many arguments on the positive and negative effects of NIS are disputable, some are plainly untenable. The invasive, freshwater bivalves *Corbicula fluminea* and *Limnoperna fortunei* were included in the roster of impacts associated with the depletion of the exploited marine blue mussel, *Mytilus edulis platensis* (Defeo et al., 2013), with which they share neither space nor resources.

5 | SCIENCE AND POLICY

Russell and Blackburn (2017a) stated that “negotiating the tensions of perceived consensus alongside scientific uncertainty are critical, especially in the public’s eye.” This observation was subsequently echoed by Ricciardi & Ryan’s claims that “Effective management of invasive species and other environmental problems requires community consensus,” and scientists should make the scientific consensus known (Ricciardi & Ryan, 2018a). Such statements sound like euphemisms for demanding that, in order to avoid hampering management efforts, researchers should only report the negative effects of NIS. In our opinion, the fact that controversies in the scientific arena can have consequences in the public opinion, and in the funding and implementation of policies oriented at controlling biological invasions (Ricciardi & Ryan, 2018a), should not affect the dissemination of scientifically solid evidences, not only when they suggest negative impacts, but also when they point at neutral or positive effects. Management actions to curtail the spread of NIS are based on a precautionary principle (Russell & Blackburn, 2017b), but scientific conclusions should not be skewed by this legitimate purpose. We agree with Duffy (2013) that “One will need to ignore the possible side effects, as some journalists...” [policy-makers, managers] “...will inevitably oversimplify one’s message and others will twist it to advance a particular political or belief system.” Further, tagging all introductions with the same “harmful species” label may foster policy and management funding and efforts aimed at curtailing the risks of some highly focused introduction pathways, such as ballast water (Bailey, 2015). However, when used indiscriminately and without solid evidences, it may backfire engendering distrust, weakening interest, and decreasing resources for addressing those

FIGURE 2 Upon introduction, some species may have large effects on the recipient ecosystems, but these effects are not necessarily all harmful (upper panel). Most introduced species have mixed effects, negative for some resident species or processes and positive for others (middle panel). Many introduced species have no major impacts, which does not entail that their small effects are not favorable for some resident species and deleterious for others. There is no evidence in the scientific literature that the negative effects of NIS are systematically ignored or dismissed (pink background)



NIS that have clearly been shown to be most detrimental (Gurevitch & Padilla, 2004; Nentwig, Bacher, Kumschick, Pyšek, & Vilà, 2017). It is estimated that only ~5%–20% of all introduced species become problematic (IUCN, 2018), and around 1%–2% make it to the "worst invasives" lists (European Environmental Agency, 2018; Nentwig et al., 2017), thus deserving prioritization in management efforts (Figure 2). In this respect, crying wolf every time a new NIS is recorded and speculating over the purportedly negative impacts of all NIS can be counterproductive.

6 | CONCLUSIONS

After several decades of intensive research, the consensus that NIS may engender major changes with negative implications for the biota and for human interests is overwhelming, even among scholars that have been labeled as contrarians (Davis & Chew, 2017). This stance prevails in the academic literature, and it does not seem to have decreased in the last decades. The volume of information denying any negative effects is negligible. Although examples of beneficial NIS are abundant as well (Davis, 2009; Ewel et al., 1999; Jernelöv, 2017), given the hazards involved in each new introduction all efforts possible for keeping introductions from spreading should be undertaken. However, research on the newcomers should neither be tainted by the fact that some previous NIS proved harmful, nor by the fact that some have melted into the ecosystem without major consequences, or even have ended up being beneficial. Every new introduction (and, unfortunately, the trend is on the rise worldwide: Seebens et al., 2017) should be evaluated in its own right and in the particular area invaded (Nelson et al., 2017; Wagner, 1993). The a priori axiom that all NIS are harmful is as detrimental to the buildup of reliable knowledge as is the tenet that NIS are harmless. It is unlikely that either preconceived outlook should influence the outcome of experiments or observations, but their interpretation can be affected, either explicitly or implicitly (Warren et al., 2017).

Our understanding of invasion ecology evolved significantly in the last decades (Simberloff & Vitule, 2013). As in any other field, this maturation involves not only new knowledge and a deeper insight, but also a growing recognition of complexity and ambiguity (Davis, 2009; Davis & Chew, 2017), which in turn engenders healthy and productive debate on the impacts of NIS. Muffling conflicting results on the basis of the argument that they serve spurious purposes does a poor service not only to science, but also to society. We obviously agree that inaccurate, unsubstantiated, deceiving and manipulated results and conclusions in academic and non-academic media must be confronted. However, exposure of such pieces should apply not only to those that maliciously or simply erroneously dismiss the negative impacts of NIS, but also to the ones that groundlessly inflate their effects. In the words of William Blake (*Proverbs of Hell*), "The crow wish'd everything was black, the owl that everything was white." The role of science is not stripping nature from the multiple shades of gray, even if black or white were politically more correct and strategically more convenient.

ACKNOWLEDGMENTS

This work was supported by grants from the Agencia Nacional de Promoción Científica y Tecnológica (Argentina) PICT 2015 2598 (DB), PICT 2015-3513 (EMP) and PICT 2016-0631 (FS).

CONFLICT OF INTEREST

None declared.

AUTHOR CONTRIBUTION

D.B. conceived the study and wrote the preliminary draft. All authors contributed to analyses of the data, discussions and writing the final version.

DATA ACCESSIBILITY

No unpublished information was used in this work. All the supporting data are included in the references provided.

ORCID

Demetrio Boltovskoy  <http://orcid.org/0000-0003-3484-2954>

REFERENCES

- Atkinson, I. A. E. (1985). The spread of commensal species of *Rattus* to oceanic islands and their effects on island avifaunas. In P. J. Moors (Ed.), *Conservation of island birds* (pp. 35–81). Cambridge, UK: International Council for Bird Preservation.
- Bailey, S. A. (2015). An overview of thirty years of research on ballast water as a vector for aquatic invasive species to freshwater and marine environments. *Aquatic Ecosystem Health and Management*, 18, 261–268. <https://doi.org/10.1080/14634988.2015.1027129>.
- Boltovskoy, D. (2017). Traits and impacts of invasive species: Myths and evidences from the perspective of introduced freshwater mussels. *Aquatic Ecosystem Health and Management*, 20, 334–343. <https://doi.org/10.1080/14634988.2017.1397483>.
- Boltovskoy, D., Correa, N., Cataldo, D., & Sylvester, F. (2006). Dispersion and ecological impact of the invasive freshwater bivalve *Limnoperna fortunei* in the Río de la Plata watershed and beyond. *Biological Invasions*, 8, 947–963. <https://doi.org/10.1007/s10530-005-5107-z>.
- Bortolus, A., Carlton, J. T., & Schwindt, E. (2015). Reimagining South American coasts: Unveiling the hidden invasion history of an iconic ecological engineer. *Diversity and Distributions*, 21, 1267–1283. <https://doi.org/10.1111/ddi.12377>.
- Briggs, J. C. (2017). Rise of Invasive species denialism? A response to Russell and Blackburn. *Trends in Ecology & Evolution*, 32, 231–232. <https://doi.org/10.1016/j.tree.2017.02.003>.
- Brown, J. H., & Sax, D. F. (2004). An essay on some topics concerning invasive species. *Austral Ecology*, 29, 530–536. <https://doi.org/10.1111/j.1442-9993.2004.01340.x>.
- Byers, J. E., Reichard, S., Randall, J. M., Parker, I. M., Smith, C. S., Lonsdale, W. M., ... Hayes, D. (2002). Directing research to reduce the impacts of nonindigenous species. *Conservation Biology*, 16, 630–640. <https://doi.org/10.1046/j.1523-1739.2002.01057.x>.
- Cameron, E. K., Vilà, M., Cabeza, M., & Sykes, M. (2016). Global meta-analysis of the impacts of terrestrial invertebrate invaders on species, communities and ecosystems. *Global Ecology and Biogeography*, 25, 596–606. <https://doi.org/10.1111/geb.12436>.
- Canning-Clode, J. (2015). General introduction. Aquatic and terrestrial biological invasions in the 21st Century. In J. Canning-Clode (Ed.), *Biological invasions in changing ecosystems. Vectors, ecological impacts, management and predictions* (pp. 30–37). Berlin, Germany: De Gruyter.
- Cataldo, D. (2015). Trophic relationships of *Limnoperna fortunei* with adult fishes. In D. Boltovskoy (Ed.), *Limnoperna fortunei: The ecology, distribution and control of a swiftly spreading invasive fouling mussel* (pp. 231–248). Cham, Switzerland: Springer International Publishing. https://doi.org/10.1007/978-3-319-13494-9_13.
- Cataldo, D., Vinocur, A., O'Farrell, I., Paolucci, E., Leites, V., & Boltovskoy, D. (2012). The introduced bivalve *Limnoperna fortunei* boosts *Microcystis* growth in Salto Grande Reservoir (Argentina): Evidence from mesocosm experiments. *Hydrobiologia*, 680, 25–38. <https://doi.org/10.1007/s10750-011-0897-8>.
- Charlebois, J. A., Sargent, R. D., & Maherali, H. (2017). No consistent pollinator-mediated impacts of alien plants on natives. *Ecology Letters*, 20, 1479–1490. <https://doi.org/10.1111/ele.12831>.
- Colautti, R. I., & MacIsaac, H. J. (2004). A neutral terminology to define 'invasive' species. *Diversity and Distributions*, 10, 135–141. <https://doi.org/10.1111/j.1366-9516.2004.00061.x>.
- Crowley, S., Hinchliffe, S., Redpath, S., & McDonald, R. (2017). Disagreement about invasive species does not equate to denialism: A response to Russell and Blackburn. *Trends in Ecology & Evolution*, 32, 228–229. <https://doi.org/10.1016/j.tree.2017.02.004>.
- Davis, M. A. (2006). Invasion biology 1958–2005: The pursuit of science and conservation. In M. W. Cadotte, S. M. McMahon, & T. Fukami (Eds.), *Conceptual ecology and invasion biology: Reciprocal approaches to nature*. Berlin, Germany: Springer Verlag.
- Davis, M. A. (2009). *Invasion biology* (pp. 35–64). New York, NY: Oxford University Press.
- Davis, M. A., & Chew, M. K. (2017). 'The denialists are coming!' Well, not exactly: A response to Russell and Blackburn. *Trends in Ecology & Evolution*, 32, 229–230. <https://doi.org/10.1016/j.tree.2017.02.008>.
- Davis, M. A., Chew, M. K., Hobbs, R. J., Lugo, A. E., Ewel, J. J., Vermeij, G. J., ... Briggs, J. C. (2011). Don't judge species on their origins. *Nature*, 474, 153–154. <https://doi.org/10.1038/474153a>.
- Defeo, O., Castrejón, M., Ortega, L., Kuhn, A. M., Gutiérrez, N. L., & Castilla, J. C. (2013). Impacts of climate variability on Latin American small-scale fisheries. *Ecology and Society*, 18, 30. <https://doi.org/10.5751/es-05971-180430>.
- Duchini, D., Boltovskoy, D., & Sylvester, F. (2018). The invasive freshwater bivalve *Limnoperna fortunei* in South America: Multiannual changes in its predation and effects on associated benthic invertebrates. *Hydrobiologia*, 817, 431–446. <https://doi.org/10.1007/s10750-018-3561-8>.
- Duffy, D. C. (2013). The games ecologists play: The contrarian. *Bulletin of the Ecological Society of America*, 94, 380. <https://doi.org/10.1890/0012-9623-94.4.380>.
- Emde, S., Kochmann, J., Kuhn, T., Dorge, D. D., Plath, M., Miesen, F. W., & Klimpel, S. (2016). Cooling water of power plant creates "hot spots" for tropical fishes and parasites. *Parasitology Research*, 115, 85–98. <https://doi.org/10.1007/s00436-015-4724-4>.
- European Environmental Agency. (2018). *Invasive alien species in Europe*. European Environmental Agency.
- Ewel, J. J., O'Dowd, D. J., Bergelson, J., Daehler, C. C., D'Antonio, C. M., Gomez, L. D., ... Vitousek, P. M. (1999). Deliberate introductions of species: Research needs. Benefits can be reaped, but risks are high. *BioScience*, 49, 619–630. <https://doi.org/10.2307/1313438>.
- Ferlian, O., Eisenhauer, N., Aguirrebengoa, M., Camara, M., Ramirez-Rojas, I., Santos, F., ... Thakur, M. P. (2018). Invasive earthworms erode soil biodiversity: A meta-analysis. *Journal of Animal Ecology*, 87, 162–172. <https://doi.org/10.1111/1365-2656.12746>.
- Flory, S. L., & D'Antonio, C. M. (2015). Taking the long view on the ecological effects of plant invasions. *American Journal of Botany*, 102, 817–818. <https://doi.org/10.3732/ajb.1500105>.
- Goodenough, A. E. (2010). Are the ecological impacts of alien species misrepresented? A review of the "native good, alien bad" philosophy. *Community Ecology*, 11, 13–21. <https://doi.org/10.2307/1313438>.
- Guerin, G. R., Martín-Forés, I., Sparrow, B., & Lowe, A. J. (2018). The biodiversity impacts of non-native species should not be extrapolated from biased single-species studies. *Biodiversity and Conservation*, 27, 785–790. <https://doi.org/10.1007/s10531-017-1439-0>.
- Gurevitch, J., & Padilla, D. K. (2004). Are invasive species a major cause of extinctions? *Trends in Ecology & Evolution*, 19, 470–474. <https://doi.org/10.1016/j.tree.2004.07.005>.
- Guy-Haim, T., Lyons Devin, A., Kotta, J., Ojaveer, H., Queirós Ana, M., Chatzinikolaou, E., ... Rilov, G. (2018). Diverse effects of invasive ecosystem engineers on marine biodiversity and ecosystem functions: A global review and meta-analysis. *Global Change Biology*, 24, 906–924. <https://doi.org/10.1111/gcb.14007>.
- Higgins, S. N., & Vander Zanden, M. J. (2010). What a difference a species makes: A meta-analysis of dreissenid mussel impacts on

- freshwater ecosystems. *Ecological Monographs*, 80, 179–196. <https://doi.org/10.1890/09-1249.1>.
- Hodges, K. E. (2008). Defining the problem: Terminology and progress in ecology. *Frontiers in Ecology and the Environment*, 6, 35–42. <https://doi.org/10.1890/060108>.
- Howard, B. R., Therriault, T. W., & Côté, I. M. (2017). Contrasting ecological impacts of native and non-native marine crabs: A global meta-analysis. *Marine Ecology Progress Series*, 577, 93–103. <https://doi.org/10.3354/meps12245>.
- Humair, F., Edwards, P., Siegrist, M., & Kueffer, C. (2014). Understanding misunderstandings in invasion science: Why experts don't agree on common concepts and risk assessments. *NeoBiota*, 20, 1–30. <https://doi.org/10.3897/neobiota.20.6043>.
- IUCN. (2018). *Invasive species*. International Union for the Conservation of Nature.
- Jernelöv, A. (2017). *The long-term fate of invasive species. Aliens forever or integrated immigrants with time?* Cham, Switzerland: Springer.
- Jones, C. G., & Lawton, J. H. (1994). Organisms as ecosystem engineers. *Oikos*, 69, 373–386. https://doi.org/10.1007/978-1-4612-4018-1_14.
- Joshi, R. C. (2017). Problems with the management of the golden apple snail *Pomacea canaliculata*: An important exotic pest of rice in Asia. In M. J. B. Vreysen, A. S. Robinson, & J. Hendrichs (Eds.), *Area-wide control of insect pests. From research to field implementation* (pp. 257–264). New York, NY: Springer.
- Larson, B. M. H. (2007). An alien approach to invasive species: Objectivity and society in invasion biology. *Biological Invasions*, 9, 947–956. <https://doi.org/10.1007/s10530-007-9095-z>.
- Martin, P. A., Newton, A. C., & Bullock, J. M. (2017). Impacts of invasive plants on carbon pools depend on both species' traits and local climate. *Ecology*, 98, 1026–1035. <https://doi.org/10.1002/ecy.1711>.
- Nelson, S. B., Coon, J. J., Duchardt, C. J., Fischer, J. D., Halsey, S. J., Kranz, A. J., ... Miller, J. R. (2017). Patterns and mechanisms of invasive plant impacts on North American birds: A systematic review. *Biological Invasions*, 19, 1547–1563. <https://doi.org/10.1007/s10530-017-1377-5>.
- Nentwig, W., Bacher, S., Kumschick, S., Pyšek, P., & Vilà, M. (2017). More than “100 worst” alien species in Europe. *Biological Invasions*, 20(6), 1611–1621. <https://doi.org/10.1007/s10530-017-1651-6>.
- Norkko, J., Reed, D. C., Timmermann, K., Norkko, A., Gustafsson, B. G., Bonsdorff, E., ... Conley, D. J. (2011). A welcome can of worms? Hypoxia mitigation by an invasive species. *Global Change Biology*, 18, 422–434. <https://doi.org/10.1111/j.1365-2486.2011.02513.x>.
- Pantel, J. H., Bohan, D. A., Calcagno, V., David, P., Duyck, P. F., Kamenova, S., ... Massol, F. (2017). Chapter Six - 14 Questions for Invasion in Ecological Networks. In D. A. Bohan, A. J. Dumbrell, & F. Massol (Eds.), *Advances in ecological research* (pp. 293–340). Cambridge, MA: Academic Press. <https://doi.org/10.1016/bs.aecr.2016.10.008>.
- Paolucci, E. M., Maclsaac, H. J., & Ricciardi, A. (2013). Origin matters: Alien consumers inflict greater damage on prey populations than do native consumers. *Diversity and Distributions*, 19, 988–995. <https://doi.org/10.1111/ddi.12073>.
- Paolucci, E. M., Thuesen, E. V., Cataldo, D., & Boltovskoy, D. (2010). Veligers of an introduced bivalve (*Limnoperna fortunei*) are a new food resource that enhances growth of larval fish in the Paraná River (South America). *Freshwater Biology*, 55, 1831–1844. <https://doi.org/10.1111/j.1365-2427.2010.02418.x>.
- Pearson, D. E., Ortega, Y. K., Eren, Ö., & Hierro, J. L. (2018). Community assembly theory as a framework for biological invasions. *Trends in Ecology & Evolution*, 33, 313–325. <https://doi.org/10.1016/j.tree.2018.03.002>.
- Peretti, J. H. (1998). Nativism and nature: Rethinking biological invasion. *Environmental Values*, 7, 183–192. <https://doi.org/10.3197/096327198129341537>.
- Pereyra, P. J. (2016). Revisiting the use of the invasive species concept: An empirical approach. *Austral Ecology*, 41, 519–528. <https://doi.org/10.1111/aec.12340>.
- Pintor, L. M., Byers, J. E., & Anderson, M. (2015). Do native predators benefit from non-native prey? *Ecology Letters*, 18, 1174–1180. <https://doi.org/10.1111/ele.12496>.
- Potgieter, L. J., Gaertner, M., Kueffer, C., Larson, B. M. H., Livingstone, S. W., O'Farrell, P. J., & Richardson, D. M. (2017). Alien plants as mediators of ecosystem services and disservices in urban systems: A global review. *Biological Invasions*, 19, 3571–3588. <https://doi.org/10.1007/s10530-017-1589-8>.
- Pysek, P., Richardson, D. M., Pergl, J., Jarosik, V., Sixtova, Z., & Weber, E. (2008). Geographical and taxonomic biases in invasion ecology. *Trends in Ecology & Evolution*, 23, 237–244. <https://doi.org/10.1016/j.tree.2008.02.002>.
- Qiu, J. (2015). A global synthesis of the effects of biological invasions on greenhouse gas emissions. *Global Ecology and Biogeography*, 24, 1351–1362. <https://doi.org/10.1111/geb.12360>.
- Radville, L., Gonda-King, L., Gómez, S., Kaplan, I., & Preisser Evan, L. (2014). Are exotic herbivores better competitors? A meta-analysis. *Ecology*, 95, 30–36. <https://doi.org/10.1890/13-0728.1>.
- Reise, K., Olenin, S., & Thielges, D. W. (2006). Are aliens threatening aquatic coastal ecosystems? *Helgolander Marine Research*, 60, 77–83. <https://doi.org/10.1007/s10152-006-0024-9>.
- Ricciardi, A., & Maclsaac, H. J. (2008). The book that began invasion ecology. *Nature*, 452, 34. <https://doi.org/10.1038/452034a>.
- Ricciardi, A., & Ryan, R. (2018a). The exponential growth of invasive species denialism. *Biological Invasions*, 20, 549–553. <https://doi.org/10.1007/s10530-017-1561-7>.
- Ricciardi, A., & Ryan, R. (2018b). Invasive species denialism revisited: Response to Sagoff. *Biological Invasions*. <https://doi.org/10.1007/s10530-018-1753-9>.
- Ricciardi, A., & Whoriskey, F. G. (2004). Exotic species replacement: Shifting dominance of dreissenid mussels in the Soulanges Canal, upper St. Lawrence River, Canada. *Journal of the North American Benthological Society*, 23, 507–514. [https://doi.org/10.1899/0887-3593\(2004\)023<0507:ESRSDO>2.0.CO;2](https://doi.org/10.1899/0887-3593(2004)023<0507:ESRSDO>2.0.CO;2).
- Richardson, D. M., Pysek, P., Rejmanek, M., Barbour, M. G., Panetta, F. D., & West, C. J. (2000). Naturalization and invasion of alien plants: Concepts and definitions. *Diversity and Distributions*, 6, 93–107. <https://doi.org/10.1046/j.1472-4642.2000.00083.x>.
- Richardson, D. M., & Ricciardi, A. (2013). Misleading criticisms of invasion science: A field guide. *Diversity and Distributions*, 19, 1461–1467. <https://doi.org/10.1111/ddi.12150>.
- Ruokonen, T. J., Karjalainen, J., & Hämäläinen, H. (2014). Effects of an invasive crayfish on the littoral macroinvertebrates of large boreal lakes are habitat specific. *Freshwater Biology*, 59, 12–25. <https://doi.org/10.1111/fwb.12242>.
- Russell, J. C., & Blackburn, T. M. (2017a). Invasive alien species: Denialism, disagreement, definitions, and dialogue. *Trends in Ecology & Evolution*, 32, 312–314. <https://doi.org/10.1016/j.tree.2017.02.005>.
- Russell, J. C., & Blackburn, T. M. (2017b). The rise of invasive species denialism. *Trends in Ecology & Evolution*, 32, 3–6. <https://doi.org/10.1016/j.tree.2016.10.012>.
- Sagoff, M. (2005). Do non-native species threaten the natural environment? *Journal of Agricultural and Environmental Ethics*, 18, 215–236. <https://doi.org/10.1007/s10806-005-1500-y>.
- Sagoff, M. (2018). Invasive species denialism: A reply to Ricciardi and Ryan. *Biological Invasions*, 20(10), 2723–2729. <https://doi.org/10.1007/s10530-018-1752-x>.
- Salo, P., Korpimäki, E., Banks, P. B., Nordstrom, M., & Dickman, C. R. (2007). Alien predators are more dangerous than native predators to prey populations. *Proceedings of the Royal Society B*, 274, 1237–1243. <https://doi.org/10.1098/rspb.2006.0444>.

- Seebens, H., Blackburn, T. M., Dyer, E. E., Genovesi, P., Hulme, P. E., Jeschke, J. M., ... Essl, F. (2017). No saturation in the accumulation of alien species worldwide. *Nature Communications*, *8*, 14435. <https://doi.org/10.1038/ncomms14435>.
- Simberloff, D. (2011). Non-natives: 141 scientists object. *Nature*, *475*(7354), 36–36. <https://doi.org/10.1038/475036a>.
- Simberloff, D., Souza, L., Nuñez, M. A., Barrios-García, M. N., & Bunn, W. (2012). The natives are restless, but not often and mostly when disturbed. *Ecology*, *93*, 598–607. <https://doi.org/10.1890/11-1232.1>.
- Simberloff, D., & Vitule, J. R. S. (2013). A call for an end to calls for the end of invasion biology. *Oikos*, *123*, 408–413. <https://doi.org/10.1111/j.1600-0706.2013.01228.x>.
- Slobodkin, L. B. (2001). The good, the bad and the reified. *Evolutionary Ecology Research*, *3*, 1–13.
- Strong, D. R., & Ayres, D. R. (2013). Ecological and evolutionary misadventures of *Spartina*. *Annual Review of Ecology, Evolution, and Systematics*, *44*, 389–410. <https://doi.org/10.1146/annurev-ecolsys-110512-135803>.
- Suárez-Jiménez, R., Hepburn, C. D., Hyndes, G. A., McLeod, R. J., Taylor, R. B., & Hurd, C. L. (2017). The invasive kelp *Undaria pinnatifida* hosts an epifaunal assemblage similar to native seaweeds with comparable morphologies. *Marine Ecology Progress Series*, *582*, 45–55. <https://doi.org/10.3354/meps12321>.
- Sylvester, F., Boltovskoy, D., & Cataldo, D. (2007). Fast response of freshwater consumers to a new trophic resource: Predation on the recently introduced Asian bivalve *Limnoperna fortunei* in the lower Paraná River, South America. *Austral Ecology*, *32*, 403–415. <https://doi.org/10.1111/j.1442-9993.2007.01707.x>.
- Tassin, J., Thompson, K., Carroll, S. P., & Thomas, C. D. (2017). Determining whether the impacts of introduced species are negative cannot be based solely on science: A response to Russell and Blackburn. *Trends in Ecology & Evolution*, *32*, 230–231. <https://doi.org/10.1016/j.tree.2017.02.001>.
- Thomsen, M. S., Byers, J. E., Schiel, D. R., Bruno, J. F., Olden, J. D., Wernberg, T., & Silliman, B. R. (2014). Impacts of marine invaders on biodiversity depend on trophic position and functional similarity. *Marine Ecology Progress Series*, *495*, 39–47. <https://doi.org/10.3354/meps10566>.
- Twardochleb, L. A., Olden, J. D., & Larson, E. R. (2013). A global meta-analysis of the ecological impacts of nonnative crayfish. *Freshwater Science*, *32*, 1367–1382. <https://doi.org/10.1899/12-203.1>.
- van der Wal, R., Fischer, A., Selge, S., & Larson, B. (2015). Neither the public nor experts judge species primarily on their origins. *Environmental Conservation*, *42*, 349–355. <https://doi.org/10.1017/S0376892915000053>.
- van Hengstum, T., Hooftman, D. A. P., Oostermeijer, J. G. B., van Tienderen, P. H., & Mack, R. (2014). Impact of plant invasions on local arthropod communities: A meta-analysis. *Journal of Ecology*, *102*, 4–11. <https://doi.org/10.1111/1365-2745.12176>.
- Vaz, A. S., Castro-Díez, P., Godoy, O., Alonso, Á., Vilà, M., Saldaña, A., ... Honrado, J. P. (2018). An indicator-based approach to analyse the effects of non-native tree species on multiple cultural ecosystem services. *Ecological Indicators*, *85*, 48–56. <https://doi.org/10.1016/j.ecolind.2017.10.009>.
- Verbrugge, L. N. H., Leuven, R. S. E. W., & Zwart, H. A. E. (2016). Metaphors in invasion biology: Implications for risk assessment and management of non-native species. *Ethics, Policy & Environment*, *19*, 273–284. <https://doi.org/10.1080/21550085.2016.1226234>.
- Vilà, M., Espinar, J. L., Hejda, M., Hulme, P. E., Jarosik, V., Maron, J. L., ... Pysek, P. (2011). Ecological impacts of invasive alien plants: A meta-analysis of their effects on species, communities and ecosystems. *Ecology Letters*, *14*, 702–708. <https://doi.org/10.1111/j.1461-0248.2011.01628.x>.
- Wagner, W. H. (1993). Problems with biotic invasives: A biologist's viewpoint. In B. N. Mcknight (Ed.), *Biological pollution: The control and impact of invasive exotic species* (pp. 1–8). Indianapolis, IN: Indiana Academy of Science.
- Ward, J. M., & Ricciardi, A. (2007). Impacts of *Dreissena* invasions on benthic macroinvertebrate communities: A meta-analysis. *Diversity and Distributions*, *13*, 155–165. <https://doi.org/10.1111/j.1472-4642.2007.00336.x>.
- Warren, R. J., King, J. R., Tarsa, C., Haas, B., & Henderson, J. (2017). A systematic review of context bias in invasion biology. *PLoS One*, *12*, e0182502. <https://doi.org/10.1371/journal.pone.0182502>.
- Wood, K. A., O'Hare, M. T., McDonald, C., Searle, K. R., Daunt, F., & Stillman, R. A. (2017). Herbivore regulation of plant abundance in aquatic ecosystems. *Biological Reviews of the Cambridge Philosophical Society*, *92*, 1128–1141. <https://doi.org/10.1111/brv.12272>.
- WWF. (2018). *Impact of invasive alien species. Why some species are unwelcome*. World Wildlife Fund. http://wwf.panda.org/about_our_earth/species/problems/invasive_species/index.cfm.
- Yoon, S., & Read, Q. (2016). Consequences of exotic host use: Impacts on Lepidoptera and a test of the ecological trap hypothesis. *Oecologia*, *181*, 985–996. <https://doi.org/10.1007/s00442-016-3560-2>.
- Young, A. M., & Larson, B. M. H. (2011). Clarifying debates in invasion biology: A survey of invasion biologists. *Environmental Research*, *111*, 893–898. <https://doi.org/10.1016/j.envres.2011.06.006>.

How to cite this article: Boltovskoy D, Sylvester F, Paolucci EM. Invasive species denialism: Sorting out facts, beliefs, and definitions. *Ecol Evol*. 2018;8:11190–11198. <https://doi.org/10.1002/ece3.4588>