

CORRECTION

Open Access



# Correction to: Performance of a feature-based algorithm for 3D-3D registration of CT angiography to cone-beam CT for endovascular repair of complex abdominal aortic aneurysms

Giasemi Koutouzi<sup>1\*</sup>, Behrooz Nasihatkon<sup>2</sup>, Monika Danielak-Nowak<sup>1</sup>, Henrik Leonhardt<sup>1</sup>, Mårten Falkenberg<sup>1</sup> and Fredrik Kahl<sup>3,4</sup>

**Correction to: BMC Med Imaging**  
<https://doi.org/10.1186/s12880-018-0285-1>

In the original version of this article [1], published on 8 November 2018, there was an error in the name of the 2nd author.

In this correction article the incorrect and correct author name are indicated.

Originally the author name has been published as:

– Behrooz Nasihatkton

The corrected name is:

– Behrooz Nasihatkon

## Author details

<sup>1</sup>Department of Radiology, Institute of Clinical Sciences, Sahlgrenska Academy, Gothenburg, Sweden. <sup>2</sup>K. N. Toosi University of Technology, Tehran, Iran. <sup>3</sup>Department of Electrical Engineering, Chalmers University of Technology, Gothenburg, Sweden. <sup>4</sup>Center for Mathematical Sciences, Lund University, Lund, Sweden.

Received: 4 February 2019 Accepted: 26 April 2019

Published online: 02 May 2019

## Reference

1. Koutouzi G, Nasihatkon B, Danielak-Nowak M, et al. Performance of a feature-based algorithm for 3D-3D registration of CT angiography to cone-beam CT for endovascular repair of complex abdominal aortic aneurysms. *BMC Med Imaging*. 2018;18:42 <https://doi.org/10.1186/s12880-018-0285-1>.

\* Correspondence: [giasemi.koutouzi@vgregion.se](mailto:giasemi.koutouzi@vgregion.se)

<sup>1</sup>Department of Radiology, Institute of Clinical Sciences, Sahlgrenska Academy, Gothenburg, Sweden

Full list of author information is available at the end of the article

