




**Figure S1.** SW480 CRC cells (A), PANC-1 pancreatic cancer cells (B), and MDA-MB-231 breast cancer cells (C) were stimulated with VOR for 12 hours, the expression of CD47 was evaluated by QPCR. \*p < 0.05; \*\*p < 0.01; unpaired, two-tailed Student's t test.



**Figure S2.** SW480 CRC cells (A), PANC-1 pancreatic cancer cells (B), and MDA-MB-231 breast cancer cells (C) were stimulated with VOR for 24 hours, the expression of CD47 was evaluated by flow cytometry. \*p < 0.05; \*\*\*p < 0.001; unpaired, two-tailed Student's t test.



**Figure S3.** SW480 CRC cells (A), PANC-1 pancreatic cancer cells (B), and MDA-MB-231 breast cancer cells (C) were treated with VOR for 24 hours and labeled with CFSE, followed by the co-incubation with mouse peritoneal macrophages overnight. The phagocytosis of macrophages was evaluated by flow cytometry. \*p < 0.05; \*\*p < 0.01; unpaired, two-tailed Student's t test.



**Figure S4.** The expression of CD47 in isolated CD34 $^{+}$  cells from patients pre- and post-entinostat treatment was analyzed using a GEO dataset (GSE16625). \*p < 0.05, paired,

two-tailed Student's t test.