Open access Communication

BMJ Open Rebalancing the research equation in Africa: principles and process

Cathryn M Edwards ¹, Ahmed A A Suliman, Simon Taylor-Robinson, Tumani Corrah

To cite: Edwards CM, Suliman AAA, Taylor-Robinson S, et al. Rebalancing the research equation in Africa: principles and process. *BMJ Open* 2022;**12**:e049781. doi:10.1136/ bmjopen-2021-049781

➤ Prepublication history for this paper is available online. To view these files, please visit the journal online (http://dx.doi. org/10.1136/bmjopen-2021-049781).

Received 01 February 2021 Accepted 30 January 2022



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BM.I.

¹Department of Gastroenterology and Hepatology, Torbay Hospital, Torquay, UK

²Department of Medicine, Plymouth University Peninsula School of Medicine, Plymouth, UK

³Faculty of Medicine, University of Khartoum, Khartoum, Sudan ⁴Department of Surgery and Cancer, Imperial College London, London, UK ⁵MRC Unit The Gambia at LSHTM, Banjul, Gambia

Correspondence to

Dr Cathryn M Edwards; drcathrynedwards@gmail.com

ABSTRACT

Background Many examples of research excellence in Africa have been driven by partnerships led by the global North and have involved localised infrastructure improvements to support the best of international research practice.

Objective In this article, we explore a possible mechanism by which local research networks, appropriately governed, could begin to support national African research programmes by allying research delivery to clinical service. Summary This article explores the concept that sustainable research effort needs a well-trained and mentored workforce, working to common standards, but which is practically supported by a much developed information technology (IT) infrastructure throughout the continent.

Conclusions The balance of investment and ownership of such a research programme needs to be shared between local and international funding, with the emphasis on developing global South–South collaborations and research strategies which address the environmental impact of medical research activity and mitigate the impact of climate change on African populations. Healthcare must be embedded in the post-COVID-19 approach to research development.

INTRODUCTION

If the current pandemic teaches us anything, it is the value of global science applied for the common good. This has been achieved by international collaborative efforts of exceptional proportion with regard to SARS-CoV-2 vaccine development and it could be argued that this justifies the current research balance between the global North and South. Alternatively, it may be time to reappraise the balance of academic and industry partnerships, to create a new equilibrium of research governance, training, prioritisation and 'value creation' within Africa.

Mervyn King, speaking on value creation in business, challenges conventional tools of business audit and activity. To create a new order of business sustainability in Africa, he states that values of 'inclusive capitalism' provide us with a radical means of sustainable transformation for the economy, society and environment. Inclusive capitalist philosophy looks at the 'whole system' impact of business activity through the

lens of measurable outcomes, such as 'ethical culture and effective leadership; and sustainable economic and environmental value creation with adequate and effective controls informing governance'. All these confirm 'community confidence' and the legitimacy of business outcomes.

Applying such principles to the research environment, we argue here for further development of regional and national networks of research in Africa, to prioritise, lead and empower research activity within institutions, working within a framework of enquiry aligned to specific and heterogenic African demographics. The 'corporate' value of such networks will be judged, not just by the quality and impact of their outputs, but by the wider contribution they make to sustainable development of African leaders and researchers themselves: research leadership through service, delivered through developmental mentorship support. This shift in balance towards a nationally supported and overseen network regulation will help transition the best exemplars of North-South equitable partnerships to a more extensive South-South axis. Although there have been many discussions on this topic, none has effectively identified practical vehicles to drive the required change.²

THE AFRICAN MEDICAL RESEARCH ENVIRONMENT

There are undoubtedly successful models of international partnership between the global North and South. These have delivered clinically relevant research progress, most notably around communicable diseases (HIV-AIDS, tuberculosis, malaria, and other parasitic and gastrointestinal communicable diseases).³⁴ There has been no shortage of recognition of the widespread challenges facing African-led research and health researchers.⁵ Such is the time frame of progress that the overview written by Whitworth et al in 2008 still has relevance, enumerating the major obstacles to change. A primary recognition by African governments that research funding can be of economic benefit to countries is likely to gain more traction than altruistic





goals of improved patient outcomes through research-active clinicians. Nevertheless, fundamental acknowledgement of the principle of public good from research still needs wider political recognition and financial contributions, if practical progress is to be made.

Many of the international initiatives previously set up to move the African research agenda forward have resulted in successful pockets of research excellence, with and within African institutions, such as Medical Research Council The Gambia, Institut Pasteur in Dakar, Sénégal or KEMRI in Nairobi, Kenya. The danger is that without parallel support (including financial contributions) from national governments to drive nationally prioritised research through regional mechanisms, no sustainable support for quality local research can be assured (table 1).

The concept of local and regional networks is not new, but building a compelling rationale and implementation plan for such networks, needs to be. Change is driven through crisis. Post-COVID-19, several generational cohorts of clinicians will need to be supported to find motivation and fulfilment in careers which have been impacted by effects of the pandemic. At its most basic, this will require redress of COVID-19's impact on the training and education of students and postgraduate clinicians. Training this workforce in research skills and supporting development of clinical leaders as clinicianscientists could be driven by early engagement of all doctors in facilitated mentored support, seizing the opportunity post-pandemic to combine need for clinical service expansion and the desire to develop regional research networks: in effect, providing a programme of integrated workforce development.

Clinicians and laboratory scientists could be supported to engage in research either through active academic or clinical service roles. Research-active clinicians and scientists would then create, de facto, responsive 'functional research units'. This need for responsiveness cannot be overemphasised and there are obvious parallels here with the requisite global preparedness for the next pandemic.⁷ Successful delivery of this strategy will require national leadership which champions personal/professional development and considers 'leadership through mentorship' as valid. Additionally, there needs to be clear separation between development of an engaged clinician-researcher workforce and professional regulation (professional standards, research accreditation and practice) through line management, legal framework and oversight. Most significantly, re-engagement with doctors and researchers at all levels needs to demonstrate genuine care for and professional investment in a workforce which is under extreme pressure. By adopting developmental mentorship strategies, including peer-to-peer, or reverse mentorship partnerships, such a framework for professional and personal reinvestment can be created.

Engagement of all clinicians in elements of research activity, as well as the provision of defined career pathways for clinician-researchers, should embed research culture in clinical practice and improve patient mortality outcomes. Supported transition to ground-up models of local and regional research networks will require rapid development

of an infrastructure for training support, without creating a burden of destructive bureaucracy. Use of e-portfolios to track educational milestones and identify future training needs would support the annual appraisal and regular revalidation of all research-active individuals. The model set out by the Royal College of Physicians (London) and taken up by the East, Central and Southern African College of Physicians is an exemplar in the clinical context which could be transferred to a research environment.

Local networks have potential to deliver much needed standardisation of research practice through skills teaching: study design, grant writing, good laboratory practice, new technologies and research governance. Laboratory accreditation and regulation would need oversight in parallel with people development. Much of this can be delivered online. The validation and assessment of people and processes will be vital for any transition to self-reliance and all of this will require a robust and 'fit for purpose' digital infrastructure.

THE CHALLENGES OF CYBER-INFRASTRUCTURE AND CLIMATE CHANGE

Adequate digital speed and bandwidth across the continent is fundamental to digital learning, research support and monitoring. While public opinion surveys have confirmed the acceptability of e-health strategies in several African countries, improving access, connectivity and uptake to a reliable digital infrastructure is a prerequisite, if research and clinical services are to be equitably accessed. The South African Research and Education Network acknowledges this principle, although the delivery of its goals remains patchy. If existing partners and sponsors in Africa are serious about transitioning to models in which local research networks lead high-quality African-centric research, collaborative funding strategies need to deliver a sustainable cyber-infrastructure for the continent.

The next most important consideration is that of global warming. Establishing a research infrastructure requires a sustainable 'green' framework, as well as developing a medical research focus which mitigates the effects of climate change, including efforts to recycle waste and to reduce use of scare resources such as water. The global South will incur the health impacts of planetary warming disproportionately. These two strategic approaches—cyber and climate—will be transformative for Africa.

NATIONAL-INTERNATIONAL COORDINATION

Local autonomy and research innovation need to be balanced by independent national prioritisation and oversight. The auspices of the African Union could be used to develop and monitor national and regional research centres of excellence providing top-down oversight of governance and research ethics. Other bodies are well placed to encourage and monitor training programmes from the ground-up. The Africa Research Excellence Fund was created to develop the next generation of research leaders through education, mentorship, training and protected research fellowships to

Table 1	Summary of exemplar internat	Summary of exemplar international partnerships working as part of healthcare research in Africa	Ithcare research in Africa	
Country	-	Institution	Collaborators	Sphere of interest
NSA		Centers for Disease Control and Prevention: https://www.cdc.gov/Globalhealth/	32 African countries	Global health security, global health protection, HIV-AIDS, TB, malaria, parasitic diseases, among others
USA		Harvard Medical School-School of Public Health: https://www.hsph.harvard.edu/ africa-health-partnership/	12 African countries	Variety of public health issues (chiefly in communicable diseases)
NSA		Yale University-Africa Initiative: https:// world.yale.edu/africa	Links with 43 African countries but research and educational programmes in 8 countries	Clinical medicine, palliative care, education and training, among others
USA		Johns Hopkins Center for Global Health: https://hopkinsglobalhealth.org/faculty-research/project-map/	15 African countries	Both communicable and non-communicable diseases including HIV, TB and malaria
France		Institut Pasteur: https://www.pasteur.fr/en/institut-pasteur/institut-pasteur-throughout-world/institut-pasteur-international-network	Institutes in 7 African countries	Communicable diseases: biomedical research, public health activities, education, innovation and technology transfer
Switzerland	pu	Swiss Institute for Tropical and Public Health: https://www.swisstph.ch/fr/ research-we-do/	Collaborations throughout Africa with focus on Cameroon, Ghana, Kenya and Uganda	Collaborations throughout Africa with focus on Infectious and non-communicable diseases, society Cameroon, Ghana, Kenya and Uganda and health; environment; health systems and innovation
Ä		Wellcome Trust: https://wellcome.org/ what-we-do/our-work/programmes-and- initiatives-africa-and-asia	Projects throughout Africa, but institutes in Kenya, Malawi and South Africa	TB, HIV, malaria, respiratory diseases, leadership, training among others
ž		Medical Research Council: https://mrc.ukri. org/about/institutes-units-centres/list-of- institutes-units-centres/?filtersSubmitted=tr ue&textSearch=Search+centres%E2%80% A6¢reLocation=The+Gambia¢reLo cation=Uganda	Projects throughout Africa with dedicated research units in Gambia and Uganda	All aspects of communicable and non- communicable diseases including vaccinology
European Union	Union	European Union: https://ec.europa.eu/info/research-and-innovation/strategy/international-cooperation/africa_en	Supports potential research projects throughout Africa through specific funding calls	All aspects of medical research, innovation and education including new calls for COVID-19 work
Germany		Federal Ministry of Education and Research: Collaborations in 14 African countries https://www.bmbf.de/en/africa-strategy-of-the-federal-ministry-of-education-and-research-2280.html	Collaborations in 14 African countries	Both communicable and non-communicable diseases
Global Alliano Immunization (international Switzerland)	Global Alliance for Vaccines and Immunization (international organisation based in Geneva, Switzerland)	https://www.gavi.org	Projects in 43 African countries Associated with WHO, UNICEF, Bill and Melinda Gates Foundation and World Bank	Established work with HIV and 12 vaccine programmes but work on COVID-19 underway now
USA		Bill and Melinda Gates Foundation: https:// www.gatesfoundation.org/Where-We-Work/ Africa-Office/Focus-Countries	45 countries in Africa eligible for help but focus on 10 countries: Ethiopia, Nigeria, South Africa, Burkina Faso, Democratic Republic of Congo, Ghana, Kenya, Senegal, Tanzania and Zambia	Multiple areas including TB, HIV, malaria, neglected tropical diseases, maternal and child health; current attention on COVID-19
Oxford and	Oxford and Cambridge Universities and the London School of Hygiene a	don School of Hydiene and Tropical Medicipe	nd Tropical Medicine 11K support a variety of international partnerships usually through indirect resourcing for example via	Inally through indirect resourcing for example, via

Oxford and Cambridge Universities and the London School of Hygiene and Tropical Medicine, UK support a variety of international partnerships usually through indirect resourcing, for example, via Wellcome and other outside sources. They are therefore not included as direct resource providers in this table.

TB, tuberculosis.



Table 2 Exemplars of South-South network collaboration in Africa				
Study	Synopsis	Countries involved		
THESUS-HF ¹⁴ Sub-Saharan African Survey of Heart Failure: A prospective, multicenter, observational survey of patients with acute heart failure (AHF)	Of 1006 enrolled African patients, AHF was predominantly non-ischaemic in cause: most commonly hypertension.	12 centres in 9 countries: Mozambique, South Africa, Nigeria, Sudan, Kenya, Uganda, Cameroon, Sénégal, Ethiopia		
CREOLE ¹⁵ Comparison of Dual Therapies for Lowering Blood Pressure in Black Africans: single- blind, three-group trial	Of 728 black patients enrolled with uncontrolled hypertension, amlodipine plus either hydrochlorothiazide or perindopril was more effective than perindopril plus hydrochlorothiazide at lowering blood pressure at 6 months.	University Hospital Centres in 6 countries: Uganda, Cameroon, Mozambique, Kenya, South Africa, Nigeria		

promote skills development, including, where necessary, time in the global North. 13 Successful examples of existing South–South research collaborations are given in table 2. $^{14\,15}$

SUMMARY

The importance of shared research learning and scientific rigour in publication has been highlighted during the recent pandemic. Acquisition and sharing of knowledge pertinent to local and national health priorities has been a way in which positive steps towards 'normality' have been taken. The opportunity to re-engage the clinical workforce in a reinvigorated research approach for the African continent, transitioning from partnership-centric to nationally prioritised agendas, is obvious. If delivered through local and regional networks, research can be newly supported and directed for the benefit of the workforce and for patient outcomes.

Well mentored and led, this will allow a transition from current pockets of research excellence to functional regional research units which penetrate the wider clinical community. At a national level, care will need to be taken to avoid inequity in South–South alliances, while ensuring that the global South continues as an active partner with the global North. This should involve African centres in multinational collaborative partnerships, which particularly emphasise sustainable and digital infrastructure growth.

Acknowledgements ST-R is grateful to the UK National Institute for Healthcare Research (NIHR) Biomedical Facility at Imperial College London for infrastructure support and to the Wellcome Institutional Strategic Support Fund at Imperial College for fostering research collaborations. CME and ST-R are members of the Africa Research Excellence Fund (AREF) College of Mentors and are grateful for the support of AREF. We thank Professor C Wendy Spearman from the University of Cape Town, South Africa, for useful discussions; Professor Peter Olupot-Olupot from Busitema University, Uganda, for philosophical comments on the manuscript; and Professor Babatunde L Salako, Director General of the Nigerian Institute of Medical Research (NIMR), Lagos, Nigeria, for expert guidance.

Contributors AAAS and CME developed the original idea together and then planned the work with ST-R and TC. CME and AAAS conducted a literature search with input from ST-R and TC. CME reported the results and wrote the manuscript with help from AAAS, ST-R and TC. All authors contributed to and approved the final document. TC stands as guarantor for the work.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent for publication Not required.

Ethics approval This study does not involve human participants.

Provenance and peer review Not commissioned; externally peer reviewed.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

ORCID iD

Cathryn M Edwards http://orcid.org/0000-0002-5550-9184

REFERENCES

- 1 'Value creation, not profit, is human nature' Professor Mervyn King. Available: https://www.bizcommunity.com/Article/196/356/194139/ct-1. html
- 2 International research collaborations: how can we shift the power towards Africa? Available: https://theconversation.com/internationalresearch-collaborations-how-can-we-shift-the-power-towards-africa-142421
- 3 Hiv/Aids politics and policy in sub-Saharan Africa. Available: https://oxfordre.com/politics/view/10.1093/acrefore/9780190228637.001. 0001/acrefore-9780190228637-e-1317
- 4 WHO. Who African region communicable diseases cluster annual report 2016. Available: https://www.afro.who.int/publications/whoafrican-region-communicable-diseases-cluster-annual-report-2016
- 5 Whitworth JAG, Kokwaro G, Kinyanjui S, et al. Strengthening capacity for health research in Africa. Lancet 2008;372:1590–3.
- 6 Mgone C, Makanga M, Nyirenda T. Developing an international network for clinical research: the European and developing countries clinical trials partnership experience. *Clin Investig* 2011;1:487–91.
- 7 Simpson S, Kaufmann Michael C, Glozman V. Disease X: accelerating the development of medical countermeasures for the next pandemic, 2020. Available: www.thelancet.com/infection
- 8 Ozdemir BA, Karthikesalingam A, Sinha S, et al. Research activity and the association with mortality. PLoS One 2015;10:e0118253.
- 9 El Hajj T, Gregorius S, Pulford J, et al. Strengthening capacity for natural sciences research: a qualitative assessment to identify good practices, capacity gaps and investment priorities in African research institutions. PLoS One 2020;15:e0228261.
- 10 South African national research network (SANReN). Available: https://sanren.ac.za/south-african-nren/ and https://sanren.ac.za/ [Accessed 17th February 2022].
- 11 Belesova K, Heymann DL, Haines A. Integrating climate action for health into covid-19 recovery plans. BMJ 2020;370:m3169.
- 12 Gasparrini A, Guo Y, Sera F, et al. Projections of temperature-related excess mortality under climate change scenarios. Lancet Planet Health 2017;1:e360–7.
- 13 The Tumani Corrah prize for excellence. Available: https://www.afri caresearchexcellencefund.org.uk
- 14 Damasceno A, Mayosi BM, Sani M, et al. The causes, treatment, and outcome of acute heart failure in 1006 Africans from 9 countries. Arch Intern Med 2012;172:1386–94.
- 15 Ojji DB, Mayosi B, Francis V, et al. Comparison of dual therapies for lowering blood pressure in black Africans. N Engl J Med 2019;380:2429–39.