

CORRECTION

Correction: LudusScope: Accessible Interactive Smartphone Microscopy for Life-Science Education

Honesty Kim, Lukas Cyrill Gerber, Daniel Chiu, Seung Ah Lee, Nate J. Cira, Sherwin Yuyang Xia, Ingmar H. Riedel-Kruse

[S4 Note](#) contains incorrect information. Please view the correct [S4 Note](#) below.

Supporting Information

S4 Note. Links to Downloads.

(DOCX)

Reference

1. Kim H, Gerber LC, Chiu D, Lee SA, Cira NJ, Xia SY, et al. (2016) LudusScope: Accessible Interactive Smartphone Microscopy for Life-Science Education. PLoS ONE 11(10): e0162602. doi:[10.1371/journal.pone.0162602](https://doi.org/10.1371/journal.pone.0162602) PMID: [27706189](https://pubmed.ncbi.nlm.nih.gov/27706189/)



OPEN ACCESS

Citation: Kim H, Gerber LC, Chiu D, Lee SA, Cira NJ, Xia SY, et al. (2016) Correction: LudusScope: Accessible Interactive Smartphone Microscopy for Life-Science Education. PLoS ONE 11(12): e0168053. doi:[10.1371/journal.pone.0168053](https://doi.org/10.1371/journal.pone.0168053)

Published: December 9, 2016

Copyright: © 2016 Kim et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.