

CORRECTION

Correction: A latitudinal phylogeographic diversity gradient in birds

Brian Tilston Smith, Glenn F. Seeholzer, Michael G. Harvey, Andrés M. Cuervo, Robb T. Brumfield

Within the Materials and Methods, there is an error in the hand-wing index equation in the section titled "Morphological data." The published article incorrectly refers to the secondary length (SL) when intending to refer to the wing length (WL) in the denominator. Please view the complete, correct equation here: $\text{hand-wing index} = 100 \times (\text{WL} - \text{SL}) / \text{WL}$

Reference

1. Smith BT, Seeholzer GF, Harvey MG, Cuervo AM, Brumfield RT (2017) A latitudinal phylogeographic diversity gradient in birds. *PLoS Biol* 15(4): e2001073. doi:[10.1371/journal.pbio.2001073](https://doi.org/10.1371/journal.pbio.2001073) PMID: [28406905](https://pubmed.ncbi.nlm.nih.gov/28406905/)



OPEN ACCESS

Citation: Smith BT, Seeholzer GF, Harvey MG, Cuervo AM, Brumfield RT (2017) Correction: A latitudinal phylogeographic diversity gradient in birds. *PLoS Biol* 15(7): e1002610. <https://doi.org/10.1371/journal.pbio.1002610>

Published: July 14, 2017

Copyright: © 2017 Smith et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.