

DOI: 10.1038/ncomms3930

Corrigendum: Glycogen shortage during fasting triggers liver-brain-adipose neurocircuitry to facilitate fat utilization

Yoshihiko Izumida, Naoya Yahagi, Yoshinori Takeuchi, Makiko Nishi, Akito Shikama, Ayako Takarada, Yukari Masuda, Midori Kubota, Takashi Matsuzaka, Yoshimi Nakagawa, Yoko Iizuka, Keiji Itaka, Kazunori Kataoka, Seiji Shioda, Akira Niijima, Tetsuya Yamada, Hideki Katagiri, Ryozo Nagai, Nobuhiro Yamada, Takashi Kadowaki & Hitoshi Shimano

Nature Communications 4:2316 doi:10.1038/ncomms3316 (2013); Published 13 Aug 2013; Updated 4 Dec 2013

In the original version of this Article there were several instances where glycogenolysis was incorrectly referred to as glycolysis. For example, in the Abstract, the sentence beginning 'Moreover, the blockade of glycogenolysis through the knockdown of the glycogen phosphorylase gene...' originally read 'Moreover, the blockade of glycolysis through the knockdown of the glycogen phosphorylase gene...'. The systematic error has now been corrected in both the PDF and HTML versions of the Article.