

Available online at www.jbr-pub.org.cn

Open Access at PubMed Central

JBR

The Journal of Biomedical Research, 2022 36(5): 321–335

Review Article

Tracers progress for positron emission tomography imaging of glial-related disease

Haoran Jia, Tianwu Xie[⊠]

Institute of Radiation Medicine, Fudan University, Shanghai 200032, China.

Abstract

Glial cells play an essential part in the neuron system. They can not only serve as structural blocks in the human brain but also participate in many biological processes. Extensive studies have shown that astrocytes and microglia play an important role in neurodegenerative diseases, such as Alzheimer's disease, Parkinson's disease, Huntington's disease, as well as glioma, epilepsy, ischemic stroke, and infections. Positron emission tomography is a functional imaging technique providing molecular-level information before anatomic changes are visible and has been widely used in many above-mentioned diseases. In this review, we focus on the positron emission tomography tracers used in pathologies related to glial cells, such as glioma, Alzheimer's disease, and neuroinflammation.

Keywords: glia, positron emission tomography tracer, glioma, Alzheimer's disease, neuroinflammation

Introduction

The brain serves as the center of the nervous system composed primarily of two broad classes of cells: neurons and glial cells. Neurons send signals to specific target cells over long distances through axons. Most of the space in the brain is taken up by axons, which are often bundled together as nerve fiber tracts. Some axons are wrapped in a fatty insulating sheath of white myelin, making parts of the brain filled exclusively with nerve fibers appear as light-colored white matter, in contrast to the darker-colored grey matter that marks areas with high densities of neuron cell bodies. Although neurons are usually considered as the most important cells in the brain, glial cells, which are abundant in white matter, also play an essential part in the central nerve system (CNS).

Glial cells, also called glia or neuroglia, were originally believed to just provide structural support, and had a glia-neuron ratio (GNR) of 10:1, which are both proven wrong nowadays. It's now believed that GNRs vary in different regions of the brain and have an average number of less than 1:1^[1]. Therefore, with more diversities than neurons, glial cells take part in 33% to 66% of the total brain mass^[2]. In the CNS, glial cells consist of oligodendrocytes, astrocytes, ependymal cells, and microglia. They have four main functions: (1) to surround neurons and hold them in place; (2) to supply nutrients and oxygen to neurons; (3) to insulate one neuron from another; (4) to destroy pathogens and remove damaged or degenerative neurons.

[™]Corresponding author: Tianwu Xie, Institute of Radiation Medicine, Fudan University, 2094 Xietu Road, Shanghai 200032, China. Tel: +86-21-64048363, E-mail: tianwuxie@fudan.edu.cn.

Received: 23 January 2022; Revised: 23 April 2022; Accepted: 24 May 2022; Published online: 28 June 2022

CLC number: R741.04; R817.4, Document code: A

The authors reported no conflict of interests.

This is an open access article under the Creative Commons Attribution (CC BY 4.0) license, which permits others to distribute, remix, adapt and build upon this work, for commercial use, provided the original work is properly cited.

Glial cells and related diseases

Because of the heterogeneity of glial cells population, there are wide ranges of different neuropathologies and non-neural diseases related to glial disorders. Astrocytes and microglia play an important role in neurodegenerative disease, such as Alzheimer's disease (AD), Parkinson's disease (PD) and Huntington disease, as well as glioma, epilepsy, ischemic stroke and many kinds of infections^[3–5].

Neuroinflammation is an inflammatory response in the CNS, typically caused by cell damaging processes such as infection, traumatic brain injury, toxic metabolites and many other cues. During neuroinflammation, CNS immune glial cells will be and produce activated factors that mediate neuroinflammation process. There are both positive and negative aspects of neuroinflammation, depending on its intensity and duration^[6].

In cellular level, the immune activation in the brain is related to microglia and astrocytes, which generally aimed at evoking CNS immunity of removing harmful agents, repairing damaged tissue and maintaining homeostasis in non-pathological conditions. Under diseased conditions, both microglia and astrocytes would present phenotype changes from resting morphology to reactive phenotype, with function alternation and affecting the inflammatory process^[7–8]. Chronic or exaggerated microglial activation may cause damage in the CNS and takes an important role in the process of synaptic dysfunction, neurogenesis inhibition, and neurodegenerative diseases^[9], such as AD, PD, amyotrophic lateral sclerosis, and frontotemporal dementia. In those diseases, the immune system may deactivate and even worse, neuroinflammation may contribute to disease processes. Inflammatory and neoplastic brain disorders also relate to neuroinflammatory reactions.

Glioma is another type of disease related to glial cells and is one of the most popular primary intracranial tumors which constitutes about 60% of all cerebral tumors^[10]. According to the World Health Organization (WHO) classification of central nervous system tumors, gliomas can be divided into astrocytomas, oligodendrogliomas, and glioblastomas^[11]. Although the cell origin of gliomas remains elusive, it may be closely related to all kinds of glial cells and glial progenitor cells^[12].

Positron emission tomography imaging

Positron emission tomography (PET) is a functional imaging technique capable of detecting biochemical processes as well as the expression of some proteins. It provides molecular-level information before anatomic changes are visible, while computed tomography (CT) and magnetic resonance imaging (MRI) scans can only show images in the level of organs and tissues. PET imaging depends on radiolabelled molecular probes with different rates of uptake in various tissues. Therefore, selection of PET tracers is one of the key points for obtaining precise and meaningful diagnostic message. With PET imaging, glial phenotype can be distinguished *in vivo*. In this article, we summarize the tracers targeted to glial cells for PET imaging.

Positron emission tomography tracers for neuroinflammation: selective to glial cells

Neuroinflammation is highly related to glial cells of inactive microglia and astrocytes with different phenotypes, where most of the imaging targets for neuroinflammation are located.

Translocator protein

The first and most used neuroinflammation biomarker is translocator protein 18 kDa (TSPO, historically known as peripheral-type benzodiazepine receptor, PBR). TSPO is responsible for the translocation of cholesterol^[13], and involved in many physiological functions such as immunomodulation, cell respiration, and protein import^[14–17]. TSPO is widely distributed throughout the body under physiological conditions. Its expression in the CNS, mainly in glial cells, is upregulated during neuroinflammation^[18], which makes it a reliable biomarker to reveal the activation of glial cells^[19].

The first generation

¹¹C-PK11195: ¹¹C-PK11195 was firstly developed as a TSPO tracer in 1984^[20] based on the increased binding of Ro5-4864 and PK11195 in microglial activation. PET using ¹¹C-PK11195 has provided many information on glial activation in many different neurologic disorders, such as AD and PD^[21–22]. A recent study shows multiple sclerosis patients and healthy controls have the same ¹¹C-PK11195 plasma metabolization rate^[23]. Although it can provide many information about microglia activation, its low signalto-background ratio and high intra-subject variability cause a low sensitivity, thus hampering its clinical utility^[24–25]. Based on this, to improve specific binding to TSPO and sensitivity, many second-generation tracers were developed.

The second generation

¹¹C-DPA-713: ¹¹C-DPA-713 (a pyrazolopyrimidine ligand) is one of the most promising secondgeneration TSPO traces with low lipophilicity and good affinity for TSPO^[26]. It displays a higher signalto-noise ratio than 11C-PK11195 with lower unspecific binding in vivo^[27]. Its larger brain signal is proved in human studies^[28]. Recent studies have shown that ¹¹C-DPA-713 kinetic modeling possesses properties for quantification with PET suitable TSPO imaging^[29-30]. Other pyrazolopyrimidine tracers developed from ¹¹C-DPA-713, such as ¹¹C-DPA-714^[31-32], VUIIS1008^[33] and compound 7^[34] are also under studies.

¹¹C-**PBR28:** Developed from ¹¹C-DAA1097 and ¹¹C-DAA1106^[35], ¹¹C-PBR28 is an aryloxyanilide ligand with high affinity for TSPO^[36]. Similar to ¹¹C-DPA-713, ¹¹C-PBR28 has a higher specific binding in human than ¹¹C-PK11195^[37]. A test in AD patients showed that ¹¹C-PBR28 level changes with disease progressing and may be useful in longitudinal studies of AD^[38]. It can also reveal the extensive glial activation in patients with chronic MCA stroke^[39] and semantic dementia^[40].

The second-generation TSPO tracer has a common limitation that hampers their use in clinical application — the sensitivity to a common polymorphism (rs6971), which means that subjects with same TSPO density may produce different PET signals^[41]. Therefore, here goes the third generation TSPO PET tracers that may solve this difficulty and keep patients free from a pre-genotyping of TSPO.

The third generation

¹¹C-ER176: ¹¹C-ER176 is an isoquinoline analog ligand with a similar structure to ¹¹C-PK11195^[42], which shows an adequate sensitivity to robustly image all three affinity genotypes. Although it still gives a lower signal in low-affinity gene type patients compared to high-affinity and missed-affinity patients, it's high enough to be distinguished from non-specific tissue uptake^[43]. ¹¹C-ER176 also produces no radiometabolites that can pass through blood-brainbarrier (BBB)^[44]. It has been successfully used to evaluate microglial activation in relation to neurodegenerative progression^[45].

¹⁸F-GE180: ¹⁸F-GE180 (also known as ¹⁸F-flutriciclamide) is another third-generation tracer with low sensitivity to rs6971^[46–47]. It also shows a better signal-to-noise ratio and lower nonspecific binding. However, a recent study has shown that the advantages may be illusory due to its poor image

quality and lack of ability to cross the BBB^[48].

Monoamine oxidase B

¹¹C-L-deprenyl: ¹¹C-L-deprenyl is the most wildly studied non-TSPO radioligand targeting to monoamine oxidase B (MAO-B)^[49]. The PET radioligand version of l-deprenyl or selegiline performs as a selective irreversible MAO-B inhibitor and binds with MAO-B enzyme in the temporal and the white matter in AD patients^[50], which indicates its ability to serve as a reliable PET tracer for imaging neuroinflammation.

Summary

In the aspect of glial cell imaging, the specificity of TSPO PET for revealing microglial activation has been fully established. From the first generation TSPO PET tracer to the latest third generation, a higher sensitivity and lower off-target binding has been achieved, together with an adequately high binding for all rs6971 genotypes. Alternative strategies for the synthesis of the third-generation tracers have been studied^[45,51]. Many other novel tracers based on them are also being tested^[52].

In neuroinflammation response, both TSPO and MAO-B are just one aspect that may reflect the immune progress. There are many other biomarkers that can be used to study neuroinflammation, such as glycogen synthase kinase 3 (GSK-3), reactive oxygen species (ROS), imidazoline-2 binding sites (I2BS), cyclooxygenase (COX), sphingosine-1-phosphate receptor 1 (S1P1), cannabinoid receptor 2 (CB2R), C-X3-C motif chemokine receptor 1 (CX3CR1), P2X ligand-gated ion channel type 7 (P2X7R), purinergic metabotropic 12 receptor (P2Y12R), receptor for advanced glycation endproducts (RAGE), Mer protooncogene tyrosine kinase (MerTK), and triggering receptor expressed on myeloid cells-1 (TREM1)[18,53]. For example, ¹¹C-JNJ-54173717 is a promising tracer targeting to P2X7R which has been used to study amyotrophic lateral sclerosis^[54]. Some of those tracers show more promising results for measuring neuroinflammation than TSPO-targeted tracers, although most of those tracers haven't been able to be studied in clinical trials. Some of the new targets have shown the selectivity between microglia and astrocytes. For instance, MAO-B and I2BS are mainly expressed by astrocytes, P2X7R, ROS, COX, S1P1, P2Y12R and TREM1 are mainly expressed by microglia^[53]. PET tracers that selective to glial cells are summarized in *Table 1*^[20-30,36-40,42-44,46-50,54].

Mainly expressed cells	Biomarkers	Tracers	
Microglia and astrocytes	TSPO	¹¹ C-PK11195 ^[20-25] , ¹¹ C-DPA-713 ^[26-30] , ¹¹ C-PBR28 ^[36-40] , ¹¹ C-ER176 ^[42-44] , ¹⁸ F-GE180 ^[46-48]	
	GSK-3	¹¹ C-SB-216763	
	CB2R	¹⁸ F-MA3	
	MerTK	¹⁸ F-HU16907	
Astrocytes	MAO-B	¹¹ C-L-depreny[^[49-50]	
	I ₂ BS	¹¹ C-BU99008	
Microglia	P2X ₇ R	JNJ-54173717 ^[54]	
	ROS	¹¹ C-ascorbicacid	
	COX	¹¹ C-PS13	
	S1P1	¹⁸ F-TZ4881	
	P2Y ₁₂ R	¹¹ C-2	
	TREM1	⁶⁴ Cu-TREM1-mAb	

kinase; MAO-B: monoamine oxidase B; I2BS: imidazoline-2 binding sites; P2X7R: P2X ligand-gated ion channel type 7; ROS: reactive oxygen species; COX cyclooxygenase; S1P1: sphingosine-1-phosphate receptor 1; P2Y12R: purinergic metabotropic 12 receptor; TREM1: triggering receptor expressed on myeloid cells-1.

Positron emission tomography tracers for glioma

WHO classification uses molecular parameters in addition to histology for glioma classification, which indicates that non-invasive molecular imaging technic focusing on depicting metabolic processes, such as PET, may be more widely used. In clinical practice, conventional MRI is mostly used for evaluation of gliomas. However, MRI imaging is short of pathology-specific biomarkers and limited by overall diagnostic and prognostic efficacy^[55]. In the contrary, as a functional molecular imaging, PET can provide additional information about metabolism processes, which are useful for primary and differential diagnosis, delineation of glioma extent, grading, treatment planning, assessment of treatment response and prognosis in gliomas. Currently, more than 70 different PET tracers have been used in brain tumor examinations^[56]. In this section, we enumerate some representative tracers with the potential of clinical practice.

¹⁸F-FDG

As a glucose analogue, ¹⁸F-fluorodeoxyglucose (18F-FDG) is the most commonly used radiotracer and metabolizes in cells similar to glucose, which makes it possible to use ¹⁸F-FDG to reflect the glucose metabolism. Abnormal proliferation of cancer cells leads to increased glycolysis, resulting in massive accumulation of ¹⁸F-FDG. However, the poor tumorto-background contrast due to the high level of glucose metabolism in normal brain tissue hampers the use of ¹⁸F-FDG in brain tumors. The differential diagnosis between glioma and other brain tumor, such as CNS lymphoma, is also limited because of their similar metabolic profiles^[57] and overlap of maximum standard uptake values (SUV_{max})^[58]. It's also difficult for ¹⁸F-FDG-PET to distinguish between glioma and some non-neoplastic diseases such as stroke, MS, and infectious diseases, which are also associated with hypermetabolism^[59].

Radiolabelled amino acids

The malignant proliferation of glioma increases the demand for amino acids and accelerates the rate of metabolism^[60]. Their increased uptake is caused by the increased transport via the L-type amino acid transporter (LAT) system, especially its subtype LAT1^[61]. Different than the high distribution of ¹⁸F-FDG in normal brain tissues, the uptake of amino acid is relatively low, so that gliomas can be distinguished from the low background noise. 11C-methyl-Lmethionine (11C-MET), O-(2-18F-fluoroethyl)-Ltyrosine (18F-FET) and 3,4-dihydroxy-6-18F-fluoro-L-(¹⁸F-DOPA) phenylalanine are widely used radiolabeled amino acid. They are similar and have the ability of passing through intact BBB, the capacity to differentiate tumor recurrence and treatment effects such as pseudo progression and radiation necrosis after treatment.

11C-MET

¹¹C-MET is one of the most popular amino acid

tracers in glioma PET imaging for its convenient production^[62-63]. The uptake of ¹¹C-MET in cells is mediated by the neutral L-amino acid transporter which serves the increased amino acids utilization of tumor^[64]. However, the short half-time of ¹¹C (20.38 minutes) limits its use only in centers with an on-site cyclotron. Glaudemans et al^[65] reviewed the value of ¹¹C-MET-PET in imaging gliomas. ¹¹C-MET has high sensitivity (76%-100%) and high specificity (75%-100%) in diagnosis. It can also be used in tumor delineation with improved diagnose accordance rate, compared to CT and MRI. In biopsy and radiotherapy planning, ¹¹C-MET can provide additional information about tumor localization and target volume. A Meta-analysis^[66] shows that ¹¹C-MET performs well in differentiation of tumor progression after treatment.

¹⁸F-FET

¹⁸F-FET and ¹¹C-MET provide comparable diagnostic information concerning tumor delineation, biopsy determination and recurrence detection^[67]. With a long physical half-life (109.77m), ¹⁸F-FET can be popularized to more hospitals. Yang *et al*^[68] show that ¹⁸F-FET has an average sensitivity of 92% and specificity of 81% in diagnosing glioma. In dynamic PET, time-activity curves of ¹⁸F-FET are different between low-grade glioma and high-grade glioma^[69-70] and provide more additional information for glioma gradingthan ¹¹C-MET-PET and ¹⁸F-FDOPA^[71-72].

¹⁸F-FDOPA

Xiao et al^[73] demonstrated a pooled sensitivity of 0.90 and specificity of 0.75 using ¹⁸F-FDOPA for diagnosing gliomas, and a pooled sensitivity of 0.88 and specificity of 0.73 in grading gliomas. However, the small sample size results in inconclusive opinion on its clinical effectiveness for glioma imaging. As an amino-acid PET imaging method, numerous evidence supports its superiority of detecting tumor components, which can be used in tumor recurrence and therapy monitoring, compared to enhanced MRI. However, with contradictory conclusions^[74-76], the feasibility for ¹⁸F-FDOPA to distinguish low-grade glioma and high-grade glioma is yet to be studied. ¹⁸F-FDOPA is a precursor of dopamine, which may lead to a high uptake in striatum^[61].

3'-deoxy-3'-¹⁸F-fluorothymidine

3'-deoxy-3'-¹⁸F-fluorothymidine (¹⁸F-FLT) is a thymidine analog, which can be retained in proliferating tissues by the action of thymidine kinase 1 and presents high-contrast images of tumors^[77].

Early study showed that ¹⁸F-FLT can detect a larger tumor volume than gadolinium-enhanced MRI imaging in detecting and characterizing brain tumors and provide complementary information together with ¹¹C-MET-PET and MRI. ¹⁸F-FLT can also be used for differentiating recurrent glioma and treatment effects^[78–80] but has a limited role by offering no advantages over ¹⁸F-FDG-PET. ¹⁸F-FLT can't pass the intact BBB, which limits its usage in tumor delineation and detecting additional metabolic active tumor tissue beyond MRI^[81–82].

Choline

Choline is an essential ingredient for all cells to synthesize biological membrane molecules while abnormal choline aggregation in tumor tissues is observed due to the high proliferation of tumors. There are two kinds of radiolabeled choline tracers to monitor membrane phospholipids: ¹¹C-choline (¹¹C-CHO) and ¹⁸F-fluorocholine (¹⁸F-FHO). Studies with ¹⁸F-FHO have focused on the evaluation of prostate cancer^[83]. The low uptake of ¹⁸F-FHO in normal brain tissues presents a better tumor/normal uptake ratio than FDG-PET^[84]. Many studies showed that ¹¹C- and ¹⁸F- labeled choline has encouraged results in distinguishing different kinds of brain tumors from metastases and benign lesions^[83], evaluating the potential malignancy of glioma^[85], guiding stereotactic biopsy sampling^[86] and differentiating glioma recurrence^[87-88].

Other tracers

¹⁸F-fluoromisonidazole

Tumor hypoxia is an interesting mechanism in tumor progress, which may cause the resistant to radiotherapy^[89]. ¹⁸F-fluoromisonidazole (¹⁸F-FMISO) is a PET tracer that selectively binds to hypoxic tissues and can be used to measure the hypoxia in glioma and provide information for prognosis^[90]. As it is retained by irreversible binding to the thiol-rich metabolic proteins at rates that are inversely proportional to oxygen concentration, ¹⁸F-FMISO provides quantitative measurements of hypoxia level^[91].

¹⁸F-fluciclovine

¹⁸F-fluciclovine (also called anti-¹⁸F-FACBC) is a synthetic amino acid that has been approved by Food and Drug Administration (FDA) and European Medicines Agency (EMA) for recurrent prostate cancer. Different with other amino acid PET tracers, such as ¹¹C-MET, ¹⁸F-FET and ¹⁸F-FDOPA, ¹⁸F-fluciclovine can be transported by both LAT1 and

alanine-serine-cysteine (ASC), specifically ASCT2^[92]. These transporters work as an exchange system that brings in a preferential amino acid at the expense of a less essential one, but do not increase the overall cellular levels of amino acids^[93]. Many studies have showed that ¹⁸F-fluciclovine can delineate glioma in areas not visualized using MRI and be used in glioma grading^[92,94–96].

Acetate and analog

In highly metabolizing and rapidly growing brain tumors, the lack of abundant glucose and oxygen may lead to metabolism reprogramming to obtain sufficient energy, for example, the use of fatty acid^[97]. Induced acetate/acetyl CoA metabolism is highly related to fatty acid synthesis supporting tumor growth^[98]. Therefore, many radiolabeled acetates may be used in glioma imaging, such as 1-¹¹C-acetate^[99-100] (¹¹C-ACE), 2-¹⁴C-acetate^[101] (¹⁴C-ACE), 2-¹⁸F-fluoroacetate^[102] (¹⁸F-FAC) and ¹⁸F-fluoropivalic acid^[103] (¹⁸F-FPIA), a newly designed novel radiotracer based on trimethylacetate.

¹⁸*F*-*FPP*(*RGD*)₂

Angiogenesis is the process of forming new blood vessels and closely related to tumor growth and progression. The $\alpha_{v}\beta_{3}$ integrin is highly expressed only in activated endothelial cells of tumor neovasculature and can be traced by radiolabeled arginine-glycine-aspartic acid (RGD) peptides and analogs, such as monomeric cyclic ¹⁸F-galacto-RGD and ¹⁸F-AH111585. With increased receptor-binding affinity and tumor uptake, 2-fluoropropionyl-labeled PEGylated dimeric RGD peptide (¹⁸F-FPP(RGD)₂) is the one used in glioma^[104]. ¹⁸F-FPP(RGD)₂ has increased uptake in glioblastoma multiforme and would be suitable for clinical examinations^[105–106].

Summary

¹⁸F-FDG is the most widely used PET tracer in oncology but the high uptake in normal brain tissue hampers its clinical use. According to the Response Assessment in Neuro-Oncology group, amino-acid PET is recommended for PET imaging of glioma^[107]. It does not seem to be one particular tracer that could be recommended over other tracers in all aspects of imaging glioma, maybe even not in any specific usage 18. More studies with larger cohort and unified standard are necessary to find the best tracer among all the tracers that have already been used in clinical trials for many years. Some newly designed tracers such as ⁶⁸Ga-Alb-FAPtp-01^[108] and 89Zr/177Lu-labeled Lumi804-aCD11b can be used both in imaging and treatment^[109]. Tracers for glioma imaging are

summarized in Table 2[62-63,65-90,92,94-96,99-106].

Positron emission tomography tracers for Alzheimer's disease

AD is the most common type of dementia. It makes up about two-third of all differential diagnoses about dementia. About 10% of people elder than 65 are thought to have AD^[110-111]. As a progressive and irreversible neurodegenerative disorder, patients with AD suffer from gradual loss of memory and progressive cognitive dysfunction involving the language, visuospatial and executive domains. In 1970s, cholinergic hypothesis of AD was proposed according to the essential role of acetylcholine in cognitive function. However, the most accepted hypothesis of AD is amyloid cascade hypothesis^[112], which posits that amyloid- β (A β) accumulation is the primary event leading to a cascade of effects that result in neuronal damage while hyperphosphorylated protein (e.g., p-Tau) tangles, the second hallmark of AD, is a downstream effect of $A\beta$ accumulation. Therefore developing associated agents for detecting these AD abnormal hallmarks in the brain may be helpful for the early and differential diagnosis of the disease progression and prognosis evaluation.

Amyloid-β plaques

The golden-standard diagnosis of AD is based on autopsy while 40% patients may be misdiagnosed under current *in vivo* clinical diagnosis criteria because of the difficulties in accurate discrimination of AD and non-AD dementia^[113]. According to the National Institute on Aging and the Alzheimer's Association, AD could be defined and studied in terms of three stages: preclinical, mild cognitive impairment (MCI) and dementia^[114]. It is suggested to prevent AD in the preclinical phase, rather than trying to cure it when clinical symptoms have appeared.

In AD patient, the balance between production and clearance of A β is broken, which causes the abnormal accumulation and result in aggregates with β -pleated sheet structure^[115]. Extracellular A β oligomers bind the cell surface, leading to receptors' functional of disruption and finally cause the synaptic dysfunction and neurodegeneration^[116]. The A β accumulation comes far before the clinical symptoms and may be used for early prediction of AD. The level of A β in cerebrospinal fluid (CSF) has been recommended as a usable and cost-less tool in the diagnosis and monitoring of AD by the European Medicines Agency^[117–118]. PET imaging with A β targeted radiotracers can hopefully identify potential AD

Table 2 A summary for positron emission tomography tracers used for glioma						
Chemical type	Tracer	Target or intake mechanism	Note			
Glucose analogue	¹⁸ F-FDG	Glucose	Demonstrate glucose metabolism; Poor tumor-to-background contrast			
Amino-acid	¹¹ C-MET ^[62–63,65–66] ¹⁸ F-FET ^[67–72] ¹⁸ F-FDOPA ^[73–76]	LAT1	Demonstrate amino-acid uptake; High sensitivity and specificity; Best and most studied tracers for glioma			
Thymidine analog	¹⁸ F- FLT ^[77-82]	Thymidine kinase 1	Markers of cell proliferation; Cannot pass intact BBB			
Choline	¹¹ C-CHO ^[84–86,88] ¹⁸ F-FHO ^[83,86–87]	Choline transporter	Monitor membrane phospholipids; Cannot pass intact BBB			
Nitroimidazole	¹⁸ F-FMISO ^[89-90]	Nitroreductase enzymes	Investigate intratumoural hypoxia; Haven't achieved clinical relevance			
Amino acid	18F-fluciclovine [92,94-96]	LAT1 & ASCT2	Demonstrate amino-acid uptake; Transported by both LAT1 and ASCT2			
Acetate	¹¹ C-ACE ^[99–100] ¹⁴ C-ACE ^[101] ¹⁸ F-FAC ^[102] ¹⁸ F-FPIA ^[103]	Acetate/acetyl CoA metabolism	Demonstrate the use of fatty acid			
Peptide	¹⁸ F-FPP(RGD) ₂ ^[104-106]	αvβ3-integrin	Demonstrate angiogenesis			
¹⁸ F: ¹⁸ fluorine; ¹¹ C: ¹¹ carbon; I FDOPA: 3,4-dihydroxy-6- ¹⁸ F- ASCT2: alanine-serine-cystein peptide; BBB: blood-brain-bar	FDG: fluorodeoxyglucose; LAT1: L-ty -fluoro-L-phenylalanine; FLT: 3 '-dec ne-2; ACE: acetate; FAC: fluoroaceta rier.	pe amino acid transporter-1; MET: methyl- xy-3 '-18F-fluorothymidine; CHO: choline; tte; FPIA: fluoropivalic acid; FPP(RGD) ₂ :	L-methionine; FET: O-(2-18F-fluoroethyl)-L-tyrosine; ; FHO: fluorocholine; FMISO: fluoromisonidazole; 2-fluoropropionyl-labeled PEGylated dimeric RGD			

patients and monitor its progression in a non-invasive and safer way.

The first generation

¹¹C-PIB: The earliest and most widely used and studied radiotracer for amyloid PET imaging is N-methyl-¹¹C-2-(4 '-methylaminophenyl)-6-hydroxybenzothiazole, a benzothiazole derivative, also called ¹¹C-Pittsburgh compound B (¹¹C-PIB)^[119]. It is derived from Thioflavin T (Th-T), a histopathological dye that binds to the amyloid plaque, as well as Congo Red. ¹¹C-PIB can easily cross the BBB and bind to amyloid plaques with high affinity. It is proved that ¹¹C-PIB retention in the frontal cortex and posterior cingulum significantly correlate with CSF Aβ^[120], and can be used to predict the disease progression from MCI to AD^[121–123].

¹⁸F-flutemetamol: ¹⁸F-flutemetamol (Vizamyl, also known as ¹⁸F-GE067 and 3'-¹⁸F-PIB) is developed in the seeking of ¹⁸F labeled radiotracer similar to ¹¹C-PIB but can be popularize to centers without cyclotron. Many studies have shown that the uptake processes and specific binding characteristics of flutemetamol is very similar to ¹¹C-PIB^[124–125]. It has been approved by FDA in 2013.

¹⁸F-florbetapir and ¹⁸F-florbetaben: ¹⁸F-

florbetapir (Amyvid, also known as ¹⁸F-AV45 or florpiramine) and ¹⁸F-florbetaben (Neuraceq, also known as ¹⁸F-AV-1 or ¹⁸F-BAY94-9172) are both diaryl alkene analogs. In this branch, ³H-SB-13 is the first stilbene derivative with high affinity to $A\beta^{[126]}$, and then led to its ¹¹C-labeled analog ¹¹C-SB-13^[127]. ¹⁸F-florbetapir is the first ¹⁸F-labeled PET tracer developed for imaging amyloid plaques and has been approved by FDA in 2012. ¹⁸F-florbetaben was approved by FDA in 2014.

The three FDA approved amyloid tracers^[113] of ¹⁸Fflutemetamol, ¹⁸F-florbetapir and ¹⁸F-florbetaben all show high correlation with ¹¹C-PIB and can be used in the prediction of MCI progression and diagnosis of AD. Since nearly all the studies about those tracers are compared with ¹¹C-PIB, it is hard to deny the hypothesis that they are quite similar in sensitivity and specificity. The biggest problem of the first generation of AB pet tracers is the low signal-to-background ratio, which limits the sensitivity especially in the early phase AD patients with low plaque levels. second-generation Hence, many tracers were developed to solve this problem.

The second generation

18F-flutafuranol: 18F-flutafuranol (also known as

¹⁸F-AZD4694 or ¹⁸F-NAV4694) is a benzofuran derivative firstly synthesized in 2010^[126]. Same as the development of ¹⁸F-florbetapir and ¹⁸F-florbetaben, the first tracer in this branch was also ³H labeled, ³H-AZD2184, which displays a twice higher signal-tobackground ratio than ³H-PIB^[128]. The high signal-tobackground ratio is also observed on ¹¹C-AZD2184^[129]. ¹⁸F-flutafuranol shares the identical binding with the second-generation tracers and shows a lower non-specific binding in vitro. Following studies show that ¹⁸F-flutafuranol has a high cortical binding in AD, highly correlating to ¹¹C-PIB, and lower non-specific white matter binding, which confirmed potential wide clinical its for application^[130-131].

Tau aggregates

According to the amyloid cascade hypothesis, the generation of $A\beta$ plaques is the primary progression of AD and causes other downstream events, such as Tau aggregates. However, amyloid volume has no additional value on disease severity^[132]. On the contrary, the extent of neurofibrillary tangles composed of Tau, seems to be increased with disease progression and is closely related to memory decline^[133]. Therefore, Tau PET is used for both early diagnosis and tracing disease progression.

¹⁸F-FDDNP: ¹⁸F-FDDNP is the first PET tracer labelling regional Tau tangles and shows the ability of differentiating MCI from normal aging and AD^[134]. However, its relatively high affinity to A β limits the Tau imaging specifically^[135]. In order to improve the specificity and selectivity, many other sets of tracers were synthetized and referred to as the first generation.

The first generation

Quinoline derivatives [2-(4-aminophenyl)-6-(2-fluoroethoxy)quinoline] [THK] series): Based on the new quinoline and benzimidazole derivatives that bind Tau over Aβ plaques found by Okamura *et al*^[136], the first tracer of the THK series of ¹⁸F-THK523 was developed and fulfils ligand criteria for human imaging trials^[137]. Afterwards, ¹⁸F-THK5105 and ¹⁸F-THK5117 are found to have a higher binding affinity than ¹⁸F-THK523^[138] but have a relative high retention within the white matter^[139]. The latest tracer in this series is ¹⁸F-THK-5351 (also known as GE-216) with faster kinetics, higher contrast, and lower retention in subcortical white matter than¹⁸F-THK5117^[140]. Many studies have shown that the THK series have a high off-target binging to MAO-B, which accumulates with

age, and hence, may be limited in the use of Tau specific imaging.

The carbazole and benzimidazole derivatives (18F-flortaucipir): ¹⁸F-flortaucipir (also known as Tauvid, ¹⁸F-AV1451 or ¹⁸F-T807) is a benzimidazole pyrimidine derivatives developed in 2013 and has high affinity, selectivity, and lipophilicity^[141]. It provides high contrast because of low retention in white matter. Clinical studies show that ¹⁸Fflortaucipir PET present significant correlations with CSF measurements of tau pathology^[142] and is associated with clinical impairment^[143]. 18Fflortaucipir has been approved by FDA for Tau imaging in 2020. However, ¹⁸F-flortaucipir also has similar affinity to MAO-B, like the THK-series^[144].

¹¹C-PBB3: ¹¹C-PBB3 (pyridinyl-butandienylbenzothiazole 3) is another tracer for Tau^[145]. ¹¹C-PBB3 PET has a robust signal in Tau enriched tissue and is consistent with the spreading of Tau pathology with AD progression. It also has a low white matter binding similar as ¹⁸F-flortaucipi while the radiometabolites may remain in the brain and hamper its quantification.

The second generation

There are some common limits in the first generation of Tau tracers, such as retention in white matter and off-target binding especially to MAO-B. Therefore, the second generation now enters the field. Some of them are improved from reported tracers and have a similar structure as the first generation.

Subsequent ¹⁸**F-flortaucipir series:** Based on ¹⁸F-T808 (also called ¹⁸F-AV680), which is in the same series with ¹⁸F-flortaucipir but abandoned for its propensity to metabolic defluorination^[146], ¹⁸F-GTP1 (¹⁸F-Genentech tau probe 1) was developed without measurable binding to MAO-B and evidence of defluorination^[147]. Based on ¹⁸F-flortaucipir, three compounds were developed with lower affinity to MAO-B than ¹⁸F-flortaucipir and THK-series, in which ¹⁸F-RO948 (¹⁸F-RO6958948) was found to have a better pharmacokinetics and metabolic properties and higher signal-to-background ratio^[148]. ¹⁸F-PI-2620 is another Tau tracer improved from ¹⁸F-flortaucipir without off-target binding to MAO-B^[149].

¹⁸F-PM-PBB3: Based on ¹¹C-PBB3, ¹⁸F-PM-PBB3 (¹⁸F-APN-1607) has developed with higher metabolic stability and less off-target signals, which makes it higher signal-to-background ratio^[150]. ¹⁸F-PM-PBB3 also correlated well with cognitive changes^[151].

¹⁸F-MK6240: ¹⁸F-MK6240 is an azaindole derivatives developed in 2016^[152]. It can efficiently differentiate normal control group, MCI and AD

patients. No defluorination or off-target signals to MAO-B has been observed^[152]. Clinical trials also showed a minimal off-target binding in human brain^[153].

¹⁸F-JNJ311: ¹⁸F-JNJ311 (¹⁸F-JNJ64349311) is a naphthyridine derivatives developed in 2017^[154]. Animal studies showed its moderate initial brain uptake, rapid brain washout, and minor off-target specific binding in the healthy rat brain^[155]. ¹⁸F-JNJ311 has a favorable pharmacokinetic profile like ¹⁸F-flortaucipir and is a potential candidate for Tauspecific tracer.

Tracers for Alzheimer's disease are summarized in *Table 3*^[113,119–126,128–131,134–135,137–142,144–145,147–155].

Conclusions

There are many hurdles in developing PET tracers for glial cells and related disease. For example, a candidate tracer must have the ability to across BBB. After entering the CNS, it must have sufficient affinity and specificity to its target with low off-target binding. In the field of glial tracer imaging, future work should focus on the different phenotypes of microglia and astrocytes. It's clear that there is more complex and precision differentiation, which can be a great progress to understand the precise roles of glial cells in neuroinflammation and many other related diseases. Some advanced technology can be helpful for development of new glial tracers, such as computational BBB permeability modeling tools, human BBB microfluidic and BBB organoids.

Furthermore, new imaging systems may bring a revelation of glial imaging with better resolution and sensitivity. PET/MRI is a technology that combines the anatomic and quantitative strengths of MRI with physiologic information obtained from PET. Compared with PET/CT, it has an increased soft tissue contrast and lacks of ionizing radiation exposure, which outperforms PET/CT in many applications^[156]. It has been used in both neurodegenerative disorders^[157–159] and glioma^[160–162], with above-mentioned radiotracers, PET/MRI has achieved much better results than using PET or MRI individually, and also PET/CT.

get	Generation	Tracers	Note
	1	¹¹ C-PIB ^[119–123]	Classical used tracer
	1	¹⁸ F-flutemetamol ^[124–125]	FDA approved
Planar heteroaromatic analogs	1	¹⁸ F-florbetapir ^[113]	FDA approved
	1	¹⁸ F-florbetaben ^[113]	FDA approved
	2	${}^{18}F\text{-}fluta fur anol {\scriptstyle [126,128-131]}$	
1			
Naphthalene analogs	0	¹⁸ F-FDDNP ^[134–135]	Affinity for both $A\beta$ and Tau
	1	¹⁸ F-THK-523 ^[137]	
Amilaning line derivatives (THV series)	1	¹⁸ F-THK-5105 ^[138]	
Aryiquinonne derivatives (THK series)	1	¹⁸ F-THK-5117 ^[138]	
	1	¹⁸ F-THK-5351 ^[140]	
	1	¹⁸ F-flortaucipir ^[141-142,144]	FDA approved
Denginidagala ny minidinas daniyatiyas	2	¹⁸ F-RO948 ^[148]	
Benzimidazoie pyrimidines derivatives	2	¹⁸ F-PI2620 ^[149]	
	2	¹⁸ F-GTP1 ^[147]	
ממת	1	¹¹ C-PBB3 ^[145]	
rdd	2	¹⁸ F-PM-PBB3 ^[150–151]	
Azaindole derivatives	2	¹⁸ F-MK6240 ^[152–153]	
Naphthyridine derivatives	2	¹⁸ F-JNJ311 ^[154–155]	

Acknowledgments

This work was supported by the Key Laboratory of Biomedical Engineering of Hainan Province under Opening Foundation 2022001.

References

- Von Bartheld CS. Myths and truths about the cellular composition of the human brain: a review of influential concepts[J]. *J Chem Neuroanat*, 2018, 93: 2–15.
- [2] Herculano-Houzel S. The glia/neuron ratio: how it varies uniformly across brain structures and species and what that means for brain physiology and evolution[J]. *Glia*, 2014, 62(9): 1377–1391.
- [3] Jäkel S, Dimou L. Glial cells and their function in the adult brain: a journey through the history of their ablation[J]. *Front Cell Neurosci*, 2017, 11: 24.
- [4] Nayak D, Roth TL, McGavern DB. Microglia development and function[J]. *Annu Rev Immunol*, 2014, 32: 367–402.
- [5] Siracusa R, Fusco R, Cuzzocrea S. Astrocytes: role and functions in brain pathologies[J]. *Front Pharmacol*, 2019, 10: 1114.
- [6] Disabato DJ, Quan N, Godbout JP. Neuroinflammation: the devil is in the details[J]. J Neurochem, 2016, 139(S2): 136–153.
- [7] Mantovani A, Sica A, Locati M. Macrophage polarization comes of age[J]. *Immunity*, 2005, 23(4): 344–346.
- [8] Zamanian JL, Xu L, Foo LC, et al. Genomic analysis of reactive astrogliosis[J]. J Neurosci, 2012, 32(18): 6391–6410.
- [9] Lyman M, Lloyd DG, Ji X, et al. Neuroinflammation: the role and consequences[J]. *Neurosci Res*, 2014, 79: 1–12.
- [10] Pandey R, Caflisch L, Lodi A, et al. Metabolomic signature of brain cancer[J]. *Mol Carcinog*, 2017, 56(11): 2355–2371.
- [11] Louis DN, Perry A, Reifenberger G, et al. The 2016 World Health Organization classification of tumors of the central nervous system: a summary[J]. *Acta Neuropathol*, 2016, 131(6): 803–820.
- [12] Walker C, Baborie A, Crooks D, et al. Biology, genetics and imaging of glial cell tumours[J]. *Br J Radiol*, 2011, 84(S2): S90–S106.
- [13] Santoro A, Mattace Raso G, Taliani S, et al. TSPO-ligands prevent oxidative damage and inflammatory response in C6 glioma cells by neurosteroid synthesis[J]. *Eur J Pharm Sci*, 2016, 88: 124–131.
- [14] Veenman L, Gavish M. The peripheral-type benzodiazepine receptor and the cardiovascular system. Implications for drug development[J]. *Pharmacol Ther*, 2006, 110(3): 503–524.
- [15] Hauet T, Yao Z, Bose HS, et al. Peripheral-type benzodiazepine receptor-mediated action of steroidogenic acute regulatory protein on cholesterol entry into leydig cell mitochondria[J]. *Mol Endocrinol*, 2005, 19(2): 540–554.

- [16] O'Hara MF, Nibbio BJ, Craig RC, et al. Mitochondrial benzodiazepine receptors regulate oxygen homeostasis in the early mouse embryo[J]. *Reprod Toxicol*, 2003, 17(4): 365–375.
- [17] Larcher JC, Vayssiere JL, Le Marquer FJ, et al. Effects of peripheral benzodiazepines upon the O₂ consumption of neuroblastoma cells[J]. *Eur J Pharmacol*, 1989, 161(2–3): 197–202.
- [18] Jain P, Chaney AM, Carlson ML, et al. Neuroinflammation PET imaging: current opinion and future directions[J]. J Nucl Med, 2020, 61(8): 1107–1112.
- [19] Nutma E, Ceyzériat K, Amor S, et al. Cellular sources of TSPO expression in healthy and diseased brain[J]. *Eur J Nucl Med Mol Imaging*, 2021, 49(1): 146–163.
- [20] Camsonne R, Crouzel C, Comar D, et al. Synthesis of N-(¹¹C) methyl, N-(methyl-1 propyl), (chloro-2 phenyl)-1 isoquinoleine carboxamide-3 (PK 11195): a new ligand for peripheral benzodiazepine receptors[J]. J Label Compd Radiopharm, 1984, 21(10): 985–991.
- [21] Cagnin A, Brooks DJ, Kennedy AM, et al. In-vivo measurement of activated microglia in dementia[J]. *Lancet*, 2001, 358(9280): 461–467.
- [22] Ouchi Y, Yoshikawa E, Sekine Y, et al. Microglial activation and dopamine terminal loss in early Parkinson's disease[J]. Ann Neurol, 2005, 57(2): 168–175.
- [23] De Souza AM, Pitombeira MS, De Souza LE, et al. ¹¹C-PK11195 plasma metabolization has the same rate in multiple sclerosis patients and healthy controls: a crosssectional study[J]. *Neural Regen Res*, 2021, 16(12): 2494–2498.
- [24] Jučaite A, Cselényi Z, Arvidsson A, et al. Kinetic analysis and test-retest variability of the radioligand [¹¹C](R)-PK11195 binding to TSPO in the human brain-a PET study in control subjects[J]. *EJNMMI Res*, 2012, 2: 15.
- [25] Parente A, Feltes PK, Vallez García D, et al. Pharmacokinetic analysis of ¹¹C-PBR28 in the rat model of herpes encephalitis: comparison with (*R*)-¹¹C-PK11195[J]. J Nucl Med, 2016, 57(5): 785–791.
- [26] James ML, Fulton RR, Henderson DJ, et al. Synthesis and *in vivo* evaluation of a novel peripheral benzodiazepine receptor PET radioligand[J]. *Bioorg Med Chem*, 2005, 13(22): 6188–6194.
- [27] Boutin H, Chauveau F, Thominiaux C, et al. ¹¹C-DPA-713: a novel peripheral benzodiazepine receptor PET ligand for *in vivo* imaging of neuroinflammation[J]. *J Nucl Med*, 2007, 48(4): 573–581.
- [28] Endres CJ, Pomper MG, James M, et al. Initial evaluation of ¹¹C-DPA-713, a novel TSPO PET ligand, in humans[J]. J Nucl Med, 2009, 50(8): 1276–1282.
- [29] Yasuno F, Kimura Y, Ogata A, et al. Kinetic modeling and non-invasive approach for translocator protein quantification with ¹¹C-DPA-713[J]. *Nucl Med Biol*, 200, 108–109: 76–84.
- [30] Akerele MI, Zein SA, Pandya S, et al. Population-based input function for TSPO quantification and kinetic modeling with [¹¹C]-DPA-713[J]. *EJNMMI Phys*, 2021, 8(1): 39.

- [31] Sarda-Mantel L, Alsac JM, Boisgard R, et al. Comparison of 18F-fluoro-deoxy-glucose, 18F-fluoro-methyl-choline, and 18F-DPA714 for positron-emission tomography imaging of leukocyte accumulation in the aortic wall of experimental abdominal aneurysms[J]. J Vasc Surg, 2012, 56(3): 765–773.
- [32] Kaneko KI, Irie S, Mawatari A, et al. [18F]DPA-714 PET imaging for the quantitative evaluation of early spatiotemporal changes of neuroinflammation in rat brain following status epilepticus[J]. *Eur J Nucl Med Mol Imaging*, 2022, 49(7): 2265–2275.
- [33] Tang D, McKinley ET, Hight MR, et al. Synthesis and structure-activity relationships of 5, 6, 7-substituted pyrazolopyrimidines: discovery of a novel TSPO PET ligand for cancer imaging[J]. J Med Chem, 2013, 56(8): 3429–3433.
- [34] Li J, Smith JA, Dawson ES, et al. Optimized translocator protein ligand for optical molecular imaging and screening[J]. *Bioconjugate Chem*, 2017, 28(4): 1016–1023.
- [35] Okubo T, Yoshikawa R, Chaki S, et al. Design, synthesis and structure –affinity relationships of aryloxyanilide derivatives as novel peripheral benzodiazepine receptor ligands[J]. *Bioorg Med Chem*, 2004, 12(2): 423–438.
- [36] Briard E, Zoghbi SS, Imaizumi M, et al. Synthesis and evaluation in monkey of two sensitive ¹¹C-labeled aryloxyanilide ligands for imaging brain peripheral benzodiazepine receptors *in vivo*[J]. *J Med Chem*, 2008, 51(1): 17–30.
- [37] Kreisl WC, Fujita M, Fujimura Y, et al. Comparison of [¹¹C]-(*R*)-PK 11195 and [¹¹C]PBR28, two radioligands for translocator protein (18 kDa) in human and monkey: Implications for positron emission tomographic imaging of this inflammation biomarker[J]. *Neuroimage*, 2010, 49(4): 2924–2932.
- [38] Nair A, Veronese M, Xu X, et al. Test-retest analysis of a non-invasive method of quantifying [¹¹C]-PBR28 binding in Alzheimer's disease[J]. *EJNMMI Res*, 2016, 6(1): 72.
- [39] Schaechter JD, Hightower BG, Kim M, et al. A pilot [¹¹C]PBR28 PET/MRI study of neuroinflammation and neurodegeneration in chronic stroke patients[J]. *Brain Behav Immun Health*, 2021, 17: 100336.
- [40] Pascual B, Funk Q, Zanotti-Fregonara P, et al. Neuroinflammation is highest in areas of disease progression in semantic dementia[J]. *Brain*, 2021, 144(5): 1565–1575.
- [41] Owen DR, Yeo AJ, Gunn RN, et al. An 18-kDa translocator protein (TSPO) polymorphism explains differences in binding affinity of the PET radioligand PBR28[J]. J Cereb Blood Flow Metab, 2012, 32(1): 1–5.
- [42] Zanotti-Fregonara P, Zhang Y, Jenko KJ, et al. Synthesis and evaluation of translocator 18 kDa protein (TSPO) positron emission tomography (PET) radioligands with low binding sensitivity to human single nucleotide polymorphism rs6971[J]. ACS Chem Neurosci, 2014, 5(10): 963–971.

- [43] Ikawa M, Lohith TG, Shrestha S, et al. ¹¹C-ER176, a Radioligand for 18-kDa translocator protein, has adequate sensitivity to robustly image all three affinity genotypes in human brain[J]. J Nucl Med, 2017, 58(2): 320–325.
- [44] Fujita M, Kobayashi M, Ikawa M, et al. Comparison of four ¹¹C-labeled PET ligands to quantify translocator protein 18 kDa (TSPO) in human brain: (*R*)-PK11195, PBR28, DPA-713, and ER176-based on recent publications that measured specific-to-non-displaceable ratios[J]. *EJNMMI Res*, 2017, 7(1): 84.
- [45] Rocha NP, Charron O, Latham LB, et al. Microglia activation in basal ganglia is a late event in huntington disease pathophysiology[J]. *Neurol Neuroimmunol Neuroinflamm*, 2021, 8(3): e984.
- [46] Boutin H, Murray K, Pradillo J, et al. ¹⁸F-GE-180: a novel TSPO radiotracer compared to ¹¹C-R-PK11195 in a preclinical model of stroke[J]. *Eur J Nucl Med Mol Imaging*, 2015, 42(3): 503–511.
- [47] Vettermann FJ, Harris S, Schmitt J, et al. Impact of TSPO receptor polymorphism on [¹⁸F]GE-180 binding in healthy brain and pseudo-reference regions of neurooncological and neurodegenerative disorders[J]. *Life (Basel)*, 2021, 11(6): 484.
- [48] Zanotti-Fregonara P, Pascual B, Rostomily RC, et al. Anatomy of ¹⁸F-GE180, a failed radioligand for the TSPO protein[J]. *Eur J Nucl Med Mol Imaging*, 2020, 47(10): 2233–2236.
- [49] Lammertsma AA, Bench CJ, Price GW, et al. Measurement of cerebral monoamine oxidase B activity using L-[¹¹C]deprenyl and dynamic positron emission tomography[J]. J Cereb Blood Flow Metab, 1991, 11(4): 545–556.
- [50] Gulyás B, Pavlova E, Kása P, et al. Activated MAO-B in the brain of Alzheimer patients, demonstrated by [¹¹C]-Ldeprenyl using whole hemisphere autoradiography[J]. *Neurochem Int*, 2011, 58(1): 60–68.
- [51] Mixdorf JC, Murali D, Xin Y, et al. Alternative strategies for the synthesis of [¹¹C]ER176 for PET imaging of neuroinflammation[J]. *Appl Radiat Isot*, 2021, 178: 109954.
- [52] Lee JH, Simeon FG, Liow JS, et al. *In vivo* evaluation of six analogs of ¹¹C-ER176 as candidate ¹⁸F-labeled radioligands for translocator protein 18 kDa (TSPO)[J]. *J Nucl Med*, 2022, 63(8): 1252–1258.
- [53] Narayanaswami V, Dahl K, Bernard-Gauthier V, et al. Emerging PET radiotracers and targets for imaging of neuroinflammation in neurodegenerative diseases: outlook beyond TSPO[J]. *Mol Imaging*, 2018, 17: 1536012118792317.
- [54] Van Weehaeghe D, Van Schoor E, De Vocht J, et al. TSPO versus P2X7 as a target for neuroinflammation: an *in vitro* and in *vivo study*[J]. *J Nucl Med*, 2020, 61(4): 604–607.
- [55] Upadhyay N, Waldman AD. Conventional MRI evaluation of gliomas[J]. Br J Radiol, 2011, 84(S2): S107–S111.
- [56] Langen KJ, Galldiks N, Hattingen E, et al. Advances in neuro-oncology imaging[J]. Nat Rev Neurol, 2017, 13(5):

279-289.

- [57] Rosenfeld SS, Hoffman JM, Coleman RE, et al. Studies of primary central nervous system lymphoma with fluorine-18fluorodeoxyglucose positron emission tomography[J]. J Nucl Med, 1992, 33(4): 532–536.
- [58] Kosaka N, Tsuchida T, Uematsu H, et al. ¹⁸F-FDG PET of common enhancing malignant brain tumors[J]. *AJR Am J Roentgenol*, 2008, 190(6): W365–W369.
- [59] Omuro AMP, Leite CC, Mokhtari K, et al. Pitfalls in the diagnosis of brain tumours[J]. *Lancet Neurol*, 2006, 5(11): 937–948.
- [60] Chung JK, Kim YK, Kim SK, et al. Usefulness of ¹¹Cmethionine PET in the evaluation of brain lesions that are hypo- or isometabolic on ¹⁸F-FDG PET[J]. *Eur J Nucl Med Mol Imaging*, 2002, 29(2): 176–182.
- [61] Galldiks N, Langen KJ. Applications of PET imaging of neurological tumors with radiolabeled amino acids[J]. *Quart J Nucl Med Mol Imaging*, 2015, 59(1): 70–82.
- [62] Långström B, Antoni G, Gullberg P, et al. Synthesis of Land D-[methyl-11C]methionine[J]. J Nucl Med, 1987, 28(6): 1037–1040.
- [63] Singhal T, Narayanan TK, Jain V, et al. ¹¹C-L-methionine positron emission tomography in the clinical management of cerebral gliomas[J]. *Mol Imaging Biol*, 2008, 10(1): 1–18.
- [64] Deuschl C, Kirchner J, Poeppel TD, et al. ¹¹C –MET PET/MRI for detection of recurrent glioma[J]. *Eur J Nucl Med Mol Imaging*, 2018, 45(4): 593–601.
- [65] Glaudemans AWJW, Enting RH, Heesters MAAM, et al. Value of ¹¹C-methionine PET in imaging brain tumours and metastases[J]. *Eur J Nucl Med Mol Imaging*, 2013, 40(4): 615–635.
- [66] De Zwart PL, Van Dijken BR J, Holtman GA, et al. Diagnostic accuracy of PET tracers for the differentiation of tumor progression from treatment-related changes in highgrade glioma: a systematic review and metaanalysis[J]. J Nucl Med, 2020, 61(4): 498–504.
- [67] Grosu AL, Astner ST, Riedel E, et al. An interindividual comparison of O-(2-[¹⁸F]fluoroethyl)-L-tyrosine (FET)- and L-[methyl-¹¹C]methionine (MET)-PET in patients with brain gliomas and metastases[J]. *Int J Radiat Oncol Biol Phys*, 2011, 81(4): 1049–1058.
- [68] Yang Y, He MZ, Li T, et al. MRI combined with PET-CT of different tracers to improve the accuracy of glioma diagnosis: a systematic review and meta-analysis[J]. *Neurosurg Rev*, 2019, 42(2): 185–195.
- [69] Weckesser M, Langen KJ, Rickert CH, et al. O-(2-[¹⁸F]fluorethyl)-L-tyrosine PET in the clinical evaluation of primary brain tumours[J]. *Eur J Nucl Med Mol Imaging*, 2005, 32(4): 422–429.
- [70] Pöpperl G, Kreth FW, Herms J, et al. Analysis of ¹⁸F-FET PET for grading of recurrent gliomas: is evaluation of uptake kinetics superior to standard methods?[J]. *J Nucl Med*, 2006, 47(3): 393–403.
- [71] Moulin-Romsee G, D'hondt E, De Groot T, et al. Noninvasive grading of brain tumours using dynamic amino acid

PET imaging: does it work for ¹¹C-methionine?[J]. *Eur J Nucl Med Mol Imaging*, 2007, 34(12): 2082–2087.

- [72] Kratochwil C, Combs SE, Leotta K, et al. Intra-individual comparison of ¹⁸F-FET and ¹⁸F-DOPA in PET imaging of recurrent brain tumors[J]. *Neuro-Oncol*, 2014, 16(3): 434–440.
- [73] Xiao J, Jin Y, Nie J, et al. Diagnostic and grading accuracy of ¹⁸F-FDOPA PET and PET/CT in patients with gliomas: a systematic review and meta-analysis[J]. *BMC Cancer*, 2019, 19(1): 767.
- [74] Becherer A, Karanikas G, Szabó M, et al. Brain tumour imaging with PET: a comparison between [¹⁸F]fluorodopa and [¹¹C]methionine[J]. *Eur J Nucl Med Mol Imaging*, 2003, 30(11): 1561–1567.
- [75] Fueger BJ, Czernin J, Cloughesy T, et al. Correlation of 6 – ¹⁸F-fluoro-L-dopa PET uptake with proliferation and tumor grade in newly diagnosed and recurrent gliomas[J]. J Nucl Med, 2010, 51(10): 1532–1538.
- [76] Janvier L, Olivier P, Blonski M, et al. Correlation of SUVderived indices with tumoral aggressiveness of gliomas in static 18F-FDOPA PET: use in clinical practice[J]. *Clin Nucl Med*, 2015, 40(9): e429–e435.
- [77] Shields AF, Grierson JR, Dohmen BM, et al. Imaging proliferation *in vivo* with [F-18]FLT and positron emission tomography[J]. *Nat Med*, 1998, 4(11): 1334–1336.
- [78] Hong IK, Kim JH, Ra YS, et al. Diagnostic usefulness of 3'-Deoxy-3'-[18F]Fluorothymidine positron emission tomography in recurrent brain tumor[J]. J Comput Assist Tomogr, 2011, 35(6): 679–684.
- [79] Enslow MS, Zollinger LV, Morton KA, et al. Comparison of ¹⁸F-fluorodeoxyglucose and ¹⁸F-fluorothymidine PET in differentiating radiation necrosis from recurrent glioma[J]. *Clin Nucl Med*, 2012, 37(9): 854–861.
- [80] Shishido H, Kawai N, Miyake K, et al. Diagnostic value of ¹¹C-methionine (MET) and ¹⁸F-fluorothymidine (FLT) positron emission tomography in recurrent high-grade gliomas; differentiation from treatment-induced tissue necrosis[J]. *Cancers (Basel)*, 2012, 4(1): 244–256.
- [81] Weber MA, Henze M, Tüttenberg J, et al. Biopsy targeting gliomas: do functional imaging techniques identify similar target areas?[J]. *Invest Radiol*, 2010, 45(12): 755–768.
- [82] Nowosielski M, Difranco MD, Putzer D, et al. An intraindividual comparison of MRI, [18F]-FET and [18F]-FLT PET in patients with high-grade gliomas[J]. *PLoS One*, 2014, 9(4): e95830.
- [83] Mertens K, Slaets D, Lambert B, et al. PET with ¹⁸F-labelled choline-based tracers for tumour imaging: a review of the literature[J]. *Eur J Nucl Med Mol Imaging*, 2010, 37(11): 2188–2193.
- [84] Ito K, Yokoyama J, Kubota K, et al. Comparison of ¹⁸F-FDG and ¹¹C-choline PET/CT for detecting recurrences in patients with nonsquamous cell head and neck malignancies[J]. *Nucl Med Commun*, 2010, 31(11): 931–937.
- [85] Kato T, Shinoda J, Nakayama N, et al. Metabolic

assessment of gliomas using ¹¹C-methionine, [18F] fluorodeoxyglucose, and ¹¹C-choline positron-emission tomography[J]. *AJNR Am J Neuroradiol*, 2008, 29(6): 1176–1182.

- [86] Hara T, Kondo T, Hara T, et al. Use of ¹⁸F-choline and ¹¹Ccholine as contrast agents in positron emission tomography imaging-guided stereotactic biopsy sampling of gliomas[J]. *J Neurosurg*, 2003, 99(3): 474–479.
- [87] Montes A, Fernández A, Camacho V, et al. The usefulness of ¹⁸F-fluorocholine PET/CT in the detection of recurrence of central nervous system primary neoplasms[J]. *Rev Esp Med Nucl Imagen Mol*, 2017, 36(4): 227–232.
- [88] Gao L, Xu W, Li T, et al. Accuracy of 11C-choline positron emission tomography in differentiating glioma recurrence from radiation necrosis: a systematic review and metaanalysis[J]. *Medicine (Baltimore)*, 2018, 97(29): e11556.
- [89] Dewhirst MW, Cao Y, Moeller B. Cycling hypoxia and free radicals regulate angiogenesis and radiotherapy response[J]. *Nat Rev Cancer*, 2008, 8(6): 425–437.
- [90] Gerstner ER, Zhang Z, Fink JR, et al. ACRIN 6684: assessment of tumor hypoxia in newly diagnosed glioblastoma using ¹⁸F-FMISO PET and MRI[J]. *Clin Cancer Res*, 2016, 22(20): 5079–5086.
- [91] Reeves KM, Song PN, Angermeier A, et al. ¹⁸F-FMISO PET imaging identifies hypoxia and immunosuppressive tumor microenvironments and guides targeted evofosfamide therapy in tumors refractory to PD-1 and CTLA-4 inhibition[J]. *Clin Cancer Res*, 2022, 28(2): 327–337.
- [92] Parent EE, Benayoun M, Ibeanu I, et al. [18F]Fluciclovine PET discrimination between high- and low-grade gliomas[J]. *EJNMMI Res*, 2018, 8(1): 67.
- [93] Sörensen J, Owenius R, Lax M, et al. Regional distribution and kinetics of [18F]fluciclovine (anti-[18F]FACBC), a tracer of amino acid transport, in subjects with primary prostate cancer[J]. *Eur J Nucl Med Mol Imaging*, 2013, 40(3): 394–402.
- [94] Kondo A, Ishii H, Aoki S, et al. Phase IIa clinical study of[¹⁸F]fluciclovine: efficacy and safety of a new PET tracer for brain tumors[J]. *Ann Nucl Med*, 2016, 30(9): 608–618.
- [95] Wakabayashi T, Iuchi T, Tsuyuguchi N, et al. Diagnostic performance and safety of positron emission tomography using ¹⁸F-Fluciclovine in patients with clinically suspected high- or low-grade gliomas: a multicenter phase IIb trial[J]. *Asia Ocean J Nucl Med Biol*, 2017, 5(1): 10–21.
- [96] Wakabayashi T, Hirose Y, Miyake K, et al. Determining the extent of tumor resection at surgical planning with ¹⁸Ffluciclovine PET/CT in patients with suspected glioma: multicenter phase III trials[J]. *Ann Nucl Med*, 2021, 35(12): 1279–1292.
- [97] Mashimo T, Pichumani K, Vemireddy V, et al. Acetate is a bioenergetic substrate for human glioblastoma and brain metastases[J]. *Cell*, 2014, 159(7): 1603–1614.
- [98] Yoshii Y, Furukawa T, Saga T, et al. Acetate/acetyl-CoA metabolism associated with cancer fatty acid synthesis: overview and application[J]. *Cancer Lett*, 2015, 356(2 Pt

A): 211–216.

- [99] Liu RS, Chang C, Chu LS, et al. PET imaging of brain astrocytoma with 1 – ¹¹C-acetate[J]. Eur J Nucl Med Mol Imaging, 2006, 33(4): 420–427.
- [100] Tsuchida T, Takeuchi H, Okazawa H, et al. Grading of brain glioma with 1–¹¹C-acetate PET: comparison with ¹⁸F-FDG PET[J]. *Nucl Med Biol*, 2008, 35(2): 171–176.
- [101] Dienel GA, Popp D, Drew PD, et al. Preferential labeling of glial and meningial brain tumors with [2-14C]Acetate[J]. J Nucl Med, 2001, 42(8): 1243–1250.
- [102] Marik J, Ogasawara A, Martin-Mcnulty B, et al. PET of glial metabolism using 2–¹⁸F-fluoroacetate[J]. *J Nucl Med*, 2009, 50(6): 982–990.
- [103] Vassileva V, Braga M, Barnes C, et al. Effective detection and monitoring of glioma using [¹⁸F]FPIA PET imaging[J]. *Biomedicines*, 2021, 9(7): 811.
- [104] Chin FT, Shen B, Liu S, et al. First experience with clinicalgrade [¹⁸F]FPP(RGD)₂: an automated multi-step radiosynthesis for clinical PET studies[J]. *Mol Imaging Biol*, 2012, 14(1): 88–95.
- [105] Iagaru A, Mosci C, Mittra E, et al. Glioblastoma multiforme recurrence: an exploratory study of ¹⁸F FPPRGD₂ PET/CT[J]. *Radiology*, 2015, 277(2): 497–506.
- [106] Minamimoto R, Jamali M, Barkhodari A, et al. Biodistribution of the ¹⁸F-FPPRGD₂ PET radiopharmaceutical in cancer patients: an atlas of SUV measurements[J]. *Eur J Nucl Med Mol Imaging*, 2015, 42(12): 1850–1858.
- [107] Albert NL, Weller M, Suchorska B, et al. Response assessment in Neuro-oncology working group and European association for Neuro-oncology recommendations for the clinical use of PET imaging in gliomas[J]. *Neuro Oncol*, 2016, 18(9): 1199–1208.
- [108] Lin J, Chuang CP, Lin J, et al. Rational design, pharmacomodulation, and synthesis of [68Ga]Ga-Alb-FAPtp-01, a selective tumor-associated fibroblast activation protein tracer for PET imaging of Glioma[J]. ACS Sens, 2021, 6(9): 3424–3435.
- [109] Foster A, Nigam S, Tatum DS, et al. Novel theranostic agent for PET imaging and targeted radiopharmaceutical therapy of tumour-infiltrating immune cells in glioma[J]. *EBioMedicine*, 2021, 71: 103571.
- [110] Alzheimer's Association. 2018 Alzheimer's disease facts and figures[J]. Alzheimer's Dement, 2018, 14(3): 367–429.
- [111] Patterson C. World Alzheimer report 2018: the state of the art of dementia research: new frontiers[M]. London: Alzheimer's Disease International, 2018.
- [112] Breijyeh Z, Karaman R. Comprehensive review on Alzheimer's disease: causes and treatment[J]. *Molecules*, 2020, 25(24): 5789.
- [113] Filippi L, Chiaravalloti A, Bagni O, et al. ¹⁸F-labeled radiopharmaceuticals for the molecular neuroimaging of amyloid plaques in Alzheimer's disease[J]. *Am J Nucl Med Mol Imaging*, 2018, 8(4): 268–281.
- [114] Beach TG. A review of biomarkers for neurodegenerative

disease: will they swing us across the valley?[J]. Neurol Ther, 2017, 6(S1): 5-13.

- [115] Gu L, Guo Z. Alzheimer's Aβ42 and Aβ40 peptides form interlaced amyloid fibrils[J]. J Neurochem, 2013, 126(3): 305–311.
- [116] Kayed R, Lasagna-Reeves CA. Molecular mechanisms of amyloid oligomers toxicity[J]. J Alzheimers Dis, 2013, 33(S1): S67–S78.
- [117] Hu WT, Watts KD, Shaw LM, et al. CSF beta-amyloid 1–42what are we measuring in Alzheimer's disease?[J]. Ann Clin Transl Neurol, 2015, 2(2): 131–139.
- [118] Uzuegbunam BC, Librizzi D, Hooshyar Yousefi B. PET radiopharmaceuticals for Alzheimer's disease and Parkinson's disease diagnosis, the current and future landscape[J]. *Molecules*, 2020, 25(4): 977.
- [119] Klunk WE, Engler H, Nordberg A, et al. Imaging brain amyloid in Alzheimer's disease with Pittsburgh Compound-B[J]. Ann Neurol, 2004, 55(3): 306–319.
- [120] Forsberg A, Engler H, Almkvist O, et al. PET imaging of amyloid deposition in patients with mild cognitive impairment[J]. *Neurobiol Aging*, 2008, 29(10): 1456–1465.
- [121] Okello A, Koivunen J, Edison P, et al. Conversion of amyloid positive and negative MCI to AD over 3 years: an ¹¹C-PIB PET study[J]. *Neurology*, 2009, 73(10): 754–760.
- [122] Jack CR JR, Wiste HJ, Vemuri P, et al. Brain beta-amyloid measures and magnetic resonance imaging atrophy both predict time-to-progression from mild cognitive impairment to Alzheimer's disease[J]. *Brain*, 2010, 133(11): 3336–3348.
- [123] Kemppainen NM, Scheinin NM, Koivunen J, et al. Fiveyear follow-up of ¹¹C-PIB uptake in Alzheimer's disease and MCI[J]. *Eur J Nucl Med Mol Imaging*, 2014, 41(2): 283–289.
- [124] Mathis CA, Ikonomovic MD, Debnath ML, et al. Comparison of the binding of 3'-F-PiB and PiB in human brain homogenates[J]. *NeuroImage*, 2008, 41(S2): T113–T114.
- [125] Vandenberghe R, Van Laere K, Ivanoiu A, et al. ¹⁸Fflutemetamol amyloid imaging in Alzheimer disease and mild cognitive impairment: a phase 2 trial[J]. *Ann Neurol*, 2010, 68(3): 319–329.
- [126] Juréus A, Swahn BM, Sandell J, et al. Characterization of AZD4694, a novel fluorinated Aβ plaque neuroimaging PET radioligand[J]. *J Neurochem*, 2010, 114(3): 784–794.
- [127] Verhoeff NPLG, Wilson AA, Takeshita S, et al. In-vivo imaging of Alzheimer disease beta-amyloid with[11C] SB-13 PET[J]. Am J Geriatr Psychiatry, 2004, 12(6): 584–595.
- [128] Johnson AE, Jeppsson F, Sandell J, et al. AZD2184: a radioligand for sensitive detection of β -amyloid deposits[J]. *J Neurochem*, 2009, 108(5): 1177–1186.
- [129] Nyberg S, Jönhagen ME, Cselényi Z, et al. Detection of amyloid in Alzheimer's disease with positron emission tomography using [¹¹C]AZD2184[J]. Eur J Nucl Med Mol Imaging, 2009, 36(11): 1859–1863.
- [130] Cselényi Z, Jönhagen ME, Forsberg A, et al. Clinical validation of ¹⁸F-AZD4694, an amyloid-β-specific PET

radioligand[J]. J Nucl Med, 2012, 53(3): 415-424.

- [131] Rowe CC, Pejoska S, Mulligan RS, et al. Head-to-head comparison of ¹¹C-PiB and ¹⁸F-AZD4694 (NAV4694) for βamyloid imaging in aging and dementia[J]. *J Nucl Med*, 2013, 54(6): 880–886.
- [132] Giannakopoulos P, Herrmann FR, Bussière T, et al. Tangle and neuron numbers, but not amyloid load, predict cognitive status in Alzheimer's disease[J]. *Neurology*, 2003, 60(9): 1495–1500.
- [133] Van Rossum IA, Visser PJ, Knol DL, et al. Injury markers but not amyloid markers are associated with rapid progression from mild cognitive impairment to dementia in Alzheimer's disease[J]. *J Alzheimers Dis*, 2012, 29(2): 319–327.
- [134] Small GW, Kepe V, Ercoli LM, et al. PET of brain amyloid and tau in mild cognitive impairment[J]. N Engl J Med, 2006, 355(25): 2652–2663.
- [135] Thompson PW, Ye L, Morgenstern JL, et al. Interaction of the amyloid imaging tracer FDDNP with hallmark Alzheimer's disease pathologies[J]. *J Neurochem*, 2009, 109(2): 623–630.
- [136] Okamura N, Suemoto T, Furumoto S, et al. Quinoline and benzimidazole derivatives: candidate probes for *in vivo* imaging of tau pathology in Alzheimer's disease[J]. J Neurosci, 2005, 25(47): 10857–1062.
- [137] Fodero-Tavoletti MT, Okamura N, Furumoto S, et al. ¹⁸F-THK523: a novel *in vivo* tau imaging ligand for Alzheimer's disease[J]. *Brain*, 2011, 134(Pt 4): 1089–1100.
- [138] Okamura N, Furumoto S, Harada R, et al. Novel ¹⁸F-labeled arylquinoline derivatives for noninvasive imaging of tau pathology in Alzheimer disease[J]. *J Nucl Med*, 2013, 54(8): 1420–1427.
- [139] Harada R, Okamura N, Furumoto S, et al. Characteristics of tau and its ligands in PET imaging[J]. *Biomolecules*, 2016, 6(1): 7.
- [140] Harada R, Okamura N, Furumoto S, et al. ¹⁸F-THK5351: a novel PET radiotracer for imaging neurofibrillary pathology in Alzheimer disease[J]. *J Nucl Med*, 2016, 57(2): 208–214.
- [141] Xia C, Arteaga J, Chen G, et al. [¹⁸F]T807, a novel tau positron emission tomography imaging agent for Alzheimer's disease[J]. *Alzheimers Dement*, 2013, 9(6): 666–676.
- [142] Chhatwal JP, Schultz AP, Marshall GA, et al. Temporal T807 binding correlates with CSF tau and phospho-tau in normal elderly[J]. *Neurology*, 2016, 87(9): 920–926.
- [143] Johnson KA, Schultz A, Betensky RA, et al. Tau positron emission tomographic imaging in aging and early Alzheimer disease[J]. Ann Neurol, 2016, 79(1): 110–119.
- [144] Vermeiren C, Motte P, Viot D, et al. The tau positronemission tomography tracer AV-1451 binds with similar affinities to tau fibrils and monoamine oxidases[J]. *Mov Disord*, 2018, 33(2): 273–281.
- [145] Maruyama M, Shimada H, Suhara T, et al. Imaging of tau pathology in a tauopathy mouse model and in Alzheimer patients compared to normal controls[J]. *Neuron*, 2013,

79(6): 1094-1108.

- [146] Kolb HC, Andrés JI. Tau positron emission tomography imaging[J]. Cold Spring Harb Perspect Biol, 2017, 9(5): a023721.
- [147] Sanabria Bohórquez S, Marik J, Ogasawara A, et al. [¹⁸F]GTP1 (Genentech Tau Probe 1), a radioligand for detecting neurofibrillary tangle tau pathology in Alzheimer's disease[J]. *Eur J Nucl Med Mol Imaging*, 2019, 46(10): 2077–2089.
- [148] Wong DF, Comley RA, Kuwabara H, et al. Characterization of 3 novel tau radiopharmaceuticals, ¹¹C-RO-963, ¹¹C-RO-643, and ¹⁸F-RO-948, in healthy controls and in Alzheimer subjects[J]. *J Nucl Med*, 2018, 59(12): 1869–1876.
- [149] Kroth H, Oden F, Molette J, et al. Discovery and preclinical characterization of [¹⁸F]PI-2620, a next-generation tau PET tracer for the assessment of tau pathology in Alzheimer's disease and other tauopathies[J]. *Eur J Nucl Med Mol Imaging*, 2019, 46(10): 2178–2189.
- [150] Shi Y, Murzin AG, Falcon B, et al. Cryo-EM structures of tau filaments from Alzheimer's disease with PET ligand APN-1607[J]. *Acta Neuropathol*, 2021, 141(5): 697–708.
- [151] Hsu JL, Lin KJ, Hsiao IT, et al. The imaging features and clinical Associations of a novel tau PET tracer-¹⁸F-APN1607 in Alzheimer disease[J]. *Clin Nucl Med*, 2020, 45(10): 747–756.
- [152] Walji AM, Hostetler ED, Selnick H, et al. Discovery of 6-(Fluoro-¹⁸*F*)-3-(1*H*-pyrrolo[2, 3-*c*]pyridin-1-yl)isoquinolin-5-amine ([¹⁸F]-MK-6240): A positron emission tomography (PET) imaging agent for quantification of neurofibrillary tangles (NFTs)[J]. *J Med Chem*, 2016, 59(10): 4778–4789.
- [153] Betthauser TJ, Cody KA, Zammit MD, et al. *In vivo* characterization and quantification of neurofibrillary tau PET Radioligand ¹⁸F-MK-6240 in humans from Alzheimer disease dementia to young controls[J]. *J Nucl Med*, 2019, 60(1): 93–99.

- [154] Rombouts FJR, Andrés JI, Ariza M, et al. Discovery of N-(Pyridin-4-yl)-1, 5-naphthyridin-2-amines as potential tau pathology PET tracers for Alzheimer's disease[J]. J Med Chem, 2017, 60(4): 1272–1291.
- [155] Declercq L, Rombouts F, Koole M, et al. Preclinical evaluation of ¹⁸F-JNJ64349311, a Novel PET tracer for tau imaging[J]. J Nucl Med, 2017, 58(6): 975–981.
- [156] Ehman EC, Johnson GB, Villanueva-Meyer JE, et al. PET/MRI: where might it replace PET/CT?[J]. J Magn Reson Imaging, 2017, 46(5): 1247–1262.
- [157] Mainta IC, Vargas MI, Trombella S, et al. Hybrid PET-MRI in Alzheimer's disease research[M]//Perneczky R. Biomarkers for Alzheimer's Disease Drug Development. New York: Humana Press, 2018: 185–200.
- [158] Zhang M, Ni Y, Zhou Q, et al. ¹⁸F-florbetapir PET/MRI for quantitatively monitoring myelin loss and recovery in patients with multiple sclerosis: a longitudinal study[J]. *eClinicalMedicine*, 2021, 37: 100982.
- [159] Zhang M, Sun W, Guan Z, et al. Simultaneous PET/fMRI detects distinctive alterations in functional connectivity and glucose metabolism of Precuneus Subregions in Alzheimer's disease[J]. Front Aging Neurosci, 2021, 13: 737002.
- [160] Jabeen S, Arbind A, Kumar D, et al. Combined amino acid PET-MRI for identifying recurrence in post-treatment gliomas: together we grow[J]. *Eur J Hybrid Imaging*, 2021, 5(1): 15.
- [161] Johannessen K, Berntsen EM, Johansen H, et al. ¹⁸F-FACBC PET/MRI in the evaluation of human brain metastases: a case report[J]. *Eur J Hybrid Imaging*, 2021, 5(1): 7.
- [162] Bertaux M, Berenbaum A, Di Stefano AL, et al. Hybrid[¹⁸F]-F-DOPA PET/MRI interpretation criteria and scores for Glioma follow-up after radiotherapy[J]. *Clin Neuroradiol*, 2022, 32(3): 735–747.