



Milestone intermediate care unit: Integrated health and social care for people experiencing homelessness – A novel approach



Sanjita Brito-Mutunayagam^{a,*}, Elizabeth Marr^b, Karen Hamilton^b, Rachael Kenyon^c, Johanna Reilly^d, Hazel Rae^a, Linda J. Smith^e, Duncan McCormick^f, Yvonne Kerr^g, Isobel Nisbet^d, David Williams^h, John Budd^d, Sarah Johnsenⁱ, Claire L. Mackintosh^a

^a Regional Infectious Diseases Unit, NHS Lothian, Western General Hospital, Crewe Road South, Edinburgh EH4 2XU, UK

^b Waverley Care, Milestone Intermediate Care Unit, 113 Oxbgangs Road North, Edinburgh EH14 1EB, UK

^c Cyremians Hospital Inreach team, 57 Albion Road, Edinburgh EH7 5QY, UK

^d The Access Place, Edinburgh Health and Social Care Partnership, 6 South Grays Close, Edinburgh EH1 1NA, UK

^e Substance misuse Directorate, NHS Lothian, Spittal Street Centre, 22-24 Spittal Street, Edinburgh EH3 9DU, UK

^f Public Health Scotland, Gyle Square, 1 South Gyle Crescent, Edinburgh EH12 9EB, UK

^g NHS Lothian, Waverley Gate, 2-4 Waterloo Place Edinburgh EH1 3EG, UK

^h Edinburgh Drug and Alcohol Partnership, Level 1.7 Waverley Court, 4 East Market St, Edinburgh EH8 8BG, UK

ⁱ The University of Edinburgh, Teviot Place, Edinburgh EH8 9AG, UK

Introduction

Socially excluded populations, including people experiencing homelessness, suffer significant stigma, discrimination, and health inequalities. A homeless cohort with an average age of 42.8 years has been shown to have comparable multimorbidity to those aged over 85 years in the general UK population.¹ There is considerable excess mortality among those experiencing homelessness, related to multimorbidity, including drug and alcohol use, and mental health morbidity, at levels 2–5 times the rate in the age-standardised general population.²

Individuals experiencing homelessness often only access healthcare services at crisis point, using acute services because of lack of access to or engagement with primary and preventative health services, and experience longer hospital stays due to severe and complex health needs coupled with poor discharge arrangements.^{3,4} People who are homeless are more likely to have experienced trauma than the general population, which can also influence patients' healthcare experiences and engagement in preventative care.⁵ In Scotland, those who have ever been homeless accounted for 49% of outpatient appointments, approximately double the rate of the non-homeless, least deprived cohort, and are reported to miss 28% of their appointments.⁴

It is understood that integrated, multidisciplinary intermediate services, providing trauma-informed care, that can support planned discharge from acute services or prevent unnecessary admission, offer a valuable contribution to the healthcare journey for patients experiencing severe and multiple deprivation, including homelessness.^{5,6} Trauma-informed practice aims to increase practitioners' awareness of how trauma can negatively impact on individuals and communities, and their ability to feel safe or develop trusting relationships with health and

care services.⁵ It was a specific concern around step down care and discharge arrangements for patients admitted to acute services during the COVID-19 pandemic that inspired the development of this novel service.

NHS Lothian, Scotland, provides healthcare services in Edinburgh city, as well as East, Mid-, and West Lothian to approximately 850,000 people.⁷ At the start of the COVID-19 pandemic, Edinburgh had the third highest number of homeless households in Scotland, and nationally COVID 19 widened the inequality gap across domains including accommodation and health.^{8,9}

Solution

Milestone Intermediate Care Unit (MICU) was set up in April 2020 during the COVID-19 pandemic, to provide patient-centred, trauma-informed holistic care.¹⁰ Step-down intermediate care units have been shown to reduce the number of A&E visits and reduce the average length of inpatient admissions for those experiencing homelessness.⁶ They are specifically recommended by the National Institute for Health and Care Experience as a care option for people experiencing homelessness who have care needs that are not easily managed in the community either as a step down from acute services or as a way of avoiding unnecessary acute hospital admission.¹¹ MICU is a 10-bed residential unit offering 24/7 care to patients who are homeless or at high risk of homelessness.¹⁰ Funding was provided through the Scottish Government Drug Deaths Task Force¹² and Edinburgh Health and Social Care Partnership as well as third sector partners, Waverley care.^{10,13}

MICU is managed and delivered by Waverley Care, a human immunodeficiency virus (HIV) and hepatitis charity, in partnership with The

This article reflects the opinions of the author(s) and should not be taken to represent the policy of the Royal College of Physicians unless specifically stated.

* Corresponding author.

E-mail address: s.brito-mutunayagam@nhs.scot (S. Brito-Mutunayagam).

<https://doi.org/10.1016/j.fhj.2024.100134>

Table 1
MICU partners and their role.

Delivery partner	MICU role
Waverley care	Deliver core registered care
The Scottish Government Drugs Deaths Taskforce	Core funding and coordinating future funding
The access place	Integrated services including housing, health, and social work
Cyrenians	Manage the pathways in and out of the unit and provide housing support
NHS Lothian acute healthcare	Provide referral and outreach clinical care for those in the unit
City of Edinburgh council housing	Provision of accommodation
Regional infectious diseases unit	Acute care and outpatient services
Change, Grow, Live	Provide the in-reach drug and alcohol support for those in or leaving the unit
Turning point Scotland	Provide the in-reach drug and alcohol support for those in or leaving the unit
Edinburgh alcohol and drug partnership	Core funding and coordinating future funding
Edinburgh health and social care partnership	Integration of City of Edinburgh Council and NHS Lothian planning and delivering of all community health and social care services

Access Place, a specialist GP practice for homeless populations^{10,13}; See Table 1 for the range of other partners involved in the management of and delivery of care in MICU. There is significant lived experience within the staffing. The Cyrenians, a homeless charity, alongside drug liaison nurses and clinical teams within acute settings identify individuals who

are homeless or at risk of homelessness, who would have otherwise required hospital admission or ongoing secondary care.¹⁴

Healthcare services are delivered by both primary and secondary care practitioners through The Access Place and NHS Lothian acute hospitals. Services including mental health, drug and alcohol, welfare, hous-




Fig. 1. Demonstrates the referral pathways, integrated composition and services available in MICU. Penumbra; mental health charity, HIT team; home intensive treatment services for mental health, DTTO; drug treatment and testing order services, Positive Help; charity for people living with HIV and Hepatitis, CPN; community psychiatric nurse.

Table 2
Cohort characteristics.

Male: Female	123:41
Age, average (years)	45
Hospital stepdown: community admission: self-discharge	122:34:8
Length of stay, average (days)	40
Accommodation status on admission n (%)	
No fixed abode	47 (28.7)
Temporary accommodation	48 (29.3)
Tenancy	55 (33.5)
Tenancy awaiting repairs	5 (3.0)
Tenancy awaiting transfer	9 (5.5)

ing and financial support are available. A weekly MDT is held to discuss admissions and discharges. Please see Fig. 1 for an overview of the referral pathways, MDT members and services available. The criteria for discharge are that the patient should be clinically well with appropriate support for mental health, drug and alcohol needs and suitable accommodation in place. If discharge occurs before these criteria are met, eg if individuals do not adhere to the alcohol, drug, weapons or violence guidelines, an emergency support package is provided to ensure a safe discharge. Re-admission is possible if required.

Outcomes

Between April 2020 and March 2023, MICU has supported 164 individuals with an average length of stay of 40 days. Table 2 provides cohort characteristics. Outcome data from this cohort indicates that MICU prevented homelessness. On discharge, 87% of individuals (41/47) who were in no fixed abode on admission were discharged to accommodation, and 12% (20/161) to better accommodation than their residence at the point of admission (excluding those still resident at the time of data analysis). Examples of better tenancy accommodation includes increased security of tenure and accommodation more suited for their physical and mental health.

Of those returned to the same tenancy, 59% (45/76) were provided with increased housing support. A total of 8% (13/161) of individuals had unplanned discharges including self-discharge from MICU or being asked to leave or return to hospital or death. Post-discharge, 85% (136/164) of MICU service users received community support in terms of ongoing housing, recovery and homecare support. Nearly one-third (54/164) individuals were able to improve their income through increase in social security benefits, accessing grants and funds.

77% (126/164) of individuals in MICU were supported with substance use disorders through alcohol stabilising, medication assisted treatment plans, opiate substitution therapy and engagement with self-management and recovery training. A further 15% (24/164) were supported to successfully start and maintain treatment for Hepatitis C and HIV. Furthermore, 29% (48/164) service users had assistance to attend wound care appointments, reducing the risk of secondary infection.

MICU also facilitated community health provision; 56% (92/164) individuals were newly registered with a GP practice and gained access to primary care and community physiotherapy, the rest were already registered with The Access Place. The data also provided compelling indications that MICU reduced secondary health services costs. A total of 74% (122/164) patients were step-down referrals from NHS Lothian that would otherwise have needed to remain as inpatients either due to IV or complex oral antibiotic monitoring requirements, ongoing active alcohol and drug detoxification programmes, or a need for ongoing pain management or mental health support. Discharge to MICU for ongoing medical care saved a median of 5.5 occupied bed days/patient discharged amounting to a saving in acute care costs of £423,583. Furthermore, the programme supported 59% of (96/164) individuals to attend outpatient follow up appointments, saving the cost of potential missed appointments. The cost of running the MICU per annum is £890,000.

Qualitative feedback from service users collected through survey forms have demonstrated that MICU delivers care that is person-centred and trauma informed. Service user comments included the following:

‘[The service gave] time to really think, away from the chaos and constant stress of homelessness and addiction’

‘[I] honestly think I would be dead if I hadn’t stayed there’

‘It kept me safe, gave me a chance for a fresh start.’

Conclusion and next steps

MICU is closely aligned with the Scottish Government’s strategic goals of reducing homelessness and the significant health inequalities this cohort faces by providing a package of care enabling service users to address their health needs as well as the social, welfare, financial and housing support that will enhance their recovery and enable a successful discharge to safe and appropriate accommodation.¹⁵ MICU removes the need for individuals experiencing homelessness to negotiate a complex, stressful healthcare system and provides a supportive environment to continue treatment. MICU is the only service of its kind in Scotland and provides a person-centred, trauma-informed model using a whole systems approach where service users can access a wide range of services in one place, ie, a ‘no wrong door approach’. The next steps include securing ongoing funding and expanding services for MICU service users. The regional infectious diseases unit’s blood-borne virus (BBV) team has agreed to provide an outreach service of BBV testing, educational initiatives and offering harm reduction advice along with necessary equipment.

References

1. Queen AB, Hons B, Lowrie R, Richardson J, Williamson AE. Multimorbidity, disadvantage, and patient engagement within a specialist homeless health service in the UK: an in-depth study of general practice data. *BJGP Open*. 2017;1(3).
2. Fazel S, Geddes JR, Kushel M. The health of homeless people in high-income countries: descriptive epidemiology, health consequences, and clinical and policy recommendations. *Lancet*. 2014;384(9953):1529–1540.
3. Field H, Hudson B, Hewett N, Khan Z. Secondary care usage and characteristics of hospital inpatients referred to a UK homeless health team: a retrospective service evaluation. *BMC Health Serv Res*. 2019;19(1):1–15.
4. Scottish Government. People, communities and places research social health and homelessness in Scotland. [Internet]. [cited 2023 Aug 4]. Available from: <https://www.gov.scot/publications/health-homelessness-scotland/pages/1/>.
5. Raja S, Hasnain M, Hoersch M, Gove-Yin S, Rajagopalan C. Trauma informed care in medicine: current knowledge and future research directions. *Fam Community Health*. 2015;38(3):216–226.
6. Cornes M, Aldridge RW, Biswell E, Byng R, Clark M, Foster G, et al. Improving care transfers for homeless patients after hospital discharge: a realist evaluation. *Heal Serv Deliv Res*. 2021;9(17):1–186.
7. NHS Scotland. NHS Lothian – NHS Lothian [Internet]. [cited 2023 Mar 21]. Available from: <https://www.nhslothian.scot/>.
8. Scottish Government. The impacts of COVID-19 on equality in Scotland. [cited 2023 Mar 16]; Available from: <https://www.gov.scot/binaries/content/documents/govscot/publications/research-and-analysis/2020/09/the-impacts-of-covid-19-on-equality-in-scotland/documents/full-report/full-report/govscot/3Adocument/Covid/2Bband/2Binequalities/2BFinal/2BReport/2BFor/2Bpub>.
9. Scottish Government. Homelessness in Scotland: 2020–21. [cited 2023 Mar 16]; Available from: <https://www.gov.scot/binaries/content/documents/govscot/publications/statistics/2021/06/homelessness-scotland-2020-2021/documents/homelessness-scotland-2020-21/homelessness-scotland-2020-21/govscot/3Adocument/homelessness-scotland-2020-21.pdf>.
10. Milestone Intermediate Care Unit :: Waverley Care [Internet]. [cited 2023 Mar 16]. Available from: <https://www.waverleycare.org/news/milestone-intermediate-care-unit>.
11. Centre for Homelessness Impact, National Institute for Health and Care Excellence. Integrated health and social care for people experiencing homelessness NICE guideline. 2022. [Internet]. 2022. Available from: www.nice.org.uk/guidance/ng214.
12. Scottish Government. 1. Introduction - drug deaths taskforce response: cross government approach - gov.scot [Internet]. [cited 2024 Feb 25]. Available from: <https://www.gov.scot/publications/drug-deaths-taskforce-response-cross-government-approach/pages/2/>.
13. Home - Edinburgh Health & Social Care Partnership [Internet]. [cited 2024 Feb 25]. Available from: <https://www.edinburghhsc.scot/>.

14. Malden S, Cuthill F, Ng L, Doi L. Evaluation of the Cyrenians' hospital in-reach programme. 2022. [cited 2023 Aug 4]. Available from: https://cyrenians.scot/assets/000/000/868/Cyrenians_Pathway_Evaluation_Report_010422SM/281/29_original.pdf?1660226757.
15. Fairer Scotland Duty Assessment. Ending homelessness together: annual report 2021. 2019;1. [cited 2023 Mar 21];1. Available from: <http://www.gov.scot/publications/ending-homelessness-together-annual-report-2021/>.