



Impaired Mitochondrial Bioenergetics under Pathological Conditions

Salvatore Nesci ^{1,*} and Giorgio Lenaz ^{2,*}

- ¹ Department of Veterinary Medical Sciences, Alma Mater Studiorum University of Bologna, Via Tolara di Sopra, 50, 40064 Ozzano Emilia, BO, Italy
- ² Department of Biomedical and Neuromotor Sciences, Alma Mater Studiorum University of Bologna, Via Massarenti 9, Pad 11, 40138 Bologna, BO, Italy
- * Correspondence: salvatore.nesci@unibo.it (S.N.); giorgio.lenaz@unibo.it (G.L.)

Mitochondria are the powerhouses of cells; however, mitochondrial dysfunction causes energy depletion and cell death in various diseases. The altered oxidative phosphorylation and ion homeostasis are associated with reactive oxygen species (ROS) production, resulting from the disassembly of respiratory supercomplexes and electron transfer chain disruption [1]. In pathological conditions, the dysregulation of mitochondrial homeostasis promotes Ca²⁺ overload in the matrix and ROS accumulation, which induce the mitochondrial permeability transition and pore formation responsible for morphological mitochondrial changes [2] linked to membrane dynamics, and ultimately, cell death.

The Special Issue, entitled "Impaired Mitochondrial Bioenergetics under Pathological Conditions", includes 19 contributions, among which 5 are research articles and 14 are reviews. This research topic aimed to shed further light on the role of altered bioenergetics in diseases, a paramount argument in both basic and medical research. The energy transduction system has a supramolecular structure in order to better meet the bioenergetic demand of cellular activities.

Herein, the biochemical machinery alterations of oxidative phosphorylation (OX-PHOS), hosted by the inner mitochondrial membrane, responsible for mitochondrial dysfunctions, and involved in several neurodegenerative and age-related diseases, have been discussed by considering: (i) the physio(patho)logical role of respiratory supercomplexes and (*ii*) the bifunctional features of ATP synthase as a life and death enzyme [3]. The structures of the mitochondrial electron transport chain in different supercomplexes (SCs) are all characterized by the presence of Complex III. Rugolo et al. highlight the genetic alterations that hinder the assembly of Complex III, which cause noticeable perturbation of the SCs architecture associated with several significant metabolic disturbances [4]. In mammalian mitochondria, Complex I is the largest respiratory complex, with 31 additional supernumerary subunits. Even if the accessory subunits are not necessary for enzyme activity, Zickermann's group and Vik's group discuss the mutations in these subunits which modify the Complex I assembly and lead to detrimental enzyme activity associated with many mitochondrial disease states [5,6]. A novel mutation of human mtDNA in the ATP6 gene has detrimental consequences on ATP synthase on yeast, with a pathogenicity resembling that which compromises human health [7]. However, altered expression of nuclear and mitochondrial genes of the ATP synthase is associated with neurodegenerative diseases and other age-related diseases in humans [8]. Indeed, Pamplona's group report that ageing and the alteration of mitochondrial oxidative stress and lipid metabolism represent a positive loop in the progression of Alzheimer's diseases [9]. Neurodegeneration and primary mitochondrial diseases, triggered by a defective respiratory chain, comprise impaired respiratory complex assembly and function. However, Needs et al. [10] consider that mitochondrial protein import is important for normal organelle physiology and observed an interlink with the regulation of respiratory complex assembly and function in human



Citation: Nesci, S.; Lenaz, G. Impaired Mitochondrial Bioenergetics under Pathological Conditions. *Life* **2022**, *12*, 205. https://doi.org/10.3390/ life12020205

Received: 18 January 2022 Accepted: 27 January 2022 Published: 29 January 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/). diseases. Moreover, in the paper by Franco et al., the human mitochondrial disorders that affect the OXPHOS activity have been suggested to be studied by using the *Saccharomyces cerevisiae* as a model to gain an understanding of the underlying molecular consequences of pathogenic mutations in mitochondria [11].

Ageing-related diseases are supported by mitochondrial-mediated regulated and programmed cell death in the myocardial structure, which promotes the development of heart failure [12]. Pinton's group examines the disequilibrium in mitochondrial bioenergetics that leads to unbalance of the energy consumption/generation with increasing age and the imbalance in mitochondrial dynamics as impaired conditions in the failing heart [13]. Structural integrity and the coordination of mitochondrial enzyme activity in energy metabolism and redox homeostasis is also ensured by mitochondrial phospholipid cardiolipin (CL). However, diabetic cardiomyopathy and heart failure are cardiomyopathies described in Barth syndrome, a dysfunctional CL disease [14].

In metabolic diseases arising with age, mitochondrial ROS production might have a key role in inflammaging. Exercise induces improvements in mitochondrial function limiting ROS production by reducing inflammation and ensuring an adaptation of immune cell metabolism to fight against virus infection [15]. Indeed, Elesela and Lukacs consider that viruses exploit mitochondrial dynamics to induce negative impacts on the cell metabolism and promote viral life processes during infection [16]. The mitochondrial shaping and mitochondrial ROS production and release provide an intricate vicious circle, subject to maintaining physiological states or contributing to pathological conditions [17].

The accumulated evidence of cell bioenergetics of different tissues highlights a correlation with the pathogenesis of type 2 diabetes. In particular, mitochondrial dysfunction is related to the coupling mechanism of metabolism and the exocytosis of insulin and glucagon in diabete [18]. An increased risk of developing diabetes mellitus is found in patients with the m.3243A>G mutation, and excessive palmitate showed a negative effect on respiratory rates, promoting insulin resistance [19]. Therefore, measurement of mitochondrial bioenergetics by a new frozen respirometry protocol utilizing non-invasive analysis might facilitate the clinical monitoring of mitochondrial function in samples collected at remote sites [20]. In addition, mitochondrial oxidation and substrate oxidation measurement by in vitro myopathy assays was also considered a prognostic method for use on equine muscle biopsies [21].

In summary, studies on impaired mitochondrial bioenergetics in pathology could provide molecular tools to counteract diseases associated with mitochondrial dysfunctions.

Author Contributions: Writing—original draft preparation, S.N.; supervision, writing—review and editing, G.L. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Data Availability Statement: Not applicable.

Conflicts of Interest: The authors declare no conflict of interest.

References

- Maranzana, E.; Barbero, G.; Falasca, A.I.; Lenaz, G.; Genova, M.L. mitochondrial respiratory supercomplex association limits production of reactive oxygen species from complex I. *Antioxid. Redox Signal.* 2013, 19, 1469–1480. [CrossRef] [PubMed]
- Nesci, S. Mitochondrial permeability transition, F1FO-ATPase and calcium: An enigmatic triangle. EMBO Rep. 2017, 18, 1265–1267. [CrossRef] [PubMed]
- 3. Nesci, S.; Trombetti, F.; Pagliarani, A.; Ventrella, V.; Algieri, C.; Tioli, G.; Lenaz, G. Molecular and supramolecular structure of the mitochondrial oxidative phosphorylation system: Implications for pathology. *Life* **2021**, *11*, 242. [CrossRef]
- Rugolo, M.; Zanna, C.; Ghelli, A.M. Organization of the respiratory supercomplexes in cells with defective complex III: Structural features and metabolic consequences. *Life* 2021, *11*, 351. [CrossRef] [PubMed]
- 5. Kahlhöfer, F.; Gansen, M.; Zickermann, V. Accessory subunits of the matrix arm of mitochondrial complex I with a focus on subunit NDUFS4 and its role in complex I function and assembly. *Life* **2021**, *11*, 455. [CrossRef]
- Dang, Q.-C.L.; Phan, D.H.; Johnson, A.N.; Pasapuleti, M.; Alkhaldi, H.A.; Zhang, F.; Vik, S.B. Analysis of human mutations in the supernumerary subunits of complex i. *Life* 2020, *10*, 296. [CrossRef]

- Ding, Q.; Kucharczyk, R.; Zhao, W.; Dautant, A.; Xu, S.; Niedzwiecka, K.; Su, X.; Giraud, M.-F.; Gombeau, K.; Zhang, M.; et al. Case report: Identification of a novel variant (m.8909T>C) of human mitochondrial ATP6 gene and its functional consequences on yeast ATP synthase. *Life* 2020, *10*, 215. [CrossRef]
- 8. Galber, C.; Carissimi, S.; Baracca, A.; Giorgio, V. The ATP synthase deficiency in human diseases. Life 2021, 11, 325. [CrossRef]
- 9. Jové, M.; Mota-Martorell, N.; Torres, P.; Ayala, V.; Portero-Otin, M.; Ferrer, I.; Pamplona, R. The causal role of lipoxidative damage in mitochondrial bioenergetic dysfunction linked to Alzheimer's disease pathology. *Life* **2021**, *11*, 388. [CrossRef]
- 10. Needs, H.I.; Protasoni, M.; Henley, J.M.; Prudent, J.; Collinson, I.; Pereira, G.C. Interplay between mitochondrial protein import and respiratory complexes assembly in neuronal health and degeneration. *Life* **2021**, *11*, 432. [CrossRef]
- 11. Franco, L.V.R.; Bremner, L.; Barros, M.H. Human mitochondrial pathologies of the respiratory chain and ATP synthase: Contributions from studies of *Saccharomyces cerevisiae*. *Life* **2020**, *10*, 304. [CrossRef] [PubMed]
- 12. No, M.-H.; Choi, Y.; Cho, J.; Heo, J.-W.; Cho, E.-J.; Park, D.-H.; Kang, J.-H.; Kim, C.-J.; Seo, D.Y.; Han, J.; et al. Aging promotes mitochondria-mediated apoptosis in rat hearts. *Life* **2020**, *10*, 178. [CrossRef]
- 13. Morciano, G.; Vitto, V.A.M.; Bouhamida, E.; Giorgi, C.; Pinton, P. Mitochondrial bioenergetics and dynamism in the failing heart. *Life* 2021, *11*, 436. [CrossRef] [PubMed]
- 14. Wasmus, C.; Dudek, J. Metabolic alterations caused by defective cardiolipin remodeling in inherited cardiomyopathies. *Life* **2020**, 10, 277. [CrossRef] [PubMed]
- 15. Casuso, R.A.; Huertas, J.R. Mitochondrial functionality in inflammatory pathology-modulatory role of physical activity. *Life* **2021**, *11*, 61. [CrossRef]
- 16. Elesela, S.; Lukacs, N.W. Role of mitochondria in viral infections. Life 2021, 11, 232. [CrossRef]
- 17. Brillo, V.; Chieregato, L.; Leanza, L.; Muccioli, S.; Costa, R. Mitochondrial dynamics, ROS, and cell signaling: A blended overview. *Life* 2021, *11*, 332. [CrossRef]
- Grubelnik, V.; Zmazek, J.; Markovič, R.; Gosak, M.; Marhl, M. Mitochondrial dysfunction in pancreatic alpha and beta cells associated with type 2 diabetes mellitus. *Life* 2020, 10, 348. [CrossRef]
- Motlagh Scholle, L.; Schieffers, H.; Al-Robaiy, S.; Thaele, A.; Lehmann Urban, D.; Zierz, S. Palmitate but not oleate exerts a negative effect on oxygen utilization in myoblasts of patients with the m.3243A>G mutation: A pilot study. *Life* 2020, 10, 204. [CrossRef]
- 20. Acin-Perez, R.; Benincá, C.; Shabane, B.; Shirihai, O.S.; Stiles, L. Utilization of human samples for assessment of mitochondrial bioenergetics: Gold standards, limitations, and future perspectives. *Life* **2021**, *11*, 949. [CrossRef]
- Kruse, C.-J.; Stern, D.; Mouithys-Mickalad, A.; Niesten, A.; Art, T.; Lemieux, H.; Votion, D.-M. In vitro assays for the assessment of impaired mitochondrial bioenergetics in equine atypical myopathy. *Life* 2021, *11*, 719. [CrossRef] [PubMed]