









Development and evaluation of a web-based capacity building course in the EUR-HUMAN project to support primary health care professionals in the provision of high-quality care for refugees and migrants

Elena Jirovsky ^a, Kathryn Hoffmann ^a, Elisabeth Anne-Sophie Mayrhuber^a, Enkeleint Aggelos Mechili^b, Agapi Angelaki^b, Dimitra Sifaki-Pistolla^b, Elena Petelos^b, Maria van den Muijsenbergh ^c, Tessa van Loenen^c, Michel Dückers ^d, László Róbert Kolozsvári^e, Imre Rurik ^e, Danica Rotar Pavlič^f, Diana Castro Sandoval^g, Giulia Borgioli^h, Maria José Caldés Pinillaⁱ, Dean Ajduković^j, Pim De Graaf ^g, Nadja van Ginneken ^k, Christopher Dowrick^k and Christos Lionis ^b

^aDepartment of General Practice and Family Medicine, Medical University of Vienna, Vienna, Austria; ^bClinic of Social and Family Medicine, School of Medicine, University of Crete, Heraklion, Greece; ^cDepartment of Primary and Community Care, Radboud University Medical Centre, Nijmegen, The Netherlands; ^dNetherlands Institute for Health Services Research; ^eDepartment of Family and Occupational Medicine, Faculty of Public Health, University of Debrecen, Debrecen, Hungary; ^fDepartment of Family Medicine, University of Ljubljana, Ljubljana, Slovenia; ^gEuropean Forum for Primary Care, Utrecht, The Netherlands; ^hAzienda USL Toscana Centro - Global Health Center, Region of Tuscany, Florence, Italy; ⁱCentro Salute Globale, Tuscany; ^jDepartment of Psychology, Faculty of Humanities and Social Sciences, University of Zagreb, Zagreb, Croatia; ^kPrimary Medical Care, University of Liverpool, Liverpool, United Kingdom

ABSTRACT

Background: The ongoing refugee crisis has revealed the need for enhancing primary health care (PHC) professionals' skills and training.

Objectives: The aim was to strengthen PHC professionals in European countries in the provision of high-quality care for refugees and migrants by offering a concise modular training that was based on the needs of the refugees and PHC professionals as shown by prior research in the EUR-HUMAN project.

Methods: We developed, piloted, and evaluated an online capacity building course of 8 stand-alone modules containing information about acute health issues of refugees, legal issues, provider-patient communication and cultural aspects of health and illness, mental health, sexual and reproductive health, child health, chronic diseases, health promotion, and prevention. The English course template was translated into seven languages and adapted to the local contexts of six countries. Pre- and post-completion knowledge tests were administered to effectively assess the progress and knowledge increase of participants so as to issue CME certificates. An online evaluation survey post completion was used to assess the acceptability and practicability of the course from the participant perspective. These data were analyzed descriptively.

Results: A total of 390 participants registered for the online course in 6 countries with 175 completing all modules of the course, 47.7 % of them medical doctors. The mean time for completion was 10.77 hours. In total, 123 participants completed the online evaluation survey; the modules on acute health needs, legal issues (both 44.1%), and provider-patient communication/cultural issues (52.9%) were found particularly important for the daily practice. A majority expressed a will to promote the online course among their peers.

Conclusion: This course is a promising learning tool for PHC professionals and when relevant supportive conditions are met. The course has the potential to empower PHC professionals in their work with refugees and other migrants.

ARTICLE HISTORY

Received 31 July 2018
Accepted 1 November 2018

RESPONSIBLE EDITOR

Jennifer Stewart Williams,
Umeå University, Sweden

KEYWORDS



Refugees; migrants; primary health care; capacity building; training

Background

In 2015, the number of refugees from the Middle Eastern and Sub-Saharan countries entering European countries highly increased [1]. That year, close to 1.3 million people applied for asylum within the countries of the European Union [2]. The refugees arrived mainly to the Greek islands, and continued travelling through the Western Balkan route toward their destination countries in Northern Europe [3]. The migratory

flow was halted in March 2016 due to more restrictive migration policies [4].

The population on the move and – at the point of and following arrival – in the destination countries was, and still is, in need of health care. European countries were very concerned about refugees bringing infectious diseases to their countries; however, evidence to corroborate these particular fears was missing [5]. Overall, the health problems of refugees and migrants are similar to those of the rest of the

CONTACT Elena Jirovsky  elena.jirovsky@meduniwien.ac.at  Department of General Practice and Family Medicine, Medical University of Vienna, Center of Public Health, Kinderspitalgasse 15, Vienna 1090, Austria

© 2018 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

population ranging from accidental injuries, reproductive health issues, to chronic diseases. The latter constitute a particular problem, as care is very likely interrupted during and after migration [6–8]. Female refugees especially face challenges in regard to sexual and reproductive health, and might have been victims of violence prior or during the flight [6,9–11]. Furthermore, pre-migration physical or psychological traumas and post-arrival challenges, as well as prior mental health issues, can contribute toward the development of various mental health issues, often becoming manifest upon or after arrival in the destination countries [12].

Countries that have received and registered a large number of refugees, are struggling to meet the new population's health care needs – particularly those countries that recently underwent a financial crisis and/or protracted austerity period like Greece [13,14]. The significant increase in the number of people in a relative short period of time combined with sparse resources caused various challenges particularly for primary health care (PHC) professionals in all destination countries of refugees, as PHC is the first point of entry to the health care system in most countries. There are many differences and similarities in the provision of health care services in different EU countries.

The European Refugees – Human Movement and Advisory Network (EUR-HUMAN project) (website: <http://eur-human.uoc.gr/>) was funded by the 3rd Health Program of the European Union (EU) and ran from January to December 2016. In this project, measures and interventions for an improvement of primary health care delivery for refugees and other migrants were identified, designed, assessed, and implemented. The objective was to reinforce and develop skills, abilities, and know-how in this field, particularly in EU-member states receiving refugees and other migrants. The health needs of these vulnerable groups were addressed so as to safeguard all population groups in EU-member states from specific health-related risk factors, and to minimize cross-border health risks.

Qualitative research conducted in the framework of the EUR-HUMAN project in seven EU countries (Austria, Croatia, Greece, Hungary, Italy, the Netherlands, and Slovenia) [15,16], showed challenges that concerned both the PHC professionals and the refugees and other migrants in need of health care: knowledge gaps, systemic challenges regarding social insurance and health insurance, language barriers, and communication differences were identified as particularly challenging [15,17]. On the one hand culture-related communication differences were identified as hampering for mental health diagnoses, on the other hand there is a lack of mental health care options available targeted especially to refugees

[15,16]. The results of this research are consistent to earlier studies [18–20].

The above-mentioned reasons illustrate the need for strengthening PHC professionals so as to enable them to provide adequate health care to refugees and other migrants. The project EUR-HUMAN overall aimed to strengthen the knowledge and skills of PHC professionals in European countries involved in PHC for refugees, asylum seekers and other newly arrived migrants; second, it aimed to support the PHC professionals in European countries to provide high-quality primary care for refugees in an informed, integrated, person-centered, as well as competent and safe way (both for the refugee and the provider) [21].

It has been shown that e-learning in PHC can i.e. strongly enrich continuing medical education in this field [22]. Within the framework of the EUR-HUMAN project, the project team of the Medical University of Vienna (MedUni) developed a template in English for an online capacity building course. This course is a concise modular training that is based on the needs of the refugees and PHC professionals as assessed in the project.

Methods

Program development

The EUR-HUMAN online course was developed in the context of the EUR-HUMAN project and was piloted between October and December 2016 in six different EU countries (Greece, Hungary, Italy, Austria, Croatia, and Slovenia). It was one of the core interventions of the project. The online course was designed under the leadership of the MedUni in Work Package (WP 6) of the project, which had the aim to translate available knowledge and guidelines into capacity building training programs [21]. The design of the course was informed by results of the other WPs of the EUR-HUMAN project (see Figure 1): interviews with refugees (living in hotspots, transit centers and long-term stay centers) GPs, and other personnel involved across different organizational levels of PHC [15–17], as well as via an international systematic and narrative literature review [23] and an expert consensus meeting [24]. Furthermore, already existing materials from International Organization of Migration (IOM), European Center for Disease Control (ECDC), and previously conducted relevant projects, were included.

This online course aimed to support capacity building of PHC professionals. Its main target is to provide missing information regarding different issues in the context of PHC for refugees and other migrants in the destination countries. The web-based online course for PHC professionals was developed to




Figure 1. Flowchart CME course development.

include text, as well as audiovisual media (e.g. photos, videos, etc.) and links to relevant resources, including documentation and information in organizations providing refugee aid. The course was designed to provide information in an easily accessible form over a relatively short period of time, as the target group often faces a high workload [25]. The aim was to develop a training that was concise while still containing the most important information. The training takes approximately 11 hours learning hours and can be easily managed in addition to a full-time employment within 4 weeks.

The course followed a modular design. Multiple experts, both from the research team at MedUni (2 medical anthropologists, 1 PHC specialist, 1 medical student, and 1 vaccination expert) and external partners (2 pediatricians, 2 legal experts, a team of mental health specialists, 1 psychotherapist, a team of experts on women's health issues, 1 expert from the Austrian Red Cross) created the content of the modules. First, a template version was developed in English. This consisted of eight modules, including an introductory one. Each module had several chapters covering the various topics relevant to the care for refugees and other migrants. The original template version in English can be used as basis to develop similar initiatives in case stakeholders or policymakers are interested in transferable practices, best practices, and available tools.

Apart from the language, the content of the template needs to be adapted to each country's characteristics, as the legal systems, health care systems, epidemiology, as well as links to helpful organizations and information differ. Furthermore, the content needs to be modified depending on the target-groups' composition (physicians, nurses, midwives, health visitors, PHC teams etc.).

For the pilot between October and December 2016, MedUni provided an adaptation and translation guideline to the partners together with the English template. For Austria, the entire English version was translated into German for Austrian PHC professionals and, (in a modified version) into Arabic for PHC professionals among Arabic speaking refugees who aspired a recognition of their certificates in Austria. This adaptation comprised target group-specific revisions regarding legal regulations for volunteer work as asylum seeker and information on the process of validation of foreign study degrees in Austria.

The translation was partly done by members of the EUR-HUMAN teams (Croatian, German, Greek, Hungarian, Italian), and partly by official translation agencies (Arabic, Slovenian); and the content was adapted to the respective local needs regarding for instance the legal regulations in each country and the information on local refugee aid organizations.

The course was hosted by Health[e]Foundation, a Dutch organization specialized in trainings for health care workers (<http://www.healthefoundation>).

eu/). Upon a self-explanatory and user-friendly online registration, participants received a login code and password. The course format allowed the target groups to do the training on any device, including mobile devices, in any chosen location, with individual time management. It was possible to alternate between modules and chapters.

The target group in Austria were GPs, as they are the main PHC professionals. In Croatia, the situation is similar: a large number of GPs deliver PHC services. Croatia is not a preferred destination country and PHC professionals are not experienced in providing services to migrants. In Italy, refugees and other migrants are enrolled in the National Health Service; the target group included GPs, nurses, and midwives. In Greece, different target groups included both PHC professionals and government officials, civil servants, and local stakeholders on the island of Lesbos. In Hungary, the target group consisted of PHC professionals experienced in working with migrants and refugees, or those interested in the knowledge conveyed in the course. In Slovenia, as well, PHC professionals experienced working with migrants and refugees where the target group. In Greece, Hungary, and Italy, face-to-face trainings were held before the participants started the online course, so as to facilitate the uptake of the online training.

Program content

The program content was organized in eight stand-alone modules, including an introductory one, with multiple subsections: (1) Introduction; (2) Acute health needs of refugees; (3) Legal issues; (4) Provider–patient communication; (5) Mental health; (6) Sexual and reproductive health; (7) Child health; (8) Chronic disease, health promotion, and prevention (for a more detailed overview of the subsections of the modules see additional file 1 and <http://eur-human.uoc.gr>). The modules were designed for PHC professionals, who are involved in PHC for refugees and other newly arrived migrants. After registration, the user was directed to Module 1, the introductory module with instructions for the course. The online course incorporates audiovisual material like pictures, graphical representations, including statistical ones, excerpts from policy and guidance documentation, links to relevant resources in external websites, to videos, to external documents, etc., and to organizations providing refugee aid. These links need regular update to ensure that they remain up-to-date.

Module 1: Introduction.

Module 1 introduces the learner to the background and aims of the EUR-HUMAN project. Furthermore, basic instructions on the course are given and the theory behind the course is explained.

Module 2: Acute health needs of refugees.

Module 2 gives the learner an insight into health care-related processes upon arrival of the refugees and other migrants in a given country, during the registration procedure, before they enter the regular health care system. The module deals with various health care-related issues of newly arrived refugees and other migrants and highlights the need for a continuity of care between countries of origin, transit and destination. Flight-specific health needs and red flags in a short-stay setting, as well as infectious diseases, and vaccination coverage are discussed (see Figure 2).

Module 3: Legal issues.

Module 3 discusses legal questions regarding the medical care for refugees and other migrants during their asylum procedure and beyond. Probable solutions for the use of interpreters, translators and cultural mediators are portrayed.

Module 4: Provider–patient interaction.

Module 4 is split into two sections. First, it gives an overview on communication principles in health care and issues of intercultural communication. The second part of Module 4 gives an introduction into socioeconomic and cultural aspects of health and illness, distress, or pain. Thus, the module supports PHC professionals in providing culturally sensitive health care for the newly arrived refugee and other migrant population (see Figure 3).

Module 5: Mental health.

Module 5 gives the learner insights in the background and origin of refugees' mental health problems and the associated risk factors, whilst, at the same time, ensuring adequate information on the specific mental health issue signs a PHC professionals may encounter such as in terms of manifestation of grief, depression and somatic expressions of distress. Furthermore, screening tools and possible treatments for mental health problems, as well as other options for psychosocial support of refugees and other migrants, are introduced.

Module 6: Sexual and reproductive health.

Module 6 introduces the learner to specific issues concerning the sexual and reproductive health of female refugees and other female migrants under difficult living conditions such as in refugee homes. Various topics such as special needs in the peri- and post-natal phase, menstruation, contraception, abortion, and sexually transmitted infections (STI) are discussed. Furthermore, the module informs the learners of red flags and health risks pertaining to sexual and gender-based violence among refugees and other migrants.

Module 7: Child health.

Module 7 is widely based on the Austrian Recommendations of the Working Group for Refugee Children [26]; it addresses probable infectious diseases among refugee children, necessary

HEALTH[e]FOUNDATION

Elena Jirovsky log out

EUR-HUMAN: Gesundheitsversorgung von Flüchtlingen / Modul 2 - Akute Erkrankungen

MODULES MENU

MODULES OVERVIEW

CHAPTERS

Über dieses Modul

Einführung

Monitoring des Gesundheitsstatus und medizinische Erstuntersuchung

Allgemeine Information

Die medizinische Untersuchung bei der Erstaufnahme in Österreich

Red Flags und fluchtspezifische Gesundheitsbedürfnisse

Infektionskrankheiten

Implantationen

Post-test

Az

Monitoring des Gesundheitsstatus und medizinische Erstuntersuchung

Die medizinische Untersuchung bei der Erstaufnahme in Österreich

Inhalte der medizinischen Erstuntersuchung

Die medizinische Untersuchung bei der Erstaufnahme hat – laut Asylgesetz – „nach den Vorgaben der zuständigen Gesundheitsbehörde“ zu erfolgen. Da Asylwerber/innen zu diesem Zeitpunkt ihres Verfahrens noch in Bundesbetreuung sind, ist die zuständige Gesundheitsbehörde das Bundesministerium für Gesundheit. Das Bundesministerium für Gesundheit hat entsprechende Vorgaben entwickelt.

Inhalte der medizinischen Erstuntersuchung sind demnach:

- Selbstanamnesebogen
- Arztbesuch mit grober klinischer Anamnese
- Impfung

Besonders wichtig ist die Feststellung von anzeigepflichtigen Erkrankungen. Auf der [Homepage des Bundesministeriums](#) finden Sie eine Liste der anzeigepflichtigen Krankheiten in Österreich. [Hier](#) finden Sie den Link zum [Österreichischen Epidemiegesetz](#).

Bei der medizinischen Erstuntersuchung im Rahmen des Asylverfahrens liegt der Fokus auf Infektionskrankheiten mit Gefahr für die gesamte Bevölkerung. Auf nicht-übertragbare Erkrankungen wird in der Anamnese nicht eingegangen. Darum sollte beim ersten regulären Arztbesuch in jedem Fall eine ausführliche Anamnese und Status gemacht werden.

Previous Page 3 of 6 Next Browse per paragraph

Figure 2. Module 2 – The initial health assessment for refugees in Austria (German).

HEALTH[e]FOUNDATION

Elena Jirovsky log out

EUR-HUMAN: PHC for Refugees / Ενότητα 4 - Αλληλεπίδραση Επαγγελματία Υγείας-Ασθενή

MODULES MENU

MODULES OVERVIEW

CHAPTERS

Σχετικά με αυτή την ενότητα

Τμήμα 1: Επικοινωνία

Τμήμα 2: Η σημασία του πολιτισμού στην ιατρική πρακτική

Εισαγωγή

Ο ρόλος του πολιτισμού στην υγειονομική περίθαλψη

Ασκήση

Στερεότυπα

Δομικές συνθήκες

Εκφράσεις της ψυχικής δυσφορίας

Η αντίληψη ζητημάτων ψυχικής υγείας

Παράδειγματα εκφράσεων ψυχικής δυσφορίας από τη Συρία και το Αφγανιστάν

Επιδημιολογικά μοντέλα της νόσου

Αυτο-ίση και ιατρικός πλουραλισμός

Τι εργαλεία πρέπει να γίνονται κατά τη διάρκεια της

Τελικό στάδιο και θάνατος

Διαπολιτισμικές πτυχές της αντίληψης του πόνου και της διαχείρισης του πόνου

Τμήματος 2: Η σημασία του πολιτισμού στην ιατρική πρακτική

Η αντίληψη ζητημάτων ψυχικής υγείας

Στις δυτικές κοινωνίες, η αναζήτηση θεραπείας για προβλήματα ψυχικής υγείας δεν είναι κάτι που ο καθένας είναι ανοιχτός (για παράδειγμα: Schomerus, Matschinger, and Angermeyer 2009). Παρ' όλα αυτά, όταν κάποιος αποφασίζει να το πράξει σε μια δυτική κοινωνία δεν αντιμετωπίζει σοβαρές κοινωνικές συνέπειες, και δεν αντιμετωπίζεται με αποδοκιμασία ή στιγματισμό. Από την άλλη πλευρά η αναζήτηση βοήθειας για προβλήματα ψυχικής υγείας είναι μια αρκετά δύσκολη περίπτωση στις κοινωνίες προέλευσης των προσφύγων (όπως τη Συρία, το Αφγανιστάν, τη Σομαλία κ.λπ.) από ό, τι στην Ευρώπη. Για παράδειγμα, μια ανασκόπηση από την Υγεία Αρμοστεία (Hassan et al. 2016) αναφέρει ότι στις αραβόφωνες χώρες η αυτοκτονία και η απόπειρα αυτοκτονίας είναι μια πηγή της ντροπής, στιγματισμού και κοινωνικού αποκλεισμού. Στη Συρία, η απόπειρα αυτοκτονίας είναι εγκλημα, και σε ορισμένες γεωτονικές χώρες οι επαγγελματίες ψυχικής υγείας είναι υποχρεωμένοι να αναφέρουν τις αυτοκτονίες στις αρχές βάσει της εθνικής νομοθεσίας. Αυτές οι συνθήκες μπορεί να το κάνει πιο δύσκολο για κάποιον που βρίσκεται σε κίνδυνο να παραδωθεί στους επαγγελματίες υγείας ότι έχει κείφαρες αυτοκτονίας.

Ένα πολύ σημαντικό υποστηρικτικό εργαλείο διαλογής στην εξέταση για τη συναισθηματική δυσφορία των προσφύγων είναι το Refugee health screener -15 (RHS 15):

Αναπτύχθηκε από:	Hollifield M, Toolson EC, Verbilis-Kolp S, et al. Effective screening for emotional distress in refugees: The Refugee Health Screener. The Journal of nervous and mental disease. 2016. doi:10.1097/NMD.0000000000000469.
Τύπος:	Checklist, 13 items
Τεκμηρίωση:	Validated scale for newly arrived refugees, sensitivity 0.82-0.96, specificity 0.86-0.91 with a cut-off point of >11.
Χρόνος:	15 minutes
Συνθήκες:	(1) Establishing trust (more information in D5.1, p 21); (2) Ability to offer immediate assistance, if needed; (3) Ability to offer referral, if needed.
URL:	http://www.lcsnw.org/pathways

Page 1 of 1 Next Browse per paragraph

Figure 3. Module 4 – Perception of mental health issues (Greek).

vaccinations, prevention of physical and mental health issues, as well as how to deal with refugee children in the pediatric practice.

Module 8: Chronic disease, health promotion, and prevention.

Module 8 provides the learners with an overview on possible options for health promotion and approaches to chronic diseases among the refugee and other migrant population. Finally, the module

provides a comprehensive list of refugee aid organizations for the psychosocial support of refugees and other migrant groups in the destination.

Continued medical education (CME) evaluation

In Greece, it was possible to directly observe the application of the newly gained knowledge after the

course in a refugee camp on the island Lesbos. However, in Austria, Croatia, Hungary, Italy and Slovenia, the targeted PHC professionals work in their individual practices in different locations. Due to this starting situation, it was clear that in these settings, the online course participants would apply the newly learned knowledge without a possibility for the research team to directly observe the application.

For each module, except for the introductory module, a pre- and a post-test of knowledge was established to assess the progress and the knowledge increase of participants of the EUR-HUMAN online course. The authors of the individual modules prepared multiple choice questions (MCQs) based on the content they developed. There was no minimum score for the knowledge pre-test, however, the minimum score for a passing mark of the knowledge post-test to pass was set at 75%. It was possible to do three attempts. If the third attempt failed for at least one module, the certificate of completion for the whole course was not granted. The pre- and post-tests of knowledge allowed the participants to see their personal knowledge gain on issues regarding the health care for refugees and other migrants. The learning curve can be approximated by comparing the scores of the knowledge pre-test and the post-tests for each module and assessing the increase.

In Austria, the course was accredited by the Austrian Physicians Chamber with 10 Continuous Medical Education (CME) credits. In Croatia, the course was accredited by the Croatian Medical Chamber with 7.5 CME credits. In Slovenia, the course was accredited both by the Slovenian Medical Chamber (24 CME credits), and the Chamber of Nurses (25 CME credits). In Hungary, the online course was accredited by the official portal of the University of Debrecen (OFTEX) with 20 CME points for GPs, occupational specialists, internists, and pediatricians. In Greece and Italy, no CME credits were negotiated; participants only received a certification.

Additionally, as part of WP7 of the EUR-HUMAN project, all participants were invited to participate in an online evaluation survey after the course to assess the acceptability and practicability of the course. A tailored version of the NoMAD questionnaire, based on the Normalization Process Theory (NPT), was used to gather respondents' views on different aspects of usability, implementation, and integration of the course into primary care services [27].

This paper refers to selected aspects of the NoMAD online survey results and points to findings of the questionnaire regarding the implementation of PHC services, the course experience and the appreciation of the course (see Table 1). A detailed presentation of the methods and findings of the survey conducted using the NoMAD questionnaire will be published in a subsequent paper from the EUR-HUMAN Consortium.

Table 1. Average results of pre- and post-test (all countries).

	Average pre-test %	Average post-test %	Difference pre-post-test	Average attempts per module %
Acute health needs of refugees	54	91	36	1,19
Legal issues	71	90	19	1,15
Provider-patient interaction	66	89	23	1,14
Mental health	66	83	17	1,34
Sexual- and reproductive health	77	88	11	1,14
Child health	57	80	23	1,56
Chronic disease, health promotion, and prevention	47	86	39	1,38

For this paper, demographic variables from the NoMAD questionnaire such as gender, completion of the course, profession, practice specialty, average results pre- and post-test, time needed to complete all modules, appreciation, as well as importance for the daily practice were chosen. The survey asked respondents the following questions regarding appreciation: 'Please indicate what modules of the online training course you studied and that you fully appreciate' and 'Please indicate what modules of the online training course you studied and you appreciate less.' Appreciation was not further defined. The participants could freely enter their profession and practice specialty when appropriate; as some participants did not specify more than that they were working in health care, for the analysis, the variable undefined or other health care workers was created. Another question concerned the willingness to support the training program by promoting; it involved the variables no statement, strongly agree, agree, and neither agree nor disagree. A convenience sampling was used.

Data analysis

The results of the knowledge tests were collected via a statistical tool, which was directly integrated in the online course by the Health[e]Foundation, with the data transferred to MedUni. The highest possible score for each test was 100%. Points for each knowledge pre- and post-test regarding the different modules are presented in the results' section, as are the differences between the pre- and post-test per module. The data from the online evaluation survey and the data collected via the pre- and post-test of knowledge was analyzed descriptively.

Results

A total of 390 participants registered for the online course in 6 different countries with 44.9% (n = 175) completing all modules (Table 2). Among the

participants in all countries were 47.7% medical doctors and 58.1% of them were general practitioners. Among all participants, 8.2% were undefined or other health care workers including midwives, infection control specialists, nutritionists, public health specialists. Several migration officers (2.1%) and health managers (1.5%) participated (Table 3). For all course versions except the Arabic, the majority of the participants were female (Table 2).

The knowledge pre- and post-test results differed depending on the module (Table 1): While the average results of the pre-test results were relatively low

Table 2. Sociodemographic characteristics of CME participants (N = 390)*.

Country	Number of participants per country***	Gender distribution per country**		Ø age per country**	Participants completing the course***	
		Female %	Male %		N	%
Austria	65	61%	39%	52	25	38.5
German version						
Austria Arabic version	37	24%	76%	35	25	67.6
Greece	17	65%	35%	na	5	29.4
Croatia	36	79%	21%	na	14	38.9
Slovenia	34	80%	20%	na	24	70.6
Hungary	88	39.8%	60.2%	na	16	18.2
Italy	112	na	na	na	66	58.9
Total	390				175	44.9

*Totals may not add to 100% due to missing data

**as of 19 December 2016

***as of 3 January 2017

Table 3. Profession of the participants***.

Profession of participants (all countries) (N = 390)	Number of Participants	
	N	%
Medical doctors	186	47.7
Participants without specification	130	33.3
Undefined and other health care workers (including midwives, infection control, nutritionists, public health, clinical psychology)	32	8.2
Other occupations and scientists (including veterinary medicine, university lecturers, social media, anthropology)	12	3.1
NGO	9	2.3
Migration officer	8	2.1
Nurse	7	1.8
Health manager	6	1.5
Total	390	
Practice specialty medical doctors (N = 186)		
General Practitioners	108	58.1
Undefined and other MD (including dermatologists, gerontologists, occupational health, dentists, anesthesiologists)	32	17.2
Emergency doctors	10	5.4
Gynecology	8	4.3
Pediatrics	8	4.3
Neurology	7	3.8
Epidemiology	5	2.7
General surgery	4	2.2
Psychiatry	4	2.2
Total	186	

***as of 3 January 2017

for Modules 2 (acute health needs) and 8 (chronic disease) (54% and 47% respectively), the pre-test results for the modules 3 and 6 were comparably high (71% and 77%). The average pre-test results for module 7 were comparably low with 57 % and the average post-test results remained lower than for the other modules with 80%. Significant pre-post changes were obtained for Module 2, with a difference of 36 points in the average score of the results, and for Module 8, with a difference of 39 points in the average score of the results. The lowest difference was measured in the assessments for Module 6, with 11 points of difference between the averages of knowledge pre- and post-test results. For Modules 5 and 3 the difference between the averages of knowledge pre- and post-test results was slightly higher than for Module 6 with respectively 17 and 19 points. For both Modules 4 and 7, the difference was 23 points.

In total, 123 course participants responded to the invitation for the online evaluation survey and filled out the online survey (Table 4). Their statements show that the mean time for completing the course was 10.77 hours. Module 3 (legal issues) and module 5 (mental health) were the most highly evaluated modules, as 57.7% of the survey participants fully appreciated them. Only 40.7% of the survey participants fully appreciated module 8 (chronic disease health promotion, and prevention). Module 8 was also considered less appreciated by 21.1% of the survey participants while, in comparison, module 2 (acute health needs) was less appreciated only by 4.1% of the survey participants. Above that, 53.7% of participants fully appreciated module 4 (provider-patient interaction). The latter was also found particularly important for daily practice by 52.9% of the Austrian survey participants.

A majority of the survey participants strongly agreed or agreed that they are willing to support the online course by promoting it among their peers.

Discussion

Main findings

Research has shown that PHC professionals and refugees or other migrants face equally great challenges when it comes to PHC encounters during the flight, upon and after arrival in the destination countries [15,16,18–20]. In response to these challenges, an online course/CME course for PHC professionals was developed, offering comprehensive knowledge on the issues of refugees' and other migrants' health to participants from different countries. Studies show the positive effects of such web-based CME courses [28,29].

Table 4. CME process evaluation.

Modules	Fully appreciated (n = 123)*		Less appreciated (n = 123)*		Particularly important for daily practice (n = 34)**			
	N	%	N	%	N	%		
Acute health needs of refugees	58	47.2	5	4.1	15	44.1		
Legal issues	71	57.7	15	12.2	15	44.1		
Provider–patient interaction	66	53.7	18	14.6	18	52.9		
Mental health	71	57.7	19	15.4	14	41.2		
Sexual- and reproductive health	59	48.0	19	15.4	14	41.2		
Child health	59	48.0	20	16.3	14	41.2		
Chronic disease, health promotion, and prevention	50	40.7	26	21.1	13	38.2		
	Minimum		Maximum		Mean		Standard variance	
Time needed to complete the course in hours*** (N = 123)	1		72		10.77		9.66	
	No statement		Strongly agree		Agree		Neither agree nor disagree	
	N	%	N	%	N	%	N	%
I am willing to support the training program by promoting it (N = 123)	32	26	34	27.6	49	39.8	8	6.5

*Multiple answer options

**Question only part of the evaluation for Austrian Arabic and German version

***In hours

Our findings indicate that the participants of our online course were able to expand their knowledge on PHC for refugees and that the course positively influenced the daily practice of PHC providers among the participants, according to their self-assessment. An analysis of the knowledge pre- and post-test differences showed that there were significant changes in the pre- and post-test results of the different modules pointing to a knowledge gain of our participants. We found that in particular modules the knowledge pre-test results were already very high and the knowledge gain therefore comparably lower than for other modules. The participants seem to have been well informed particularly well in the topics *legal issues* (Module 3) and *sexual and reproductive health* (Module 6) prior to the online course. Our findings indicate that the participants had the lowest knowledge on the topic *child health* (Module 7) prior to the online course; the participants' knowledge also remained comparably low after completion of this module.

The module 4 on provider–patient interaction/intercultural communication was deemed to be particularly important by our participants. This need is consistent with previous reports in the literature focusing on communication [30–33].

We were able to strengthen the target group in providing health care for refugees and other migrants. In general, our CME course was well accepted as indicated by the CME evaluation of our participants.

Related work

In developing this CME, we found other CME material that covers similar subject areas in regard to migrants or refugees: MEM-TP (<http://www.mem-tp.org>) and SH-CAPAC (<http://www.sh-capac.org>).

Both of these courses, developed under previous (MEM-TP) and the same as EUR-HUMAN (SH-CAPAC) funding actions of the European Union (CHAFEA) have complementary material to our online course and touch upon similar aspects in terms of minority groups (i.e. Roma for MEM-TP) and other public health needs (SH-CAPAC) in the context of care refugees and migrants to a wide variety of target groups in health care. Both projects have their material available online under the Creative Commons license, and we, therefore, cross-referenced and linked, as appropriate, to the content of those courses in our own course, whenever appropriate.

However, while both abovementioned courses are designed to convey knowledge, the approach of delivery requires they are conducted over an extended time period and several weeks to months are required for their completion, whereas our course aims at rapid capacity increase, conveying much needed knowledge about the treatment of refugees and other migrants in short time and in a flexible and user-friendly manner.

Strengths and limitations

A strength of the course is that it is concise while it is rich in information. In the development of our course, a key consideration was brevity, to allow a greater number of participants to take part despite limited time due to work realities as PHC professionals, as they usually do not have much time available and especially in PHC [25]. The users can always further investigate on particular topics on their own, but they would still have acquired a sound basis through the knowledge gained in our course. These facts suggest that a concise web-based solution with an approximate time frame of 8–10 hours represents

be the best option in terms of feasibility and acceptability. As shown above, participants needed a mean time of 10.77 hours to complete the course.

A main strength of the online format is its online accessibility. We choose an Internet platform since it allows for easy access, flexibility, and updateability. Any web-enabled device at any location can be used. Thus, there is neither the need for travel nor for following a set time schedule of a face-to-face training action. The online format offers the participants the liberty to choose the moment and duration of their study time. They can log in and continue the course whenever their schedule allows it. Furthermore, in the online course, the sequence of the modules is not specified. Hence, the participants can freely navigate between modules and chapters according to their preference and needs.

However, this accessibility and flexibility comes with a prize: there are only limited possibilities for interaction with other course participants. It constitutes a weakness of the course that participants were only minimally able to exchange their ideas or to ask questions. The available interactive options on the course platform were not explicitly highlighted, as the time-restraints and resources of the project did not allow individual tutoring.

It can also be considered a weakness that the liberal time frame can lead the participants to procrastinate and neglect the course.

The didactical methods and instructional design, as well as the format and framework that is used for the course can be improved. Currently, there is a strong emphasis on text-based learning. The course contains (amongst others) pictures, graphs, and links to videos and webpages, however, more audiovisual material could be added. Time-restraints and resources of the project allowed a development of audio-visual material (video presentations) based on the content solely in Greece. Group activities at the beginning of and during the online course, both online with the use of social media, and face-to-face in form of workshops, could further enrich the participants learning experience.

The use of a single group knowledge pre- and post-test evaluation method could also be considered a limitation. The focus of the course was on knowledge transfer and there was neither funding nor opportunity to survey the impact of the course on the PHC professionals' practice behavior. Therefore, we were unable to conduct a randomized control study (RCT) in this regard.

In the course of the project it was not possible to directly observe the application of the newly gained knowledge after the course in all countries. It would be an asset to do a direct evaluation of the acquired knowledge and skills also in other countries to further evaluate the quality of the course. Provided that funding is available, such an evaluation will be considered for the future.

Long-term objective

The long-term objective of the EUR-HUMAN project was the optimization of health care provision for refugees and other migrants. The course can only be an effective instrument contributing to this long-term objective when relevant implementation factors are met. Like any other instrument or tool that is designed to improve health care provision, implementing the web-based capacity building course for primary health care providers evaluated in this article depends on the presence of the right conditions. In this case internet access and sufficient time to follow the course are indispensable. However, if accessing the content of the modules is seen as a first step, the second step is more challenging. The guidance from the modules needs to be applied in practice, in resource contexts that can differ substantially across regions. In order to maximize the future roll out and to increase the chance that the content of the course becomes an integral part of the health care delivery process for refugees, it is necessary to understand relevant implementation factors for recommended interventions, as well as the extent to which those factors are available in the target area of the online training. Flottorp et al [34], categorized potential 'determinants of practice' into seven domains: guideline factors; individual health professional factors; patient factors; professional interactions; incentives and resources; capacity for organizational change; and social, political and legal factors [34–36]. Knowledge about factors like these, that might differ locally and between professional health care disciplines, can increase the potential of the course in optimizing health care provision.

Conclusion

The EUR-HUMAN online course is a promising contribution to an optimization of health care for refugees and other migrants, combining and integrating insights from many different disciplines and perspectives. The participants of the course found the training useful and their knowledge had grown shortly after the training. The course is a promising learning tool for PHC professionals. When relevant supportive conditions are met locally, it has the potential to empower them in their work with refugees and other migrants. It appears worthwhile to further disseminate the course and to show policy makers that there are free high-quality tools available to train and support PHC professionals in their work with refugees and other migrants.

Acknowledgments

We thank all authors of the modules of the online course: Flora Haderer (Austrian Red Cross), Wolfgang Maurer (Vienna Vaccine Safety Initiative), Karoline Leitner, Maria Kletecka-Pulker (IERM University of Vienna), Corné Versluis, Carlijn van Es, Jurriaan Jacobs, Trudy Mooren, Annelieke Drogendijk (ARQ), Caroline Kunz (GP), Saskia Wolf-Abdolvahab, Regina Rath-Wacenovskiy (Department for Pediatrics, SMZ-Ost, Vienna), Ruth Kutalek, Elena Jirovsky, Elisabeth Anne-Sophie Mayrhuber, Kathryn Hoffmann, Daniela Dorneles de Andrade, Werner Lagler, Alexandra Derjusch (Medical University of Vienna), Kathleen Lösckhe, Huberta Haider (FEM Süd, Vienna), and Alaa Nadar. We strongly thank the team of the course platform Health[e]foundation. We thank Michel Dückers (NIVEL) for his contribution of the ATOMIC Model, and Dean Ajduković and Helena Bakić (FFZG) for their contribution of a Mental Health Triage tool, as well as Maria van den Muijsenbergh, Tessa van Loenen, and MARRIGJE Hofmeester (RUMC) for their guidance on ‘Tools and guidelines for optimal primary care for refugees and other newly arrived migrants.’ We thank all experts from Expert Consensus Meeting in Athens, in June 8–9 2016: Paraskevi Apostolara, Manila Bonciani, Michalis Chatzigiannis, Paola D’Acapito, Daniela Dorneles de Andrade, Elisabeth Farmer, Achilleas Gikas, David Ingleby, Athena Kalokairinou, Rolf Kleber, Areti Lagiou, Daniel Lopez-Acuna, Jan De Maeseneer, Manfred Maier, Elena Maltezou, Wolfgang Maurer, Teymur Noori, Takis Panagiotopoulos, Dimitrios Patestos, Androula Pavli, Antoni Peris, Sanja Pupčić, George Samoutis, Pela Soultatou, Agis Terzidis, Dimple Thakrar, Pinar Topsever, Maria Tseroni, Philomene Uwamaliya, Elena Val, Stamatis Vardaros, Apostolos Veizis, Victoria Vivilaki, Chrysa Botsi, Yeşim Yasin and Vassilis Zacharopoulos.

Author contributions

EJ wrote the first draft of the paper and revised the paper. KH, EM, EAM, AA, DSP, EP, MM, TL, MD, LK, IR, DP, DC, GB, MC, DA, PG, NG, CD, CL commented on the draft, added content, or suggested revisions. All authors agreed with the final version of this paper.

The content of this paper represents the views of the author only and is his/her sole responsibility; it cannot be considered to reflect the views of the European Commission and/or the Consumers, Health, Agriculture and Food Executive Agency or any other body of the European Union. The European Commission and the Agency do not accept any responsibility for use that may be made of the information it contains.

Disclosure statement

No potential conflict of interest was reported by the authors.

Ethics and consent

The retrospective data analysis was approved by the ethical commission of the Medical University of Vienna (1575/2017).









Funding information

This paper is part of the project ‘717319/EUR-HUMAN’ which has received funding from the European Union’s Health Program (2014–2020).

Paper context

Research has shown the need to strengthen primary health care (PHC) professionals in the provision of high-quality care for refugees and other migrants. We aimed at building their capacity with a free e-learning course. The course has the potential to empower PHC professionals in this regard. The availability of free high-quality tools to build the capacity of PHC professionals in their work with refugees and other migrants has to be further promoted among policy makers.

ORCID

Elena Jirovsky  <http://orcid.org/0000-0002-8304-2518>
 Kathryn Hoffmann  <http://orcid.org/0000-0001-8760-4250>
 Maria van den Muijsenbergh  <http://orcid.org/0000-0002-4994-4008>
 Michel Dückers  <http://orcid.org/0000-0001-7746-053X>
 Imre Rurik  <http://orcid.org/0000-0003-2818-8714>
 Pim De Graaf  <http://orcid.org/0000-0003-1938-0747>
 Nadja van Ginneken  <http://orcid.org/0000-0002-4843-2617>
 Christos Lionis  <http://orcid.org/0000-0002-9324-2839>

References

- [1] Mixed Migration Flows in the Mediterranean and Beyond: Compilation of Available Data and Information [Internet]. IOM; 2016 [cited 2016 Jul 27]. Available from: https://www.iom.int/sites/default/files/situation_reports/file/Mixed-Flows-Mediterranean-and-Beyond-Compilation-Overview-2015.pdf
- [2] Asylum statistics [Internet]. EUROSTAT; 2017 [cited 2017 Sep 13]. Available from: http://ec.europa.eu/eurostat/statistics-explained/index.php/Asylum_statistics
- [3] The sea route to Europe: The Mediterranean passage in the age of refugees [Internet]. UNHCR; 2015 [cited 2017 Oct 4]. Available from: <http://www.unhcr.org/5592bd059.pdf#zoom=95>
- [4] Arsenijevic J, Schillberg E, Ponthieu A, et al. A crisis of protection and safe passage: violence experienced by migrants/refugees travelling along the Western Balkan corridor to Northern Europe. *Confl Health*. 2017;11:6.
- [5] Khan MS, Osei-Kofi A, Omar A, et al. Pathogens, prejudice, and politics: the role of the global health community in the European refugee crisis. *Lancet Infect Dis*. 2016;16:e173–e7.
- [6] Migration and health: key issues [Internet]. WHO; 2017 [cited 2017 Sep 12]. Available from: <http://www.euro.who.int/en/health-topics/health-determinants/migration-and-health/migrant-health-in-the-european-region/migration-and-health-key-issues#292115>
- [7] Pfortmueller CA, Schwetlick M, Mueller T, et al. Adult asylum seekers from the middle east including syria in central Europe: what are their health care problems? *PLoS one*. 2016;11:e0148196.
- [8] Alberer A, Wendeborn M, Löscher T, et al. Erkrankungen bei Flüchtlingen und Asylbewerbern. Daten von drei verschiedenen medizinischen Einrichtungen im Raum München aus den Jahren 2014 und 2015 [Spectrum of diseases occurring in

- refugees and asylum seekers: data from three different medical institutions in the Munich area from 2014 and 2015]. *Dtsch Med Wochenschr.* 2016;141:e8–e15.
- [9] Freedman J. Engendering security at the borders of Europe: women migrants and the Mediterranean 'crisis'. *J Refugee Stud.* 2016;24(4):568–582.
- [10] Freedman J. Analysing the gendered insecurities of migration. *Int Feminist J Politics.* 2012;14:36–55.
- [11] Freedman J. Mainstreaming gender in refugee protection. *Camb Rev Int Aff.* 2010;23:589–607.
- [12] Priebe S, Giacco D, El-Nagib R. Public health aspects of mental health among migrants and refugees: a review of the evidence on mental health care for refugees, asylum seekers and irregular migrants in the WHO European Region. Copenhagen: WHO Regional Office for Europe; 2016.
- [13] Hunter P. The refugee crisis challenges national health care systems: countries accepting large numbers of refugees are struggling to meet their health care needs, which range from infectious to chronic diseases to mental illnesses. *EMBO Rep.* 2016;17:492–495.
- [14] Amnesty International. Trapped in Greece: an avoidable refugee crisis. London: Amnesty International; 2016. (Report No.: EUR 25/3778/2016).
- [15] van Loenen T, van Den Muijsenbergh M. Communication and liaison with stakeholders and refugees groups. Health needs, views on and experiences with health care of refugees and other newly arriving migrants throughout their journey in Europe. Internet: EUR-HUMAN, 2016. (Report No.: Deliverable 2.1). Available from: <http://eur-human.uoc.gr/d2-1-report/>
- [16] van Loenen T, van Den Muijsenbergh M, Hofmeester M, et al. Primary care for refugees and newly arrived migrants in Europe: a qualitative study on health needs, barriers and wishes. *Eur J Public Health.* 2018;28(1):82–87. doi: 10.1093/eurpub/ckx210
- [17] Mayrhuber ES, Jirovsky E, Hoffmann K. Report about the results of the assessment of the local situation and resources available. Internet: EUR-HUMAN; 2016. (Report No.: Deliverable 6.1). Available from: http://eur-human.uoc.gr/wp-content/uploads/2017/05/D6_1_Report_about_the_results_of_the_assessment_of_the_local_situation_a.pdf
- [18] Flores G. The impact of medical interpreter services on the quality of health care: a systematic review. *Med Care Res Rev.* 2005;62:255–299.
- [19] European Centre for Disease Prevention and Control. Communicable disease risks associated with the movement of refugees in Europe during the winter season – 10 November 2015. Stockholm: ECDC; 2015.
- [20] Bradby H, Humphris R, Newall D, et al. Public health aspects of migrant health: a review of the evidence on health status for refugees and asylum seekers in the European Region. Copenhagen: WHO Regional Office for Europe; 2015. (Report No.: Health Evidence Network synthesis report 44).
- [21] Lionis C, Petelos E, Mechili EA, et al. Assessing refugee health care needs in Europe and implementing educational interventions in primary care: a focus on methods. *BMC Int Health Hum Rights.* 2018;18:11.
- [22] Gensichen J, Vollmar HC, Sonnichsen A, et al. E-learning for education in primary health care—turning the hype into reality: a Delphi study. *Eur J Gen Pract.* 2009;15:11–14.
- [23] DüCkers M, de Beurs D, van Veldhuizen M, et al. Final Synthesis. Understanding the factors that promote or hinder the implementation of health care interventions for refugees and others migrants in European health care settings. EUR-HUMAN; 2016. (Report No.: Deliverable 3.2). Available from: http://eur-human.uoc.gr/wp-content/uploads/2017/05/D3_2_Final_synthesis.pdf
- [24] van de Muijsenbergh M, van Loenen T, Hofmeester M, et al. Report on the content of optimal primary health care for refugees and other migrants based on the outcomes of the expert meeting. Internet: EUR-HUMAN; 2016. (Report No.: Deliverable 4.1). Available from: http://eur-human.uoc.gr/wp-content/uploads/2017/05/D4_1_Report_of_expert_meeting.pdf
- [25] Hoffmann K, Wojczewski S, George A, et al. Stressed and overworked? A cross-sectional study of the working situation of urban and rural general practitioners in Austria in the framework of the QUALICOPC project. *Croat Med J.* 2015;56:366–374.
- [26] Grois N, Auer H, Beeretz I, et al. Empfehlungen für medizinische Maßnahmen bei immigrierenden Kindern und Jugendlichen. *Padiatr Padol.* 2016; 51:51–58.
- [27] Finch TL, Rapley T, Girling M, et al. Improving the normalization of complex interventions: measure development based on normalization process theory (NoMAD): study protocol. *Implement Sci.* 2013;8:43.
- [28] Lam-Antoniades M, Ratnapalan S, Tait G. Electronic continuing education in the health professions: an update on evidence from RCTs. *J Contin Educ Health Prof.* 2009;29:44–51.
- [29] Weston CM, Sciamanna CN, Nash DB. Evaluating online continuing medical education seminars: evidence for improving clinical practices. *Am J Med Qual.* 2008;23:475–483.
- [30] Meeuwesen L, Tromp F, Schouten BC, et al. Cultural differences in managing information during medical interaction: how does the physician get a clue? *Patient Educ Couns.* 2007;67:183–190.
- [31] Schouten BC, Meeuwesen L, Tromp F, et al. Cultural diversity in patient participation: the influence of patients' characteristics and doctors' communicative behaviour. *Patient Educ Couns.* 2007;67:214–223.
- [32] Capinha-Capote J. The process of cultural competence in the delivery of health care services: a model of care. *J Transcult Nurs.* 2002;13:181–184.
- [33] Saha S, Beach MC, Cooper LA. Patient centeredness, cultural competence, and health care quality. *J Natl Med Assoc.* 2009;100:1275–1285.
- [34] Flottorp SA, Oxman AD, Krause J, et al. A checklist for identifying determinants of practice: A systematic review and synthesis of frameworks and taxonomies of factors that prevent or enable improvements in health care professional practice. *Implement Sci.* 2013;8:35.
- [35] Michie S, van Stralen MM, West R. The behaviour change wheel: a new method for characterising and designing behaviour change interventions. *Implement Sci.* 2011;6:42.
- [36] Greenhalgh T, Robert G, Macfarlane F, et al. Diffusion of innovations in service organizations: systematic review and recommendations. *Milbank Q.* 2004;82: 581–629.