

25. Lambertz ST, Ivarsson S, Lopez-Valladares G, Sidstedt M, Lindqvist R. Subtyping of *Listeria monocytogenes* isolates recovered from retail ready-to-eat foods, processing plants and listeriosis patients in Sweden 2010. *Int J Food Microbiol.* 2013;166:186–92. <http://dx.doi.org/10.1016/j.ijfoodmicro.2013.06.008>
26. Lunestad BT, Truong TTT, Lindstedt BA. A multiple-locus variable-number tandem repeat analysis (MLVA) of *Listeria monocytogenes* isolated from Norwegian salmon-processing factories and from listeriosis patients. *Epidemiol Infect.* 2013;141:2101–10. <http://dx.doi.org/10.1017/S0950268812002750>
27. Barrett TJ, Gerner-Smidt P, Swaminathan B. Interpretation of pulsed-field gel electrophoresis patterns in foodborne disease investigations and surveillance. *Foodborne Pathog Dis.* 2006;3:20–31. <http://dx.doi.org/10.1089/fpd.2006.3.20>
28. Saunders BD, Schukken Y, Kornstein L, Reddy V, Bannerman T, Salehi E, et al. Molecular epidemiology and cluster analysis of human listeriosis cases in three U.S. states. *J Food Prot.* 2006;69:1680–9.
29. Orsi RH, Borowsky ML, Lauer P, Young SK, Nusbaum C, Galagan JE, et al. Short-term genome evolution of *Listeria monocytogenes* in a non-controlled environment. *BMC Genomics.* 2008;9:539. <http://dx.doi.org/10.1186/1471-2164-9-539>
30. Kathariou S, Graves L, Buchrieser C, Glaser P, Siletsky RM, Swaminathan B. Involvement of closely related strains of a new clonal group of *Listeria monocytogenes* in the 1998–99 and 2002 multistate outbreaks of foodborne listeriosis in the United States. *Foodborne Pathog Dis.* 2006;3:292–302. <http://dx.doi.org/10.1089/fpd.2006.3.292>
31. Rychli K, Müller A, Zaiser A, Schoder D, Allerberger F, Wagner M, et al. Genome sequencing of *Listeria monocytogenes* “Quargel” listeriosis outbreak strains reveals two different strains with distinct in vitro virulence potential. *PLoS ONE.* 2014;9:e89964. <http://dx.doi.org/10.1371/journal.pone.0089964>
32. McCollum JT, Cronquist AB, Silk BJ, Jackson KA, O’Connor KA, Cosgrove S, et al. Multistate outbreak of listeriosis associated with cantaloupe. *N Engl J Med.* 2013;369:944–53. <http://dx.doi.org/10.1056/NEJMoa1215837>
33. Centers for Disease Control and Prevention. Vital signs: listeria illnesses, deaths, and outbreaks—United States, 2009–2011. *MMWR Morb Mortal Wkly Rep.* 2013;62:448–52.
34. Gillespie IA, McLaughlin J, Little CL, Penman C, Mook P, Grant K, et al. Disease presentation in relation to infection foci for non-pregnancy-associated human listeriosis in England and Wales, 2001 to 2007. *J Clin Microbiol.* 2009;47:3301–7. <http://dx.doi.org/10.1128/JCM.00969-09>
35. Goulet V, Hedberg C, Le Monnier A, de Valk H. Increasing incidence of listeriosis in France and other European countries. *Emerg Infect Dis.* 2008;14:734–40. <http://dx.doi.org/10.3201/eid1405.071395>
36. Mammìna C, Parisi A, Guaita A, Aleo A, Bonura C, Nastasi A, et al. Enhanced surveillance of invasive listeriosis in the Lombardy region, Italy, in the years 2006–2010 reveals major clones and an increase in serotype 1/2a. *BMC Infect Dis.* 2013;13:152. <http://dx.doi.org/10.1186/1471-2334-13-152>
37. Gerner-Smidt P, Ethelberg S, Schiellerup P, Christensen JJ, Engberg J, Fussing V, et al. Invasive listeriosis in Denmark 1994–2003: a review of 299 cases with special emphasis on risk factors for mortality. *Clin Microbiol Infect.* 2005;11:618–24. <http://dx.doi.org/10.1111/j.1469-0691.2005.01171.x>
38. Chenal-Francisque V, Lopez J, Cantinelli T, Caro V, Tran C, Leclercq A, et al. Worldwide distribution of major clones of *Listeria monocytogenes*. *Emerg Infect Dis.* 2011;17:1110–2. <http://dx.doi.org/10.3201/eid1706.101778>

Address for correspondence: Anne Kvistholm Jensen, Statens Serum Institut, Artillerivej 5, DK-2300 Copenhagen S, Denmark; email: annekvistholmjensen@dadlnet.dk

# etymologia

## *Listeria* [lis-te're-e-ə]

A genus of small, gram-positive, rods, *Listeria* was first isolated by Murray in 1924 as *Bacterium monocytogenes*. In 1927, Pirie proposed the genus *Listerella* in honor of British surgeon Sir Joseph Lister (1827–1912), an early advocate of antiseptic surgery. It was not until 1939 that Pirie realized that this genus had already been taken by a slime mold (also named in honor of Lister, by Jahn in 1906). In 1940, he proposed the alternative name *Listeria*. The mouthwash Listerine was also named after Lister, in 1979 by Lawrence and Bosch, when it was marketed as a surgical antiseptic.



Joseph Lister, 1902.  
Photographer unknown.  
Weltrundschau  
zu Reclams  
Universum 1902,  
Public Domain,  
<https://commons.wikimedia.org/w/index.php?curid=9647607>

## Sources

- Hof H. History and epidemiology of listeriosis. *FEMS Immunol Med Microbiol.* 2003;35:199–202. [http://dx.doi.org/10.1016/S0928-8244\(02\)00471-6](http://dx.doi.org/10.1016/S0928-8244(02)00471-6)
- Pirie JH. *Listeria*: change of name for a genus bacteria. *Nature.* 1940;145:264. <http://dx.doi.org/10.1038/145264a0>

Address for correspondence: Ronnie Henry, Centers for Disease Control and Prevention, 1600 Clifton Rd NE, Mailstop E03, Atlanta, GA 30329-4027, USA; email: boq3@cdc.gov