



Erratum: Group Testing for SARS-CoV-2 Allows for Up to 10-Fold Efficiency Increase Across Realistic Scenarios and Testing Strategies

OPEN ACCESS

Approved by:

Frontiers Editorial Office, Frontiers Media SA, Switzerland

*Correspondence:

Frontiers Production Office production.office@frontiersin.org

Specialty section:

This article was submitted to Infectious Diseases—Surveillance, Prevention and Treatment, a section of the journal Frontiers in Public Health

Received: 22 September 2021 Accepted: 22 September 2021 Published: 18 October 2021

Citation:

Frontiers Production Office (2021)
Erratum: Group Testing for
SARS-CoV-2 Allows for Up to 10-Fold
Efficiency Increase Across Realistic
Scenarios and Testing Strategies.
Front. Public Health 9:781326.
doi: 10.3389/fpubh.2021.781326

Frontiers Production Office*

Frontiers Media SA, Lausanne, Switzerland

Keywords: group testing, SARS-CoV-2, pooling, COVID-19, informative testing, RT-PCR

An Erratum on

Group Testing for SARS-CoV-2 Allows for Up to 10-Fold Efficiency Increase Across Realistic Scenarios and Testing Strategies

by Verdun, C. M., Fuchs, T., Harar, P., Elbrächter, D., Fischer, D. S., Berner, J., Grohs, P., Theis, F. J., and Krahmer, F. (2021). Front. Public Health 9:583377. doi: 10.3389/fpubh.2021.583377

Due to a production error, the wrong HTML link was provided in the article abstract. Instead of "www.grouptexting.com," the link should be "www.group-testing.com." The publisher apologizes for this mistake. The original article has been updated.

Copyright @ 2021 Frontiers Production Office. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.