III IMAGES IN HEMATOLOGY

DOI: 10.4274/tjh.2016.0388 Turk J Hematol 2018;35:134

Flaming Plasma Cell Leukemia

Alevsi Plazma Hücreli Lösemi

Reza Ranjbaran, B Habibollah Golafshan

Shiraz University of Medical Sciences, School of Paramedical Sciences, Diagnostic Laboratory Sciences and Technology Research Center, Shiraz, Iran

A 58-year-old man presented with anemia and splenomegaly. Peripheral blood smear indicated rouleaux formation along with 28% mononuclear cells with reddish-purple peripheral cytoplasm suspicious for plasma cells (PCs). Flow cytometric immunophenotyping of the peripheral blood revealed a large mononuclear population positive for CD38, CD138, and CD20 and negative for CD45, CD19, and CD56. Intracytoplasmic staining of kappa and lambda light-chains demonstrated lambda restriction. The serum protein electrophoresis pattern illustrated normal density in the γ -globulin region but an increase of about threefold in the β -globulin fraction.

Regarding these findings, the patient was more likely to be diagnosed with IgA monoclonal gammopathy [1]. However, a definitive diagnosis was made by immunonephelometric evaluation of serum immunoglobulins. This assay revealed 810 mg/dL IgG, 1595 mg/dL IgA, and 22 mg/dL IgM with a free kappa/lambda ratio of 0.14.

PCs have particular morphological features including ovalshaped structure and eccentric nuclei. IgA-secreting PCs have cytoplasm with a pinkish tinge associated with the presence of abundant glycoprotein and ribosomes and are totally known as flame cells (Figure 1). PC leukemia, in particular the IgA variant, is a rare and aggressive type of PC dyscrasia [2]. A well-prepared peripheral blood smear can be very helpful in diagnosing and determining the next diagnostic approach.

Keywords: Plasma cell leukemia, Flame cell, Immunoglobin A

Anahtar Sözcükler: Plazma hücre lösemi, Alevsi hücre, İmmunoglobulin A




Figure 1. Flame cells. Informed Consent: It was received.

Conflict of Interest: The authors of this paper have no conflicts of interest, including specific financial interests, relationships, and/or affiliations relevant to the subject matter or materials included.

References

- 1. Attaelmannan M, Levinson SS. Understanding and identifying monoclonal gammopathies. Clin Chem 2000; 46:1230–1238.
- Singh T, Premalata C, Sajeevan K, Jain A, Batra U, Saini K, Satheesh C, Babu KG, Lokanatha D. IgA plasma cell leukemia. J Lab Physicians 2009;1:19-21.

©Copyright 2018 by Turkish Society of Hematology



Shiraz University of Medical Sciences, Faculty of Paramedical Sciences, Diagnostic Laboratory Sciences and Technology Research Center, Shiraz, Iran Phone: +98 917 074 9518 E-mail: reza_ranjbaran2009@yahoo.com ORCID-ID: orcid.org/0000-0002-8890-0999 Received/Geliş tarihi: September 26, 2016 Accepted/Kabul tarihi: January 24, 2017