CrossMark

Puzzles in modern biology. I. Male sterility, failure reveals design [version 1; referees: 2 approved]

Steven A. Frank

Department of Ecology and Evolutionary Biology, University of California, Irvine, Irvine, CA, 92697-2525, USA

V1 First published: 09 Sep 2016, 5:2288 (doi: 10.12688/f1000research.9567.1) Latest published: 09 Sep 2016, 5:2288 (doi: 10.12688/f1000research.9567.1)

Abstract

Many human males produce dysfunctional sperm. Various plants frequently abort pollen. Hybrid matings often produce sterile males. Widespread male sterility is puzzling. Natural selection prunes reproductive failure. Puzzling failure implies something that we do not understand about how organisms are designed. Solving the puzzle reveals the hidden processes of design.

Open Peer Review		
Referee Status: 🗸 🗸		
	Invited 1	Referees 2
version 1 published 09 Sep 2016	report	report
 Andy Gardner, University of St Andrews UK Harmit S. Malik, Fred Hutchison Cancer 		
Research Center USA		
Discuss this article		

Comments (2)

Associated Opinion Article

Frank SA » Puzzles in modern biology. II. Language, cancer and the recursive processes of evolutionary innovation, *F1000Research* 2016, **5** :2289 (doi: 10.12688/f1000research.9568.1)

Corresponding author: Steven A. Frank (safrank@uci.edu)

How to cite this article: Frank SA. Puzzles in modern biology. I. Male sterility, failure reveals design [version 1; referees: 2 approved] F1000Research 2016, 5:2288 (doi: 10.12688/f1000research.9567.1)

Copyright: © 2016 Frank SA. This is an open access article distributed under the terms of the Creative Commons Attribution Licence, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Grant information: National Science Foundation grant DEB-1251035 supports my research.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Competing interests: No competing interests were disclosed.

First published: 09 Sep 2016, 5:2288 (doi: 10.12688/f1000research.9567.1)

Introduction

What do organisms do poorly that they should do well? Answers often lead to profound insight.

One thing organisms should do well is reproduce. Sterility is total biological failure. Natural selection prunes failure. Widespread sterility would be puzzling.

Yet, many human males produce incapable sperm. Some plants have up to 50% of individuals abort their pollen. Matings between recently diverged species often bear sterile males.

Causes of sterility vary. Each cause is a separate topic. But separating topics hides the deeper unity of insight. *Through failure we understand design*.

I briefly review examples of male sterility. These individual puzzles emerged haphazardly, rather than by systematic study of failure. From these examples, I return to my theme. Every apparent failure poses an important puzzle. We must seek failure, measure it, document its correlates, and analyze its causes.

Sperm dysfunction

Sperm dysfunction poses our first puzzle. Roughly 5% of human males fail to make good sperm¹. In other animals, studies mention cases of male sterility². These haphazard observations, based on limited data, provide only a vague hint. Puzzles often appear in this shadowy way. Let us follow the shadow. If sterility is higher than expected, what might explain the excess?

A quirk of genetics predisposes males to failure³. A male inherits his mother's mitochondria, but does not pass mitochondrial genes to his progeny. Natural selection cannot act on male-specific mitochondrial effects, because males do not transmit mitochondria. Mitochondrial mutations that reduce male fertility may increase by chance.

Studies motivated by this theory have found mitochondrial mutations that reduce male fertility^{4,5}. Those studies have also found other genes, inherited through both parents, that compensate for the mitochondrial defects. A male carrying the mitochondrial mutation and the compensatory genes have restored fertility.

Compensation arises from the pathways of inheritance³. A gene inherited through both parents suffers reduced transmission when coupled with mitochondrially induced sperm defects. If a biparentally inherited gene compensates for the defects, the compensatory gene increases its own transmission.

Compensation plays a key role in failure and design. In this case, biparentally inherited genes compensate for male-sterile mitochondrial mutations. Individuals appear to be nearly normal when carrying both the defect and the compensation. Failure occurs only when there is a mismatch in the coadapted defect-compensation interaction. At present, only a few studies support these ideas about mitochondrial transmission and genetic coadaptation. Future studies may provide further support. Or it may turn out that other processes explain much of the observed failure. The puzzle remains unsolved. But we have a clue that points to disruption of coadapted gene complexes.

I now turn to other examples of sterility and coadaptation. These additional puzzles provide a broader perspective on the nature of failure and design. Perhaps some of the insights from solving these additional puzzles will eventually lead back to better explanations for the apparently high levels of sperm dysfunction.

Aborted pollen

Aborted pollen poses our next puzzle. Most flowering plants are hermaphrodites. Each individual produces both ovules and pollen. Ovules correspond to female function. Pollen correspond to male function.

Some hermaphroditic individuals abort their pollen. Rare male sterility within a population would not be surprising. Most traits fail in a few individuals. However, Darwin⁶ noted puzzling, widespread male sterility in many different plant species. Several populations have more than 10% male sterility, sometimes approaching 50%.

Two explanations of this apparent failure alter our perspective of design. First, male sterility prevents self-fertilization of ovules. If progeny suffer when inbred, the prevention of self-fertilization can be advantageous⁷. The gain from outbred ovules can outweigh the loss of pollen production by male sterility. If so, then male sterility is a beneficial design rather than a failure.

Some studies support the outbreeding benefit of male sterility⁸. The initial surprise of a high failure rate has become a deeper insight into organismal design. However, many populations have high frequencies of male sterility that cannot be explained by avoiding self-fertilization⁹.

This puzzling excess of male sterility led to a second explanation^{9–11}. Mitochondria transmit only through ovules, the female lineage. Pollen do not transmit mitochondria. A mitochondrial mutation would gain a benefit by aborting pollen and reallocating the saved energy to produce more successful ovules. The pollen-aborting mitochondria increase their transmission and can spread rapidly in populations. Mitochondrial mutations that abort pollen and enhance ovule success have been found in many species that previously had an unexplained excess of male sterility¹².

In plants, the vast majority of genes transmit biparentally, through both pollen and ovules. Those biparental genes typically suffer reduced transmission when in a plant that aborts its pollen. In most cases, when a mitochondrial mutation exists that aborts pollen, there also exist biparentally inherited genes that can restore pollen fertility¹². An apparently normal hermaphrodite with full pollen fertility may often carry two opposing components. First, a mitochondrial mutation that, unblocked, causes male sterility. Second, a biparentally inherited gene that blocks the action of the mitochondrial mutation. Once again, "normal" function arises by compensatory coadaptation.

Crosses between different species support this idea of coadaptation¹³. The parental populations may be almost entirely free of male sterility. Yet the hybrid progeny may express high frequencies of aborted pollen, which is male sterility.

In some cases, the hybrid male sterility arises by breaking up the coadapted complexes within each species. A hybrid progeny may carry the male sterile mitochondrial mutation of its "mother" but fail to inherit from its "father" the associated restorers of male fertility.

Hybrid male sterility

A different kind of hybrid male sterility poses our final puzzle. Matings between species often produce defective progeny. Male sterility is one of the most common hybrid defects^{14–16}. The puzzle concerns why male fertility should be particularly prone to failure. What does that failure reveal about design?

The previous puzzles raised two potential causes of hybrid male sterility. In each case, mitochondrial mutations disrupt male fertility. In response, biparentally inherited genes evolve to repress the disruption. The coadapted repressor genes restore male fertility. Hybrid matings cause mismatch of coadapted genes, leading to male sterility.

Not all cases of hybrid male sterility arise from the breakdown of coadaptation between mitochondrial and biparental genes. What other aspects of design might lead to the observed widespread tendency for failure in hybrid males?

Hybrid defects typically arise from mismatch of coadapted genes. For male fertility, how does coadaptation evolve? What causes divergence between populations in their coadapted complexes?

Our previous puzzles suggest how we might think about these broader questions. In the first puzzle of sperm dysfunction, males do not transmit mitochondrial mutations. Any mutation that influences only males has no consequence for transmission. This neutrality means that male sterile mutations can increase unopposed. But such mutations are not directly favored.

Mitochondrial mutations that disrupt male fertility accumulate slowly, by chance. Different populations accumulate different mutations. Each distinct mitochondrial mutation associates with distinct compensatory mechanisms of biparental genes.

As populations diverge, they will come to have different coadapted complexes of mitochondrial and biparental genes. The neutral accumulation of mitochondrial mutations causes slow but continual divergence of coadapted complexes. In the second puzzle of pollen abortion, mitochondrial mutations also disrupt male fertility. However, the hermaphroditic system means that the decline in male fertility often associates with a rise in female fertility. A mitochondrial mutation that causes male sterility gains a transmission advantage through its increased female fertility. This benefit can drive rapid spread of mitochondrial mutations.

In this case, mitochondrial mutations that disrupt male fertility spread rapidly. In response, the associated biparental restorers of fertility will likely evolve rapidly. The conflict between different components of the genome causes populations to diverge rapidly in their coadapted gene complexes.

The two cases set endpoints for the range of processes that cause hybrid male sterility. On the one hand, ubiquitous neutral divergence occurs widely but relatively slowly. On the other hand, powerful conflict between components of the genome drives rapid divergence, but may arise relatively rarely.

The continuum ranges from ubiquitous and slow processes to less common and fast processes. Many processes fall along this continuum. The relative roles of these different process for hybrid male sterility remain controversial.

For a particular observation of male sterility, we may not know the particular associated process. However, my point is that we should pay attention to the observed failure. Through the study of failure, we gain a window onto the normally hidden underlying processes of design.

For hybrid male sterility, I describe one example of a ubiquitous but relatively slow process and one example of a rarer but relatively fast process. That contrast highlights a potentially important question about failure and design. Which tends to be more important, slow processes intrinsic to ubiquitous aspects of genetics or fast processes intrinsic to specific aspects of conflict?

The example of relatively slow ubiquity concerns the spread of beneficial mutations on the sex chromosomes¹⁷. In animals with separate sexes, males often carry a pair of different sex chromosome types, XY, whereas females carry a pair of the same chromosome type, XX.

Consider a new mutation on the X chromosome that benefits only females. Because the X chromosome in females occurs in two copies, the new mutation on one X may be masked by the expression of the original gene carried on the other X. That masking effect can greatly reduce the rate at which beneficial mutations can spread.

Now consider a new mutation on the X chromosome that benefits only males. Because the X chromosome in males occurs in only one copy, the new mutation is not masked by a different copy of the gene on another chromosome. The beneficial mutation is expressed immediately and can spread.

This asymmetry leads to faster evolution of male-specific effects on the X chromosome. As those X-linked effects evolve, other components of the genome may coadapt. Populations will diverge in coadapted gene complexes between X-linked genes and genes in other parts of the genome.

When diverged populations hybridize, the faster-evolving X-linked male effects may be particularly susceptible to the mismatch of coadapted complexes. Some of those mismatches may reduce male fertility.

In this case, the divergence of coadapted complexes happens in a relatively passive way. The structure of the genetic system creates an asymmetric sieve. That sieve tends to enhance male-specific effects more strongly than female-specific effects. Coadaptation arises as a potentially weak response to general aspects of change rather than a strong response to a direct challenge.

A contrasting example of relatively fast specificity concerns a conflict between different components of the genome. That conflict creates a direct and powerful pressure for change and coadaptation.

Once again, we begin with the XY chromosome pairing in males. A male transmits his X chromosome to daughters and his Y chromosome to sons. An X chromosome gains an advantage by increasing a male's number of daughters. For example, an X can encode a mechanism that kills off Y bearing sperm. The male's remaining sperm bear the X, so he produces all daughters.

This drive of X against Y occurs in some organisms¹⁸. The driving X gains a transmission advantage and can spread rapidly within populations. A driving X favors genes on other chromosomes that repress the drive. The other genes suffer because the driving X biases the sex ratio toward disadvantageous over-production of daughters. The driving X may also carry deleterious side effects.

A driving X and coadapted repression of drive are powerful forces. Those powerful forces cause rapid change in populations and rapid divergence of coadapted complexes between populations^{19,20}.

In natural populations, some processes of divergence will be like the asymmetric XY sieve. Change accumulates by a relatively nonspecific process, ubiquitous but relatively slow. Other processes will be like the conflict of XY drive. Change accumulates by the strong process of transmission bias, narrowly specific but relatively fast.

The importance of different processes must be determined by direct observation. My point concerns the value of focusing on failure. Tracing the observed failure of male sterility to its underlying cause will teach us much about the different processes that coadapt genomes and cause divergence between populations.

Conclusions

These various puzzles bring us to a broader question. Why does the study of failure reveal underlying design?

Roughly speaking, we tend to see organisms as reasonably well designed engineering solutions. But we do not know how the components have been put together, how the components interact, and how the components have been designed to respond to different challenges. How can we reverse engineer the design?

The study of failure provides an important tool for reverse engineering. Why? Because when something complicated works, it is not easy to see how the components interact. Imagine that you have never seen a car. Someone gives you a car and asks you how it works. Look inside. There are many wires and connectors and components. What do they do?

Try cutting a wire. The brakes fail. Through that failure, you know that the wire and the things connected by the wire have to do with braking. Failure reveals design.

Competing interests

No competing interests were disclosed.

Grant information

National Science Foundation grant DEB-1251035 supports my research.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

References

- Krausz C: Male infertility: pathogenesis and clinical diagnosis. Best Pract Res Clin Endocrinol Metab. 2011; 25(2): 271–285.
 PubMed Abstract | Publisher Full Text
- Jainudeen MR, Hafez B: Reproductive Failure in Males. Reproduction in Farm Animals, 7th Edition. Lippincott Williams & Wilkins: 2000; 279–289.
 Publisher Full Text
- Frank SA, Hurst LD: Mitochondria and male disease. Nature. 1996; 383(6597): 224. PubMed Abstract | Publisher Full Text
- Dowling DK, Friberg U, Lindell J: Evolutionary implications of non-neutral mitochondrial genetic variation. *Trends Ecol Evol.* 2008; 23(10): 546–554.
 PubMed Abstract | Publisher Full Text
- Patel MR, Miriyala GK, Littleton AJ, et al.: A mitochondrial DNA hypomorph of cytochrome oxidase specifically impairs male fertility in Drosophila melanogaster. eLife. 2016; 5: pii: e16923.
 PubMed Abstract | Publisher Full Text | Free Full Text
- Darwin C: The Different Forms of Flowers on Plants of the Same Species. 1877; John Murray, London.
 Publisher Full Text
- Charlesworth B, Charlesworth D: A model for the evolution of dioecy and gynodioecy. Am Nat. 1978; 112(988): 975–997.
 Publisher Full Text
- 8. Weller SG, Sakai AK: Selfing and resource allocation in Schiedea salicaria

(Caryophyllaceae), a gynodioecious species. J Evol Biol. 2005; 18(2): 301–308. PubMed Abstract | Publisher Full Text

- Charlesworth D: A further study of the problem of the maintenance of females in gynodioecious species. *Heredity*. 1981; 46: 27–39.
 Publisher Full Text
- Lewis D: Male sterility in natural populations of hermaphrodite plants: the equilibrium between females and hermaphrodites to be expected with different types of inheritance. New Phytol. 1941; 40(1): 56–63.
 Publisher Full Text
- Frank SA: The evolutionary dynamics of cytoplasmic male sterility. Am Nat. 1989; 133(3): 345–376.
 Publisher Full Text
- Chase CD: Cytoplasmic male sterility: a window to the world of plant mitochondrial-nuclear interactions. Trends Genet. 2007; 23(2): 81–90. PubMed Abstract | Publisher Full Text
- Laser KD, Lersten NR: Anatomy and cytology of microsporogenesis in cytoplasmic male sterile angiosperms. *Bot Rev.* 1972; 38(3): 425–454.
 Publisher Full Text
- 14. Coyne JA, Orr HA: **Speciation.** 2004. Sinauer Associates, Sunderland, MA. Reference Source

- Schilthuizen M, Giesbers MC, Beukeboom LW: Haldane's rule in the 21st century. Heredity (Edinb). 2011; 107(2): 95–102.
 PubMed Abstract | Publisher Full Text | Free Full Text
- Delph LF, Demuth JP: Haldane's Rule: Genetic Bases and Their Empirical Support. J Hered. 2016; 107(5): 383–91.
 PubMed Abstract | Publisher Full Text
- Charlesworth B, Coyne JA, Barton NH: The relative rates of evolution of sex chromosomes and autosomes. *American Naturalist.* 1987; 130(1): 113–146. Publisher Full Text
- Meiklejohn CD, Tao Y: Genetic conflict and sex chromosome evolution. Trends Ecol Evol. 2010; 25(4): 215–223.
 PubMed Abstract | Publisher Full Text | Free Full Text
- Frank SA: Divergence of meiotic drive-suppression systems as an explanation for sex-biased hybrid sterility and inviability. *Evolution*. 1991; 45(2): 262–267.
- Publisher Full Text
- Hurst LD, Pomiankowski A: Causes of sex ratio bias may account for unisexual sterility in hybrids: a new explanation of Haldane's rule and related phenomena. *Genetics*. 1991; 128(4): 841–858.
 PubMed Abstract I Free Full Text

Open Peer Review

Current Referee Status:

Version 1

Referee Report 07 December 2016

doi:10.5256/f1000research.10304.r18319

Harmit S. Malik

Fred Hutchison Cancer Research Center, Seattle, WA, USA

This is a thoughtful and (characteristically) thought-provoking article on why sterility is a frequent observation in natural populations, despite all expectations to the contrary. The author cites a number of case studies to point out two basic underlying principles- the first being conflict and coevolution for instance between 'male-harming' mitochondria (my emphasis) and nuclear suppressors of male-harming behaviour. This arises from asymmetry of inheritance of nuclear and mitochondrial genomes. A related asymmetry of sex chromosomes gives rise to differential rates of evolution and therefore different opportunities for mismatches in gene expression, for instance seen in hybrids. The theme of gamete-killing meiotic drivers and their suppressors would nicely round out the discussion. Finally such co-adapted systems rely on co-inheritance for maximum manifestation and as such, propagate best when recombination is not allowed to break up the co-adapted complex. Thus, many of these drive systems arise and are spurred by chromosome rearrangements that further imperil proper meiotic recombination and fertility.

A second principle that might emerge is intrinsic, whereby for instance male sterility might, under the right circumstances, be favoured to encourage outcrossing.

Ultimately, the author espouses the view that failure in a process where success is expected reveals the design principles. Much in the same way a genetic screen might reveal the underlying components (an excellent allegory to this is "The salvation of Doug" by Bill Sullivan.... http://sullivan.mcdb.ucsc.edu/salvation-doug.html). However, it is here that I feel the analogy falters a bit.

Despite my discomfort at the use of the term "design", I feel the author refers to two different things as design. The first is about the genetic principles by which a pathway works ("cutting a brake wire in a car"). The second is that of selfish genetic elements, that have no socially redeeming value to contribute to a biological process, but exist and thrive solely due to their ability to exploit weaknesses (like a petulant hacker overriding the car's electronic controls at the most inopportune time). While the first definition is about natural selection refining a biological process, the second is about loopholes that exist and likely will always remain, which sponsor 'selfish behaviour' in genes even at the expense of important attributes of the biological system, such as fertility.

I have read this submission. I believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Competing Interests: No competing interests were disclosed.

Referee Report 13 September 2016

doi:10.5256/f1000research.10304.r16210



Andy Gardner

School of Biology, University of St Andrews, St Andrews, UK

This is a snappy and thought-provoking Opinion article, written in Steven Frank's characteristically laconic style.

The main message of the article is that, by investigating apparent failures in the design of organisms, we get a deeper understanding of organismal design. The particular focus here is on the suprisingly high levels of male sterility observed in many populations, and Frank takes us on a whirlwind tour of sperm dysfunction, pollen abortion and hybrid male sterility, highlighting commonalities and providing synthesis.

Frank ends the article with a compelling metaphor: a car is a complicated object whose design may be difficult to fathom simply by inspection; but, by cutting a wire and noting that it causes the brakes to fail, we learn something about how it is put together. The design of the organism is also illuminated by its failure.

I agree with all this, but would add two further thoughts.

First, it could be that apparent failure owes not to actual maladaptation on the organism's part but rather a misunderstanding on our part as to what constitutes good design. For example, sterile individuals abound in social insect colonies, and contemplation of this apparent puzzle led to a much deeper understanding of what it is organisms are designed to do (the theory of inclusive fitness).

Second, it could be that failure reveals we have been looking for design in the wrong place. Several of the specific examples discussed in this article concern conflicts of interest within the genome, e.g. between mitochondrial vs nuclear genes. Failure might not reveal organism design, but design at the gene level.

As is my policy, I waive anonymity

Andy Gardner

I have read this submission. I believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Competing Interests: No competing interests were disclosed.

Discuss this Article

Version 1

Author Response (F1000Research Advisory Board Member) 15 Sep 2016

Steven Frank, Department of Ecology & Evolutionary Biology, University of California, Irvine, USA

I have spent my career studying the role of natural selection in evolution. See https://stevefrank.org

Competing Interests: No competing interests were disclosed.

Reader Comment 14 Sep 2016

Rodrigo Singer, Federal University of Rio Grande do Sul, Brazil

I came across to this opinion piece because I work with plant reproduction. Briefing, I cannot scape the idea that the text was made to support Intelligent Design. The use of the term "design" *per se* is already troubling. The last part of the text reminds me a lot Paley's argumentation on the "watch and the watchmaker", to be sincere. I hope that wasn't the author's intention. Yet, as it is, the text seems all Intelligent Design supporters want.

Competing Interests: No competing interests