Supplementary Material

Table S1. Experiences around Patient Enquiries and Prescribing (n=505)

Experience		n=505	%
MC Enquiries in past 3 Months	Nil	74	14.7
	1-4	280	55.4
	5-9	103	20.4
	10-19	30	5.9
	20 or more	18	3.6
Comfortable Discussing Enquiries	Yes	264	52.3
	No	241	47.7
MC Prescriber	Yes	110	21.8
	No	395	78.2
Prescriptions in Past 3 Months	0	410	81.2
	1-9	66	13.1
	10-19	15	3.0
	20-49	11	2.2
	50 or more	3	0.6
Type of Prescriptions	Repeat	43	8.5
	New Prescription	67	13.3
Product Type (THC and/or CBD)	THC Dominant	30	5.9
	CBD Dominant	79	15.6
	THC and CBD Combination	78	15.4
Distinct Products Prescribed	1	36	7.1
	2	21	4.2
	3	24	4.8
	4	12	2.4
	More than 5	17	3.4
Formulation Types Prescribed	Capsules	12	2.4
••	Oil	104	20.6
	Sprays	9	1.8
	Flower (flos, plant material)	29	5.7
	Other oral products e.g., tablets, lozenges	3	0.6
MC Prescribing Pathway Used	Special-Access Scheme B	92	18.2
, , , , , , , , , , , , , , , , , , ,	Authorised Prescriber Scheme	38	7.5
Are Pathways User Friendly?	Yes	55	10.9
	No	55	10.9
Support for Legal cannabis	Medicinal	72	14.3
<u>-</u>	Recreational	0	0
	Both	38	7.5

MC: Medicinal cannabis.

Table S2. Indications that prescribers have treated with medicinal cannabis (n=110, valid percentage)

MC Prescribed for Condition	N=110	%
Chronic Non-Cancer Pain	102	92.7
Anxiety	72	65.5
Neuropathic Pain	68	61.8
Insomnia	51	46.4
PTSD	43	39.0
Chronic Cancer Pain	42	38.2
Depression	35	32.0
End of Life/Palliative Care	28	25.5
Chemotherapy-Induced Nausea and Vomiting	19	17.3
Spasticity in Multiple Sclerosis	16	14.5
Other	13	11.8
Dementia Patients with Agitation	10	9.1
Intractable Epilepsy	7	6.4
Cachexia Associated with Severe Illness	6	5.5
Anti-Tumour Effects	3	2.7

MC: Medicinal cannabis; PTSD: Post-traumatic stress disorder.

Table S3. χ^2 Test Values for each of the Knowledge questions in the GP Survey

Knowledge Question Number	Topic	χ² Test Value		
Questions 1	Knowledge	$(\chi^2(2) = 120.5, p < 0.001)$		
Questions 2	AMA	(χ²(2) =33.6, p<0.001)		
Questions 3	RACGP	$(\chi^2(2) = 35.8, p < 0.001)$		
Questions 4	MC formulations	$(\chi^2(2) = 88.8, p<0.001)$		
Questions 5	Helping patients	$(\chi^2(2) = 83.6, p<0.001)$		

Table S4. Differences in support for common MC indications between the current survey and the original survey (Karanges et al., 2018)

Indication	% Support Current Survey (N=505)	% Support Original Survey (N=640)	% Difference	
Anxiety	49.3	13	36.3	
Insomnia	47.4	13.2	34.2	
PTSD	50.9	19	31.9	
Chronic Non-Cancer Pain	70.3	39.1	31.2	
Neuropathic Pain	66.9	38.3	28.6	
Depression	37.2	9.4	27.8	
CINV	86.7	64.7	22	
Cachexia	73.5	56.7	16.8	
End of Life/Palliative Care	92.7	78.8	13.9	
Intractable Epilepsy	83.3	70.3	13	
Chronic Cancer Pain	91.9	80.2	11.7	
Dementia with Agitation	50.9	40.2	10.7	
Spasticity in MS	69.1	61.2	7.9	

Section 1 - Anonymous demographic information	
Age category	○ Under 24○ 25-34○ 35-44○ 45-54○ 55-64○ Over 65
Gender	○ Male○ Female○ Other
State/Territory of your practice	 NSW VIC QLD SA TAS WA ACT NT
Are you a GP registrar?	○ Yes ○ No
Years in General Practice	 Less than 1 1 - 4 5 - 9 10 - 14 15 - 19 20 - 24 25 - 29 More than 30
Average hours spent in clinical practice per week	 ○ Less than 10 ○ 11 - 20 ○ 21 - 30 ○ 31 - 40 ○ More than 40
How many GPs work at your practice?	 ○ 1 ○ 2 - 4 ○ 5 - 9 ○ 10 - 20 ○ More than 20
Geographical area serviced (Select all that apply)	☐ Metro ☐ Regional ☐ Remote
What is the post code of the practice where you work? (Optional)	

Section 2 - Medicinal cannabis experience	
In the past 3 months, how many of your patients have enquired about medicinal cannabis products?	□ 0 □ 1-4 □ 5-9 □ 10-19 □ 20+
Do you feel comfortable discussing medicinal cannabis as a treatment option with your patients?	Yes No
Have you prescribed medicinal cannabis?	
In the past 3 months, how many medicinal cannabis prescriptions have you provided?	○ 0 ○ 1-9 ○ 10-19 ○ 20-49 ○ 50-99 ○ 100-149 ○ 150+
Are the majority of your medicinal cannabis prescriptions repeats or new prescriptions?	○ Repeats○ New Prescriptions
What type of medicinal cannabis products have you prescribed? (Tick all that apply)	☐ THC dominant (Schedule 8)☐ CBD dominant (Schedule 4)☐ THC & CBD combination (Schedule 8)
How many distinct medicinal cannabis products do you currently prescribe?	○ 1○ 2○ 3○ 4○ More than 5
What formulations of medicinal cannabis have you prescribed? (Tick all that apply)	☐ Capsules ☐ Oil ☐ Sprays ☐ Flower (Flos, plant material) ☐ Other oral products e.g., tablets, lozenges
How have you prescribed medicinal cannabis products? (Tick all that apply)	☐ Special-Access Scheme B ☐ Authorised Prescriber Scheme
Do you believe the TGA approval process for medicinal cannabis is doctor-friendly?	○ Yes ○ No
Do you believe cannabinoids should be legally available for the following purposes?	○ Medicinal○ Recreational○ Both

I have prescribed medicinal cannabis products for the following conditions (tick all that apply)	 □ Chronic cancer pain □ Chronic non-cancer pain □ Neuropathic pain □ Intractable epilepsy □ End of life/Palliative care □ Chemotheraphy-induced nausea and vomiting □ Cachexia associated with severe illness □ Anti-tumour effects □ Spasticity in Multiple Sclerosis □ Dementia patients with agitation □ Insomnia □ PTSD □ Anxiety □ Depression □ Other (please specify)
Other, please specify	

Please indicate how much you agree or disagree with each of the following statements						
	Strongly Agree	Slightly Agree	Neutral	Slightly Disagree	Strongly Disagree	
I know how to help patients legally access medicinal	0	0	0	0	0	
cannabis I am aware of the different medicinal cannabis products and formulations currently available	0	0	0	0	0	
I understand the current RACGP position on medicinal cannabis	0	0	0	0	0	
I understand the current AMA position on medicinal cannabis	0	0	0	0	\circ	
I am supportive of CBD products available over the counter in pharmacies	0	0	0	0	0	
Medicinal cannabis should only be prescribed by GPs in conjunction with specialists	0	0	0	0	0	
Only GPs who have undergone specific training and credentialing should be allowed to prescribe medicinal cannabis	0	0	0	0	0	
There is sufficient scientific evidence on the efficacy of medicinal cannabis	\bigcirc	0	0	0	0	



When considering prescribing medicinal cannabis						
	Strongly agree	Slightly agree	Neutral	Slightly disagree	Strongly disagree	
The risk of side effects is too	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\circ	
high The risk of abuse and dependence is too high	0	0	0	0	0	
I am concerned about the effects on driving	\circ	0	0	0	0	
I am concerned about drug seeking patients	0	0	0	0	0	
I do not have enough knowledge of its application in clinical	0	0	0	0	0	
practice The prescribing process is too difficult	0	0	0	0	0	
I am not convinced of the clinical efficacy	0	0	0	0	0	
It is too costly	\bigcirc	\circ	\circ	\circ	\circ	
There is sufficient scientific evidence on the efficacy of medicinal cannabis	0	0	0	0	0	

I support the use of medicinal cannabis products in patients with						
	Strongly agree	Slightly agree	Neutral	Slightly disagree	Strongly disagree	
Chronic cancer pain	\bigcirc	\bigcirc	\bigcirc	\circ	\circ	
Chronic non-cancer pain	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\circ	
Neuropathic pain	\bigcirc	\bigcirc	\bigcirc	\circ	\bigcirc	
Intractable epilepsy	\bigcirc	\circ	\circ	\circ	\bigcirc	
End of life/Palliative care	\bigcirc	\bigcirc	\bigcirc	\circ	\bigcirc	
Chemotheraphy-induced nausea and vomiting	0	0	0	0	0	
Cachexia associated with severe illness	0	0	0	0	\circ	
Anti-tumour effects	\bigcirc	\bigcirc	\bigcirc	\circ	\circ	
Spasticity in Multiple Sclerosis	\bigcirc	\bigcirc	\bigcirc	\circ	\bigcirc	
Dementia patients with agitation	\bigcirc	\bigcirc	\bigcirc	\circ	\circ	
Insomnia	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	
PTSD	\bigcirc	\bigcirc	\bigcirc	\circ	\bigcirc	
Anxiety	\bigcirc	\bigcirc	\bigcirc	\circ	\bigcirc	
Depression	\bigcirc	\circ	\circ	\circ	\bigcirc	

The major concerns with THC containing products include:						
	Strongly agree	Slightly agree	Neutral	Slightly disagree	Strongly disagree	
Addiction and dependence	\bigcirc	\circ	\bigcirc	\circ	\circ	
Cognitive impairment	\circ	\circ	\circ	\circ	\bigcirc	
Driving impairment	\bigcirc	\circ	\circ	\bigcirc	\circ	
Weight gain	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\circ	
Psychosis	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\circ	
Other long-term mental health issues	0	0	0	0	0	
Interactions with other medications	0	0	0	0	0	
Impact on the developing brain	\circ	\circ	\circ	\circ	\bigcirc	
Lack of Efficacy	\bigcirc	\bigcirc	\circ	\bigcirc	\bigcirc	

The major concerns with CBD containing products include:						
	Strongly agree	Slightly agree	Neutral	Slightly disagree	Strongly disagree	
Addiction and dependence	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\circ	
Cognitive impairment	\bigcirc	\bigcirc	\circ	\bigcirc	\circ	
Driving impairment	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\circ	
Weight gain	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\circ	
Psychosis	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\circ	
Other long-term mental health issues	0	0	0	0	0	
Interactions with other medications	0	0	0	0	0	
Impact on the developing brain	\circ	\circ	\circ	\circ	\bigcirc	
Lack of Efficacy	\circ	\bigcirc	\circ	\circ	\circ	

Medicinal cannabis is generally more hazardous than:					
	Strongly agree	Slightly agree	Neutral	Slightly disagree	Strongly disagree
Prescription opioids	\bigcirc	\bigcirc	\circ	\bigcirc	\bigcirc
Benzodiazepines	\bigcirc	\bigcirc	\circ	\circ	\bigcirc
Antipsychotics	\bigcirc	\bigcirc	\circ	\bigcirc	\bigcirc
Statins	\bigcirc	\bigcirc	\circ	\bigcirc	\bigcirc
Chemotherapy drugs	\bigcirc	\bigcirc	\circ	\bigcirc	\bigcirc
Antidepressants	0	0	0	0	\circ
Please provide any further co opinions about medicinal can		r 			