

CORRECTION

Correction: Posterior column acetabular fracture fixation using a W-shaped angular plate: A biomechanical analysis

Ke Su, Song Liu, Tao Wu, Yingchao Yin, Ruipeng Zhang, Shilun Li, Yingze Zhang

There is an error in affiliation 1 for author Ke Su. The correct affiliation 1 is: Department of Microbiology, Tumor and Cell Biology (MTC), Karolinska Institutet, Stockholm, Sweden.

Reference

1. Su K, Liu S, Wu T, Yin Y, Zhang R, Li S, et al. (2017) Posterior column acetabular fracture fixation using a W-shaped angular plate: A biomechanical analysis. PLoS ONE 12(11): e0187886. <https://doi.org/10.1371/journal.pone.0187886> PMID: 29155842



OPEN ACCESS

Citation: Su K, Liu S, Wu T, Yin Y, Zhang R, Li S, et al. (2019) Correction: Posterior column acetabular fracture fixation using a W-shaped angular plate: A biomechanical analysis. PLoS ONE 14(6): e0217734. <https://doi.org/10.1371/journal.pone.0217734>

Published: June 5, 2019

Copyright: © 2019 Su et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.