

OPEN ACCESS

EDITED AND REVIEWED BY
Eric London,
Institute for Basic Research in
Developmental Disabilities (IBR),
United States

*CORRESPONDENCE Matthew W. Mosconi mosconi@ku.edu

RECEIVED 16 August 2022 ACCEPTED 22 August 2022 PUBLISHED 09 September 2022

CITATION

McKinney WS, Kelly SE, Unruh KE, Shafer RL, Sweeney JA, Styner M and Mosconi MW (2022) Corrigendum: Cerebellar volumes and sensorimotor behavior in autism spectrum disorder. *Front. Integr. Neurosci.* 16:1020980. doi: 10.3389/fnint.2022.1020980

© 2022 McKinney, Kelly, Unruh, Shafer,

COPYRIGHT

Sweeney, Styner and Mosconi. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Cerebellar volumes and sensorimotor behavior in autism spectrum disorder

Walker S. McKinney^{1,2}, Shannon E. Kelly^{1,3}, Kathryn E. Unruh¹, Robin L. Shafer¹, John A. Sweeney⁴, Martin Styner⁵ and Matthew W. Mosconi^{1,2,3}*

¹Schiefelbusch Institute for Life Span Studies and Kansas Center for Autism Research and Training (K-CART), University of Kansas, Lawrence, KS, United States, ²Clinical Child Psychology Program, University of Kansas, Lawrence, KS, United States, ³Department of Psychology, University of Kansas, Lawrence, KS, United States, ⁴Department of Psychiatry and Behavioral Neuroscience, University of Cincinnati College of Medicine, Cincinnati, OH, United States, ⁵Department of Psychiatry and Computer Science, University of North Carolina at Chapel Hill, Chapel Hill, NC, United States

KEYWORDS

cerebellum, volumetry, autism spectrum disorder (ASD), sensorimotor, oculomotor, MRI, structure, Crus I

A corrigendum on

Cerebellar volumes and sensorimotor behavior in autism spectrum disorder

by McKinney, W. S., Kelly, S. E., Unruh, K. E., Shafer, R. L., Sweeney, J. A., Styner, M., and Mosconi, M. W. (2022). Front. Integr. Neurosci. 16:821109. doi: 10.3389/fnint.2022.821109

In the published article, there was an error. The MRI sequence parameters provided in the original text were incorrect. A correction has been made to **Materials and Methods**, "MRI Data Acquisition," Paragraph 1:

"Participants completed a structural MRI scan with a 3T whole-body scanner (Siemens Skyra) and a 32-channel head coil. Participants lay supine with their head stabilized using adjustable padding. A whole-brain T1-weighted (MPRAGE) anatomical scan was acquired across 176 contiguous sagittal slices at $1.200 \times 1.055 \times 1.055 \text{ mm}^3$ (FOV $176 \times 240 \times 256 \text{ mm}^3$; matrix $176 \times 240 \times 256 \text{ mm}^3$; TR = 2.3 s; TE = 2.95 ms; inversion delay to the center k-line 900 ms; flip angle= 9° ; pixel bandwidth = 240 Hz; duration 5:12)."

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

McKinney et al. 10.3389/fnint.2022.1020980

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.