Submit a Manuscript: http://www.f6publishing.com

World J Gastrointest Pharmacol Ther 2018 February 6; 9(1): 14-15

DOI: 10.4292/wjgpt.v9.i1.14

ISSN 2150-5349 (online)

CORRECTION

Erratum for factors associated with visceral fat accumulation in the general population in Okinawa, Japan (World J Gastrointest Pharmacol Ther 2016; 7: 261-267)

Shingo Arakaki, Tatsuji Maeshiro, Akira Hokama, Jiro Fujita

Shingo Arakaki, Tatsuji Maeshiro, Jiro Fujita, Department of Infectious, Respiratory, and Digestive Medicine, Graduate School of Medicine, University of the Ryukyus, Nishihara, Okinawa 903-0215, Japan

Akira Hokama, Department of Endoscopy, Graduate School of Medicine, University of the Ryukyus, 207 Uehara, Nishihara, Okinawa 903-0215, Japan

ORCID number: Akira Hokama (0000-0002-8310-9989).

Author contributions: Arakaki S, Maeshiro T, Hokama A, and Fujita J discussed the published original paper and wrote the erratum.

Open-Access: This article is an open-access article which was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/

Manuscript source: Unsolicited manuscript

Correspondence to: Akira Hokama, MD, PhD, Clinical Professor, Department of Endoscopy, Graduate School of Medicine, University of the Ryukyus, 207 Uehara, Nishihara, Okinawa 903-0215, Japan. hokama-a@med.u-ryukyu.ac.jp Telephone: +81-98-8951144

Received: October 9, 2017 First decision: October 30, 2017 Revised: November 12, 2017 Accepted: December 29, 2017 Article in press: November 9, 2017 Published online: February 6, 2018

© **The Author(s) 2018.** Published by Baishideng Publishing Group Inc. All rights reserved.

Arakaki S, Maeshiro T, Hokama A, Fujita J. Erratum for Factors associated with visceral fat accumulation in the general population in Okinawa, Japan (*World J Gastrointest Pharmacol Ther* 2016; 7: 261-267). *World J Gastrointest Pharmacol Ther* 2018; 9(1): 14-15 Available from: URL: http://www.wjgnet.com/2150-5349/full/v9/i1/14.htm DOI: http://dx.doi.org/10.4292/wjgpt.v9.i1.14

CORRECTION

Correction to: Arakaki S, Maeshiro T, Hokama A, Hoshino K, Maruwaka S, Higashiarakawa M, Parrott G, Hirata T, Kinjo K, Fujita J. Factors associated with visceral fat accumulation in the general population in Okinawa, Japan. *World J Gastrointest Pharmacol Ther* 2016; 7(2): 261-267 PMID: 27158542 DOI: 10.4292/wjgpt. v7.i2.261^[1].

Erratum 1

In the Results and Discussion, the description regarding the relationship between several parameters and VFA is lacking. In the Results (page 263) within the right side column, after "...(P < 0.05, Table 4).", "Although statistically not significant, a univariate analysis also indicated that FPG and HbA1c were slightly higher and HDL-C was slightly lower in males with low VFA group (Table 3)." should be added.

In the Discussion (page 266), after the first sentence (...related diseases^[14].) in the left side column, "In the present univariate analysis, in contrast to most prior reports, although statistically not significant, HDL-C was slightly lower and FPG and HbA1c were slightly higher in males with low VFA group. The precise reasons for this discrepancy have not been revealed, however, the lack of data, including medication, lifestyle behaviors, smoking status, and chronic disease status, may have influenced the discrepancy. These characteristics have



WJGPT | www.wjgnet.com

been known as strong modifiers to these variables. Further work is needed to clarify this issue." should be added.

Erratum 2

In the Discussion, the description regarding the reason for gender differences in VFA by current drinking is lacking. In the Discussion (page 266), after "....such as beer *vs* liquor." in the left side column, "Other possible factors have been considered, including the differences among ethanol metabolizing enzyme genes, diet factors, smoking, and amount of exercise. These factors need to be further investigated." should be

added.

Erratum 3

In the Results (page 263), in the last sentence of right side column, "significant lower" should have been "significantly higher".

REFERENCES

Arakaki S, Maeshiro T, Hokama A, Hoshino K, Maruwaka S, Higashiarakawa M, Parrott G, Hirata T, Kinjo K, Fujita J. Factors associated with visceral fat accumulation in the general population in Okinawa, Japan. World J Gastrointest Pharmacol Ther 2016; 7: 261-267 [PMID: 27158542 DOI: 10.4292/wjgpt.v7.i2.261]



